SAFETY DATA SHEET



1. Identification

Product identifier Moxidectin Oral Gel

Other means of identification

Synonyms QUEST® Gel * QUEST GEL * QUEST® 2% Equine Oral Gel * Moxidectin equine oral gel

Recommended use Veterinary product used as anti-worm agent (anthelmintic)

Recommended restrictions Not for human use

Manufacturer/Importer/Supplier/Distributor information

Company Name (USA) Zoetis Inc.

10 Sylvan Way

Parsippany, New Jersey 07054 (USA)

Rocky Mountain Poison

and Drug Center

1-866-531-8896

Product Support/Technical

Services

1-800-366-5288

–

Emergency telephone numbers

CHEMTREC (24 hours): 1-800-424-9300

International CHEMTREC (24 hours): +1-703-527-3887

Company Name (CA) Zoetis Canada Inc.

16740 Trans-Canada Highway Kirkland, Quebec, H9H 4M7

Emergency telephone

number

International CHEMTREC (24 hours): +1-703-527-3887

Contact E-Mail productsupport@zoetis.com

Product Support 1-800-461-0917

All Safety Data Sheets are available via our Zoetis Canada website at

https://www.zoetis.ca/sds/sds.aspx

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Specific target organ toxicity following Category 2 (central nervous system)

repeated exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

Category 1

long-term hazard

Label elements



Signal word Warning

Hazard statement May cause damage to organs (central nervous system) through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe dust/fume/gas/mist/vapors/spray. Avoid release to the environment.

Response Get medical advice/attention if you feel unwell. Collect spillage.

Storage Store away from incompatible materials.

Material name: Moxidectin Oral Gel

SDS CANADA

1/9

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

None known.

Supplemental information

May cause eye and skin irritation.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Benzyl alcohol		100-51-6	4
Moxidectin		113507-06-5	2
Disodium EDTA (dihydrate)		6381-92-6	<3

% = W/V

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. For breathing difficulties, oxygen

may be necessary.

Skin contact Wash off immediately with soap and plenty of water. Get medical advice/attention if you feel

unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing

before reuse.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove Eye contact

contact lenses, if present and easy to do.

Ingestion Rinse mouth. Call a physician or poison control centre immediately. Do not induce vomiting without

advice from poison control center. Never give anything by mouth to a victim who is unconscious or

is having convulsions.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort. Narcosis. Behavioural changes. Decrease in motor functions. Prolonged exposure may cause chronic effects. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision)

and/or damage.

Indication of immediate medical attention and special

treatment needed

May cause central nervous system effects. Provide general supportive measures and treat

symptomatically. Symptoms may be delayed.

General information IF exposed or concerned: Get medical advice/attention. For personal protection, see section 8 of the SDS. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

No unusual fire or explosion hazards noted.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Ventilate the contaminated area. Do not breathe mist or vapour. Avoid contact with eyes, skin, and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS. Local authorities should be advised if significant spillages cannot be contained.

Material name: Moxidectin Oral Gel

SDS CANADA

Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ensure adequate ventilation. Avoid release to the environment. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Clean contaminated surface thoroughly.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Use this product with adequate ventilation. Wear appropriate personal protective equipment. Do not breathe mist or vapour. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Keep container tightly closed. Store in a well-ventilated place. @ 15-30°C (59-86°F). Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children.

8. Exposure controls/personal protection

Occupational exposure limits

Zootic

Components	Туре	Value	
Moxidectin (CAS 113507-06-5)	TWA	70 μg/m3	

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Not available.

Control banding approach

Appropriate engineering

controls

Ensure adequate ventilation, especially in confined areas. Keep air contamination levels below the exposure limits or within the OEB range listed above in this section. Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or aerosols. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses or goggles if eye contact is possible.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Impervious gloves are recommended if skin contact

with drug product is possible and for bulk processing operations.

Other Wear suitable protective clothing. Impervious protective clothing is recommended if skin contact

with drug product is possible and for bulk processing operations.

Respiratory protection No personal respiratory protective equipment normally required. In case of insufficient ventilation,

wear suitable respiratory equipment. If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL. Chemical respirator with organic vapour cartridge, full facepiece, dust and mist

filter.

Thermal hazards Not applicable.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance gel.

Physical state Solid.
Form Solid.
Colour Clear.

Odour Not available.
Odour threshold Not available.
pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Not available.

Not available.

Upper/lower flammability or explosive limits

(%)

Flammability limit - upper

Flammability limit - lower

(%)

Not available.

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper Not available.

(%)

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.
(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerisation does not occur.

reactions

Conditions to avoid Contact with incompatible materials. Keep away from heat, spark, open flames and other sources

of ignition. Protect from freezing. Avoid release to the environment.

Incompatible materials Avoid contact with oxidisers or reducing agents. Fluorine. Chlorine.

Hazardous decomposition Irritating and/or toxic fumes

products

Moxidectin

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Carbon

dioxide, carbon monoxide, and oxides of nitrogen.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Prolonged inhalation may be harmful.

Skin contact May be harmful in contact with skin. Frequent or prolonged contact may defat and dry the skin,

leading to discomfort and dermatitis.

Benzyl alcohol Species: Guinea Pig Severity: Moderate

> Species: Rabbit Severity: Mild

Benzyl alcohol Species: Rabbit

Severity: Minimal

Eye contact Direct contact with eyes may cause temporary irritation.

Material name: Moxidectin Oral Gel

Eye contact

Moxidectin Species: Rabbit Severity: Moderate

Benzyl alcohol Species: Rabbit Severity: Severe

May be harmful if swallowed. However, ingestion is not likely to be a primary route of occupational Ingestion

exposure.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort. Narcosis. Behavioural changes. Decrease in motor functions. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination,

weakness, fatigue, mental confusion and blurred vision) and/or damage.

Information on toxicological effects

Acute toxicity	May be harmful if swallowed.	
Product	Species	Test results
Moxidectin Oral Gel		
<u>Acute</u>		
Dermal		
ATE		> 10000 mg/kg
Oral		
ATE		4345 mg/kg
Components	Species	Test results
Benzyl alcohol (CAS 100-	51-6)	
<u>Acute</u>		
Dermal	5	
LD50	Rabbit	2000 mg/kg
Inhalation	В.	4.470
LC50	Rat	> 4.178 mg/l
		1000 mg/l, 8 Hours
Oral		4500 #
LD50	Mouse	1580 mg/kg
	Rat	1230 mg/kg
Moxidectin (CAS 113507-0	06-5)	
Acute .		
Dermal	Rat	. 2000 mg/kg
LD50	nai	> 2000 mg/kg
Oral LD50	Rat	106 mg/kg
	nai	106 mg/kg
Chronic		
Oral NOEL	Mouse	30 mg/kg/day, 2 years (Not carcinogenic)
NOLL	Rat	100 mg/kg/day, 2 years (Not carcinogenic)
Cubacuta	nai	100 mg/kg/day, 2 years (Not cardinogenic)
Subacute Oral		
Oral LOEL	Rat	100 mg/kg/day, 28 days (Central Nervous
LOLL	riat	System)
NOEL	Mouse	75 mg/kg/day, 28 days (Central nervous system)
<u>Subchronic</u>		
Oral		
NOEL	Dog	10 mg/kg/day, 90 days (Central Nervous System)

Material name: Moxidectin Oral Gel

SDS CANADA

Components **Species** Test results Rat 50 mg/kg/day, 13 weeks (Central Nervous System) Skin corrosion/irritation Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Corrosivity Moxidectin Species: Rabbit Severity: Mild Direct contact with eyes may cause temporary irritation. Serious eye damage/eye irritation Eye contact Moxidectin Species: Rabbit Severity: Moderate Benzyl alcohol Species: Rabbit Severity: Severe

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation This product is not expected to cause skin sensitisation.

Skin sensitisation

Moxidectin Species: Guinea Pig

Severity: negative

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity Moxidectin

In Vitro Bacterial Mutagenicity (Ames)

Result: negative

Species: Salmonella, E. coli

In Vitro HGPRT Forward Gene Mutation Assay

Result: negative

Species: Chinese Hamster Ovary (CHO) cells

In Vivo Cytogenetics Result: negative

Species: Rat Bone Marrow

In Vivo Unscheduled DNA Synthesis

Result: negative Species: Rat Hepatocyte

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

Moxidectin 1 mg/kg/day Embryo / Fetal Development, (Maternal toxicity,

Not teratogenic) Result: NOEL Species: Rabbit Organ: Oral route

5 mg/kg/day Embryo / Fetal Development, (Negative)

Result: NOEL Species: Rat Organ: Oral route

5 mg/kg/day Embryo / Fetal Development, (Not Teratogenic,

Embryotoxicity, Maternal Toxicity)

Result: NOEL Species: Rat Organ: Oral route

Material name: Moxidectin Oral Gel

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (central nervous system) through prolonged or repeated exposure.

Not an aspiration hazard. **Aspiration hazard**

May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may **Chronic effects**

be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects. Avoid release to the environment.

Components		Species	Test results
Benzyl alcohol (CAS	100-51-6)		
	EC50	Daphnia magna (Water Flea)	230 mg/l, 48 Hours
			66 mg/l, 21 day(s) Toxicity for reproduction
		Pseudokirchneriella subcapitata (Green Alga)	500 mg/l, 72 Hours
	LC50	Pimephales promelas (Fathead Minnow)	460 mg/l, 96 Hours
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	10 mg/l, 96 hours
Moxidectin (CAS 113	507-06-5)		
	EC50	Daphnia Magna (Water Flea)	30 ppt, 48 Hours
		Selenastrum capricornutum (Green Alga)	> 87 ppb, 72 Hours
	LC50	Lepomis macrochirus (Bluegill Sunfish)	0.62 ppb, 96 Hours
		Oncorhynchus mykiss (Rainbow Trout)	0.16 ppb, 96 Hours

Persistence and degradability

No data is available on the degradability of this product. The active ingredient in this formulation is

expected to bind to soil or sediment.

No data available for this product. Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Moxidectin 8.74, (Log D @pH 7) Estimated

Mobility in soil The active ingredient in this formulation is expected to bind to soil or sediment.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Avoid release to the environment. Do not discharge into drains, water courses or onto the ground.

Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

Material name: Moxidectin Oral Gel

SDS CANADA

675 Version #: 01 Issue date: 05-June-2017

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

UN number UN3077

UN proper shipping name Environmentally hazardous substances, solid, n.o.s. (Moxidectin, Benzyl Alcohol)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3077

UN proper shipping name Environmentally hazardous substances, solid, n.o.s. (Moxidectin, Benzyl Alcohol), MARINE

POLLUTANT (Moxidectin, Benzyl Alcohol)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant Yes EmS F-A, S-F


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant. As of January 1, 2015, materials offered for transport that are classified for transportation only as Marine Pollutants and which are packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 Liters or less for liquids or having a net mass per single or inner packaging of 5 kilograms or less for solids are NOT subject to ICAO/IATA, IMDG, or ADR transport regulations provided the general packaging requirements of those regulations are met. Refer to ICAO/IATA A197, IMDG 2.10.2.7, ADR SP 375. Please refer to the applicable dangerous goods regulations for additional information. Transport according to the requirements of the appropriate regulatory body.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Country(s) or region	inventory name	On inventory (yes/no)^
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 05-June-2017

Version No. 01

List of abbreviations ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

Disclaimer Zoetis Inc. believes that the information contained in this Safety Data Sheet is accurate, and while

it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time. The information in the sheet was written based on the best knowledge and experience currently

available.

Revision information Product and Company Identification: Synonyms

Inventory name

Composition / Information on Ingredients: Ingredients

Toxicological Information: Toxicological Data

Transport Information: Material Transportation Information

GHS: Qualifiers

Material name: Moxidectin Oral Gel

On inventory (yes/ne)*