

Dominion Veterinary Laboratories Limited **Quality Animal Health Pharmaceuticals - Dedicated Service Since** 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

Safety Data Sheet

Date:

August 8, 2021

Product: COPPER SULFATE

- **Product Code:** 00P-COPP2, OOP-COPP3
- Supplier: Dominion Veterinary Labs LTD. 1199 Sanford St. Winnipeg, Manitoba R3E 3A1 Telephone: (204)-589-7361 Fax: (204)-943-9612

UCT AND IDENTIFICATION 1. PRO

1. PRODUCT AND IDENTIFICATION					
1.1 Product identifiers Product name : Copper sulphate pentahydrate					
	Other Names	: Cupric sulphate, Blue Vitriol, Bluestone			
	CAS-No.	: 7758-99-8			
1.2	Relevant identified uses	s of the substance or mixture and uses advised against			
	Identified uses :	For use in animal feed, fertilizer and other specialty applications.			
	Uses not recommended	: Not intended for human consumption.			
1.3 Emergency telephone number					
	Emergency Phone #	: +1 613 996-6666 CANUTEC (Canada)			
2. HAZARDS IDENTIFICATION					

2.1 Classification of the substance or mixture

> **GHS Classification in accordance with Hazardous Products Regulations** (HPR) (SOR/2015-17) Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictograms



Signal word

Warning

Hazard statement(s) Harmful if swallowed. H302 H315 Causes skin irritation. H319 Causes serious eye irritation. H410 Very toxic to aquatic life with long lasting effects.

MSDS **Copper Sulfate** Page 1 of 9



Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

Precautionary statement(s)	
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms	: Cupric sulfatepentahydrate
Formula	: CuSO4 · 5H2O
Molecular weight	: 249.69 g/mol
CAS-No.	: 7758-99-8
EC-No.	: 231-847-6
Index-No.	: 029-004-00-0

Hazardous components

Component	Classification	Concentration*
Copper sulphate pentahydrate		
	Acute Tox. 4; Skin Irrit. 2; Eye	90 - 100 %
	Irrit. 2A; Aquatic Acute 1;	
	Aquatic Chronic 1; H302,	
	H315, H319, H410	
* Weight percent		

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

MSDS Copper Sulfate Page 2 of 9



Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- 4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from

the substance or mixture No data available **5.3 Advice for firefighters** Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.
- **6.2** Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- **6.3** Methods and materials for containment and cleaning up Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.
- 6.4 Reference to other sections For disposal see section 13.

MSDS Copper Sulfate Page 3 of 9



Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place.

Air sensitive. hygroscopic Handle and store under inert gas.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

> MSDS Copper Sulfate Page 4 of 9



Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N99 (US) or type P2 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Colour: blue	
b)	Odour	No data available	
c)	Odour Threshold	No data available	
d)	рН	3.7 - 4.5 at 50 g/l at 25 °C (77 °F)	
e)	Melting point/freezing point	Melting point/range: 110 °C (230 °F) - dec.	
f)	Initial boiling point and	No data available boiling range	
g)	Flash point	No data available	
h)	Evaporation rate	No data available	
i)	Flammability (solid, gas)	No data available	
j)	Upper/lower	No data available	

MSDS Copper Sulfate Page 5 of 9



Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

	flammability or explosive limits	
k)	Vapour pressure	9.7 hPa (7.3 mmHg) at 25 °C (77 °F)
I)	Vapour density	No data available
m)	Relative density	2.284 g/cm3
n)	Water solubility	No data available
o)	Partition coefficient: n-	No data available
	octanol/water	
p)	Auto-ignition temperature	No data available
q)	Decomposition	No data available temperature
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available
Other safety information No data available		

10. STABILITY AND REACTIVITY

9.2

- 10.1 Reactivity No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions
- No data available
- **10.4 Conditions to avoid** Exposure to moisture
- 10.5 Incompatible materials
 Powdered metals, Anhydrous copper(II) sulfate, reacts violently with:, hydroxylamine, Magnesium

Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Sulphur oxides, Copper oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

MSDS Copper Sulfate Page 6 of 9



Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

Acute toxicity

LD50 Oral - Rat - 482 mg/kg (OECD Test Guideline 401) Remarks: anhydrous

Inhalation: No data available

LD50 Dermal - Rat - > 2,000 mg/kg Remarks: anhydrous

No data available

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye irritation Irritating to eyes.

Respiratory or skin sensitisation

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: GL8900000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Stomach - Irregularities - Based on Human Evidence

> MSDS Copper Sulfate Page 7 of 9



Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 0.024 mg/l - 48 h other aquatic invertebrates

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION TDG (Canada)

UN number: 3077 Class: 9 Packing group: III Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. Marine pollutant: Yes Poison Inhalation Hazard: No

DOT (US)

UN number: 3077 Class: 9

Packing group: III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Marine pollutant: Yes

Poison Inhalation Hazard: No

Reportable Quantity (RQ) = 4.54 kg (10 lbs)







Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 Toll Free: 1.800.465.7122 - www.domvet.com

IMDG

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Copper sulphate pentahydrate) Marine pollutant:yes

ΙΑΤΑ

UN number: 3077 Class: 9 Packing group: III Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper sulphate pentahydrate)

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity Aquatic Acute Acute aquatic toxicity Aquatic Chronic Chronic aquatic toxicity Eye Irrit. Eve irritation Harmful if swallowed. H302 H315 Causes skin irritation. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

Preparation Date: 07/28/04 Revision Date: 08/12/21 Issued By: Dominion Vet Labs. Ltd. Carol Lamirande/Office Manager

The information contained herein is, to the best of our knowledge, true and accurate. Any recommendations or suggestions are made without obligation on our part and the Company accepts no liability to any customers, their employees or any other person whatsoever for any loss, injury or damage whether direct or consequential, which may be caused by an error or emission from this sheet even if negligence or otherwise.

MSDS Copper Sulfate Page 9 of 9