First issue: 8 November 2012 Revision date: January 9, 2013

SDS No. 004.759 SuperShine Black Revision No.: 2



# **SAFETY DATA SHEET**

In accordance with OSHA's Hazard Communication Standard 29 CFR §1910.1200

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier:

Absorbine® SuperShine® Black

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Fast Drying Hoof Polish & Sealer

#### 1.3. Details of the supplier of the safety data sheet

### **Manufacturer/Supplier:**

W. F. Young, Inc.

302 Benton Drive East Longmeadow, MA 01028

Telephone number for information: 413 526 9999

E-mail: SDS@wfyoung.com

### 1.4. Emergency telephone number

413 526 9999

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the mixture

F, Xi R11, 36, 37/38, 66, 67

#### 2.2. Label elements





F; Flammable

Xi; Irritant

Risk phrases: R11, 36, 37/38, 66, 67

Safety phrases: S2, S9, S16, S24/25, S26

#### 2.3. Other hazards

None identified

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Hazardous ingredients information

Component	CAS Nr	EINECS / ELINCS	Amount (%)	DSD Hazard Symbol	DSD R-Phrases
Acetone	67-64-1	200-662-2	75 - 85	F, Xi	R11, 36, 66, 67
Phenolic Novolac	N/A		15 – 25	phenol	R36/37/38, 68
Resin	108-95-2	203-632-7	0.5 – 0.7		
[Phenol (and) formaldehyde]	50-00-0	200-001-8	<50ppb		

#### **Other Components:**

Remaining components of this aqueous mixture are proprietary, non-hazardous and/or are present at concentrations below reportable limits.

#### **Additional Information:**

Amounts specified are typical and do not represent a specification. For the wording of the listed risk phrases refer to Section 16.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

#### **Inhalation**

Remove affected person to fresh air; wash mouth and nasal passages with water repeatedly; if breathing difficulties persist seek medical attention.

#### Skin

Wash contacted area with soap and water; DO NOT attempt to neutralize with chemical agents; if irritation persists, seek medical attention.

# Eye

Remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.

#### **Ingestion**

If swallowed, call a physician of Poison Control Center immediately. May produce CNS depression. Do not induce vomiting unless directed to do so by medical personnel. Do not give anything by mouth to an unconscious or convulsing person.

### 4.2. Most important symptoms and effects, both acute and delayed

**INHALATION**: Inhalation of mists or vapors may cause irritation to upper respiratory tract and mucous membranes. May cause headache, dizziness, nausea, vomiting and malaise.

**SKIN**: Liquid is mildly irritating to the skin. Prolonged skin contact may result in skin irritation and dermatitis.

**EYES**: Liquid is severely irritating to the eyes. High vapour concentrations aare also irritating.

**INGESTION**: May produce CNS depression.

# 4.3. Indication of any immediate medical attention and special treatment needed

None identified

#### **SECTION 5: FIRE-FIGHTING MEASURES**

#### 5.1. Extinguishing media

Carbon dioxide, water fog, dry chemical, chemical foam.

#### 5.2. Special hazards arising from the substance or mixture

Closed containers can explode due to build-up of pressure when exposed to extreme heat. Water spray can be used to reduce the intensity of flames and to dilute spills to non-flammable mixture.

#### **5.3.** Advice for fire-fighters

Self - contained respiratory equipment; cool containers to prevent pressure build-up and possible explosion when exposed to extreme heat. Vapors from this product may travel or be moved by air currents and be ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharges or other ignition sources at locations distant from handling point. Vapors are heavier than air.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

FLAMMABLE. Evacuate and ventilate area; confine and absorb into absorbent; place material into approved containers for disposal

#### **6.2.** Environmental precautions

Do not discharge into lakes, ponds, streams or public waters.

#### 6.3. Methods and material for containment and cleaning up

Confine and absorb into absorbent; place material into approved containers for disposal.

### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Flammable. Keep this and other chemicals out of reach of children. Avoid inhaling concentrated fumes or vapors.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers closed when not in use. Protect from extreme temperatures. It should be stored in tightly closed containers in a cool, well-ventilated area.

# 7.3. Specific end use(s)

None identified

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### **National Limit values:**

Substance	NIOSH (US)				ACGIH (US)			
	TWA ppm	TWA mg/m <sup>3</sup>	STEL ppm	STEL mg/m <sup>3</sup>	TWA ppm	TWA mg/m <sup>3</sup>	STEL ppm	STEL mg/m <sup>3</sup>
Acetone	250	590			500		750	
Phenolic Novolac Resin (phenol) [Phenol (and) formald ehyde]	5	19	-	-	5	-	-	-

# 8.2. Exposure controls

# **Appropriate engineering controls:**

Use general dilution or local exhaust ventilation.

#### Individual protection measures, such as personal protective equipment

Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

### (a) Eye/face protection:

Chemical splash goggles.

#### (b) **Skin protection**:

Coveralls, apron, or other equipment should be worn to minimize skin contact. Neoprene or rubber gloves with cuffs.

#### (c) Respiratory protection:

None required while threshold limits are kept below maximum allowable concentrations; if TWA exceeds standard workplace limits, NIOSH approved respirator must be worn. Refer to 29 CFR 1910.134 or European Standard EN 149 for complete regulations.

# (d) Thermal hazards:

Avoid extreme temperature.

#### **Environmental exposure controls**

None specified at present under Community environmental protection legislation. As a general precaution, do not discharge into the drains/surface waters/groundwater.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

(a) Appearance: black thin liquid(b) Odour: acetone odour

(c) Odour threshold: not established

(d) pH: N/A

(e) Melting point / freezing point: not established(f) Initial boiling point and boiling range: not established

(h) Evaporation rate (water = 1): <1

(g) Flash point: -6.5°C

(i) Flammability (solid, gas): not applicable

(j) Upper/lower flammability or explosive limits: none established

(k) Vapour pressure: 231 mm Hg @ 25°C

(1) Vapour density (air = 1): 2.0

(m) Relative density: 0.800 @ 25°C

(n) Solubility(ies): Partially Miscible

(o) Partition coefficient: n-octanol/water: not established

(p) Auto-ignition temperature: not determined
 (q) Decomposition temperature: not determined
 (r) Viscosity: 0.32 cps @ 20°C

(s) Explosive properties: not applicable(t) Oxidising properties: not applicable

# 9.2. Other information

None

#### **SECTION 10: STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Not likely to react under normal storage and use conditions.

### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

### 10.3. Possibility of hazardous reactions

None identified

#### 10.4. Conditions to avoid

Avoid heat, sparks, and flame

#### 10.5. Incompatible materials

Strong oxidizing agents.

# 10.6. Hazardous decomposition products

Carbon dioxide and carbon monoxide.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

(a) acute toxicity:

Oral LD50 [rat]: > 5000mg/kg Dermal LD50[rat]: > 2000mg/kg Inhalation LC50[rat]: 5000 mg/kg

- (b) **skin corrosion/irritation**: slight skin irritant
- (c) **serious eye damage/irritation**: severely irritating to the eyes; produces ocular damage in the form of erythema chemosis, iritis, mucoid discharge and corneal opacity.
- (d) **respiratory or skin sensitization**: not a contact sensitizer
- (e) **germ cell mutagenicity**: not available for the mixture
- (f) **carcinogenicity**: not available for the mixture; formaldehyde is a suspected carcinogen
- (g) **reproductive toxicity**: not available for the mixture
- (h) **STOT-single exposure**: not available for the mixture
- (i) **STOT-repeated exposure**: not available for the mixture
- (j) **aspiration hazard**: not available for the mixture

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

Avoid runoff into storm sewers and ditches which lead to natural waterways.

# 12.2. Persistence and degradability

While the ecological properties of this mixture have not been fully evaluated, limited ingredient data, if available, is presented.

Resin – likely this material biodegrades slowly

Acetone – volatizes, leeches and biodegrades when release into soil

## 12.3. Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

Not available.

#### 12.6. Other adverse effects

None of the ingredients in this mixture are classified as a Marine Pollutant.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### **13.1.** Waste treatment methods

Do not contaminate water, food, or feed by storage or disposal. This product, when spilled or disposed of, is an ignitable waste. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used.

#### **SECTION 14: TRANSPORT INFORMATION**

**Ground**: Limited Qty

**Ocean:** UN1090 Acetone Solution in Limited Quantities Class 3 Packing Group II square-on-point display per 3.4.5.1

#### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### TSCA (USA - Toxic Substance Control Act)

Ingredients are listed on the TSCA inventory.

# SARA TITLE III (USA - Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories

Immediate health

# 313 Reportable Ingredients:

(a) Indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To-

Know Act of 1986 and of 40 CFR 372.

# **CERCLA (USA - Comprehensive Response Compensation and Liability Act)**

None

#### California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

Formaldehyde 50-00-0 Present

#### **CPR** (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Classification: D2A, D2B

### **IDL** (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

# DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

#### **EINECS** (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

# 15.2. Chemical Safety Assessment

Not available for the mixture

#### **SECTION 16: OTHER INFORMATION**

#### **Risk and Safety phrases:**

R11	Highly flammable
R36	Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin

R66 Repeated exposure may cause skin dryness or cracking

R67 Vapours may cause drowsiness and dizziness.

R68 Possible risks of irreversible effects
 S2 Keep out of the reach of children
 S9 Keep container in a well-ventilated place
 S16 Keep away from sources of ignition
 S24/25 Avoid contact with skin and eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

LAST UPDATE: January 9, 2013 Changes: updated Transport info.

#### DISCLAIMER

This information is furnished without warranty, expressed or implied, except that it is accurate to the best of the knowledge of W. F. Young, Inc. The data on this sheet relates only to the specific material designed herein and does not relate to use in combination with any other material or in any process. W. F. Young, Inc. assumes no legal responsibility for use or reliance upon this data. This information herein is provided solely for your consideration, investigation, and verification.