

To Our Customers:

The attached Safety Data Sheet (SDS) was prepared by the vendor of the product you purchased through one of our divisions. We used the manufacturer's electronic document directly or scanned a paper copy and generated a file for our automated SDS delivery system.

All statements, technical information, and recommendations contained therein are solely that of the manufacturer of the product. We at Zep Inc. did not verify the accuracy and completeness of the statements and do not warrantee or guarantee the information. We provide vendor SDSs to assist our customers in their compliance efforts. The attached document is in compliance with one of the respective country regulatory requirements noted below:

The OSHA Hazard Communication Standard (in the United States) The Hazardous Products Regulations (in Canada)

We made every effort to deliver all of the information prepared by the manufacturer. We cannot anticipate all conditions under which this information will be used. If you have any questions about the statements on the SDS, please contact the company shown on the document.

Zep Inc. assumes no liability or responsibility for loss or damage resulting from the improper use or handling of this product, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the manufacturer's product label and Safety Data Sheet.

Sincerely,

Product Stewardship Team Zep Inc.

SAFETY DATA SHEET

1. Identification

Product identifier B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Other means of identification

Product code 1000029047
Recommended use pesticide
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name ACUITY HOLDINGS INC. dba AMREP

Address 11627 178 STREET NW

EDMONTON, AB T5S 1N6

Canada

Telephone General Assistance 1-905 669-9876

E-mail Not available.

Emergency phone number Emergency - US 1-866-836-8855

Emergency - Outside US 1-952-852-4646

Supplier Not available.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Health hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Response Wash hands after handling.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Other hazards Combustible.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Carbon Dioxide		124-38-9	3
Tetramethrin		7696-12-0	0.2
d-Phenothrin		26002-80-2	0.125
Other components below report	able levels		96.674

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist. Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delaved

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Specific hazards arising from the chemical

Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or

Firefighters must use standard protective equipment including flame retardant coat, helmet with

monitor nozzles, if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not

breathe fumes.

General fire hazards Extremely flammable aerosol. Combustible.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Level 3 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occur	pational	exposure	limits

Components	mit Values Type	Value
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm
,	TWA	5000 ppm
Canada. Alberta OELs (C	Occupational Health & Safety Code, Sc	hedule 1, Table 2)
Components	Туре	Value
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3
		30000 ppm
	TWA	9000 mg/m3
		5000 ppm
Canada. British Columbi Safety Regulation 296/97		ts for Chemical Substances, Occupational Health and
Components	Туре	Value
Carbon Dioxide (CAS 124-38-9)	STEL	15000 ppm
121 00 0)	TWA	5000 ppm
Canada. Manitoba OELs Components	(Reg. 217/2006, The Workplace Safety Type	And Health Act) Value
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm
124 00 0)	TWA	5000 nnm
		SOUU DOITI
Canada Ontario OELs (Control of Exposure to Rielogical or C	5000 ppm
Canada. Ontario OELs. (Components	Control of Exposure to Biological or C Type	• •
		hemical Agents)
Carbon Dioxide (CAS	Туре	hemical Agents) Value
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Type STEL TWA	hemical Agents) Value 30000 ppm
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS	Type STEL TWA Ministry of Labor - Regulation Respec	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment)
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components	Type STEL TWA Ministry of Labor - Regulation Respec	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS	Type STEL TWA Ministry of Labor - Regulation Respec Type STEL	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS	Type STEL TWA Ministry of Labor - Regulation Respec	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9)	Type STEL TWA Ministry of Labor - Regulation Respec Type STEL	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS	Type STEL TWA Ministry of Labor - Regulation Respective Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 10 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values ropriate engineering trols	Type STEL TWA Ministry of Labor - Regulation Respective Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai	hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 10 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation intain airborne levels below recommended exposure limits. Olished, maintain airborne levels to an acceptable level.
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values ropriate engineering trols	Type STEL TWA Ministry of Labor - Regulation Respective Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estated	Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ratein airborne levels below recommended exposure limits. Dished, maintain airborne levels to an acceptable level.
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values propriate engineering trols	Type STEL TWA Ministry of Labor - Regulation Respective Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estates, such as personal protective equipments.	Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ratein airborne levels below recommended exposure limits. Dished, maintain airborne levels to an acceptable level.
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values ropriate engineering trols vidual protection measur Eye/face protection	Type STEL TWA Ministry of Labor - Regulation Respective Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estates, such as personal protective equipments wear safety glasses with side shield	Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ratein airborne levels below recommended exposure limits. Dished, maintain airborne levels to an acceptable level.
Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (Components Carbon Dioxide (CAS 124-38-9) ogical limit values propriate engineering trols vidual protection measur Eye/face protection Skin protection	Type STEL TWA Ministry of Labor - Regulation Respective Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estables, such as personal protective equipments wear safety glasses with side shield. Wear appropriate chemical resistants	Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 10 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation intain airborne levels below recommended exposure limits. Diished, maintain airborne levels to an acceptable level. ment ds (or goggles).

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017

SDS CANADA

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Gas. Physical state Aerosol. **Form** Color Not available. Not available. Odor **Odor threshold** Not available. Not available. Ha Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

225.8 °F (107.7 °C) estimated Flash point

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits 0.5 % estimated

Flammability limit - lower

(%)

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

421 °F (216.11 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available. Not available. **Viscosity**

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing Specific gravity 0.832 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

No hazardous decomposition products are known.

products

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. **Eve contact** Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

LD50

Components	Species	Test Results
Tetramethrin (CAS 7696-12-0)		
<u>Acute</u>		
Oral		

4640 mg/kg

Rat

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Components	Species	Test Results	
Tetramethrin (CAS 7696-12-0)			
Aquatic			

LC50 0.095 - 0.16 mg/l, 96 hours Fish Carp (Cyprinus carpio)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Tetramethrin 4.73

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

SDS CANADA

^{*} Estimates for product may be based on additional component data not shown.

^{*} Estimates for product may be based on additional component data not shown.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

TDG

UN number UN1950

UN proper shipping name Transport hazard class(es)

e AEROSOLS, flammable

Class 2.1 Subsidiary risk -

Packing group Not applicable.

Environmental hazards

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exemption requirements and may be shipped as a limited quantity.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards No. **ERG Code** 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards

Marine pollutant No. EmS F-D, S-U

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

This product contains a pesticide that is registered to the Canadian Pest Management Regulatory Agency (PMRA). It may contain components that are exempt from the DSL/NDSL.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Carbon Dioxide (CAS 124-38-9)

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Carbon Dioxide (CAS 124-38-9) Listed.

Inventory name

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

		· · · · · · · · · · · · · · · · · · ·
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

 Issue date
 04-28-2017

 Revision date
 08-08-2017

Version # 02

Product name: B97001 325G KONK "NEW" HORNET&WASP LB 12PK

SDS CANADA

On inventory (yes/no)*

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Hazard(s) identification: Hazard statement Hazard(s) identification: GHS Signal Words Fire-fighting measures: General fire hazards

Handling and storage: Precautions for safe handling

Exposure controls/personal protection: Respiratory protection Disposal considerations: Waste from residues / unused products Transport Information: Material Transportation Information

Regulatory information: Canadian regulations

Other Information: Disclaimer

GHS: Classification

SDS CANADA

Product #: 1000029047 Version #: 02 Revision date: 08-08-2017 Issue date: 04-28-2017