Material Safety Data Sheet

Date: October 11, 2011

Product: Stronger Iodine Tincture (7%)

Product Information: Iodine Tincture

Product Codes: 10L-ITIN1, 10L-ITIN2

D.I.N.: 00349704

Manufacturer/Supplier: Dominion Veterinary Labs LTD.

1199 Sanford St Winnipeg, Manitoba

R3E 3A1

Telephone: (204)-589-7361 Fax: (204)-943-9612

Product use: As an antiseptic for topical use, a counter-irritant in chronic inflammatory conditions and as a parasiticide in ringworm. May be used as a pre and post operative dressing.

Chemical Identity:	Blend		
CAS No. and name:	Blend		
Formula and M.Wt.:	Blend		
WHMIS classification:	Flammable liquid, Cla Toxic Material, Class		
TDG classification:	Flammable Liquid, n. Class: 3 UN 1993 Packing Group: II Exemption: Limited (ohol)
Hazardous Ingredients:	Isopropanol		
Chemical Identity	CAS#/NA#/UN#	Conc.(w/w)	LD50
Isopropanol	67-63-0	60-100%	LD50(Oral Rat)5045 mg/kg

Physical Data		
Physical State:	Liquid	
Appearance and Odou	ur: Dark brown liquid	with aromatic odour.
Odour threshold:	40ppm- Isopropanol	Boiling Pt. (Deg.C): N/A
Specific Gravity:	.88	Freezing Pt.(Deg.C): N/A
Vapor Pressure:	N/A	pH: 4.0
Vapor Density:	N/A	Density(g/ml):.88/ml
Evaporation Rate:	N/A	Water Solubility: Soluble
	Fire or Ex	plosion Hazards
Conditions of flamma greater than the flash po		nition, the presence of air, and a temperature
Means of extinction: Large fires- U	Jse water spray, foam, dry chem	nical, or carbon monoxide.
Small fires- S	ame as above	
Flashpoint and metho	od of determination: (Deg. C)-	19 Deg. C Pensky-Martens
Upper flammable limi	it: N/A	
Lower flammable limi	it: N/A	
Auto-Ignition Temper	rature: N/A	
Hazardous combustio	n products: Carbon oxides and	products of incomplete combustion.
Explosion Data- Sensi	itivity to mechanical impact: N	Not sensitive

Explosion Data-Sensitivity to static discharge: Potential for fire and/or explosion. Grounding and use of explosion-proof equipment is required.

	Reactivity Data
Chemical Stability: Stable under norn	nal conditions. Hazardous polymerization will not occur.
Incompatible Substances: Avoid stro	ng oxidizing and reducing agents.
Conditions of reactivity: Avoid conta Avoid heating above flash point.	umination with reactive substances. Avoid excessive heat.
Hazardous decomposition products: Oxides of carbon.	Acid smoke and fumes emitted when heated to decomposition.
	Toxicological properties
Effects of Acute Exposure:	
Route of Entry:	
Skin contact:	Contact may cause irritation, redness, swelling, or dermatitis.
Eye absorption:	Will cause painful burning or stinging of the eye lids, watering of eyes and inflammation of conjunctiva.
Inhalation:	vapors could cause headache, nausea, dizziness, and respiratory irritation if inhaled.
Ingestion:	May cause abdominal discomfort, nausea, vomiting and diarrhea. Doses of 150 ml and above can be fatal.
Effects of chronic exposure:Skin irrit	ation or dermatitis may occur upon frequent or prolonged contact
Exposure limits:TLV = 400 ppm-Isop	propanol (ACGIH)
Irritancy of product:	
Skin:Moderate irritant	

Eye:Severe irritant

Sensitization to material: No evidence to indicate sensitizer.
Carcinogenicity: Product has not been listed as a carcinogen or potential carcinogen by either the ACGIH or the IARC.
Reproductive toxicity:N/A
Teratogenicity:N/A
Mutagenicity:N/A
Toxicological synergistic products:N/A
Preventive Measures
Personal protective equipment: Chemical goggles, impervious gloves and protective clothing as required to prevent contact. Use NIOSH-approved air-purifying respirator with chemical cartridge for protection against organic vapors.
Engineering controls: General ventilation with a good source of make-up air recommended for all indoor situations. Local ventilation recommended at source of contaminant generation. Ventilation should be adequate enough to maintain air concentrations below the designated exposure limit.
Handling procedures and equipment: Avoid prolonged or frequent contact when handling material. Avoid breathing mist or vapor. Use a NIOSH-approved chemical-cartridge respirator, if adequate ventilation cannot be provided. Avoid skin or eye contact. Protective measures during repair/maintenance of equipment: Wash equipment thoroughly with steam or warm water until clean. Check for flammables with an explosion meter and also check the oxygen level with an oxygen meter. In all cases, follow good industrial safety practices before entering equipment.
Storage requirements: Keep container closed when not in use. Store in cool and dry location away from oxidizing and reducing agents.

Procedures for handling leaks or spills:Eliminate sources of ignition. Collect into waste container. Absorb remaining product with earth or sand and dispose of with solid waste. Wash spill site after material pick-up. Do not breathe vapors. Use NIOSH- approved respirator if exposed to vapors. Avoid drainage of spilled material to sewers or waterways.

Special shipping information:Handle according to the requirements set out in the Transport of Dangerous Goods regulations for: For bulk shipments only: ISOPROPANOL SOLUTION,

UN#1219, CLASS 3, P.G. II

	o federal, provincial, and local regulations. May ate emissions control equipment. Otherwise, incinerate ent additives.	
First Aid Measures		
Skin contact:Immediately flush skin with pleaclothing and shoes. Call a physician. Wash cl	nty of water for at least 15 minutes while removing othes before re-use.	
Eye contact:Immediately flush eyes with water lenses should not be worn when working with	er for 15 minutes and call a physician. Contact this material.	
Inhalation: Remove to fresh air. If not breathi to-mouth. If breathing is difficult, give oxyger	ing, give artificial respiration, preferably mouth- n. Call a physician.	
Ingestion:Induce vomiting by giving two glass give anything by mouth to an unconscious personal statement of the statement of	ses of water and sticking finger down throat. Never son. Call a physician.	
	Prepared by: D. Earn	
	Revised Date: October 11, 2011	

The in formation contained herein is, to the best of our knowledge, true and accurate. Any recommendations or suggestions are made without obligation on our part and the Company accepts no liability to any customers, their employees or any other person whatsoever for any loss, injury or damage whether direct or consequential, which may be caused by an error or emission from this sheet even if negligence or otherwise.

 $f:\ \ lab\ \ \ iodtinc.doc$