

2014-1141  
2014-04-09

DOKTOR DOOM  
HI-PRESSURE FUMIGATOR  
PRESSURIZED SPACE  
FUMIGATOR-EXTERMINATOR  
COMMERCIAL

MADE IN CANADA

LOCK VALVE OPEN FOR CONTINUOUS SPRAYING  
OR Depress Valve for Manual Spraying

ONE SPRAYING KILLS EXPOSED STAGES  
OF TICKS, FLEAS, COCKROACHES, ANTS,  
SPIDERS, MOSQUITOES, FLIES, BED BUGS, AND TWO-SPOTTED SPIDER  
MITES

GUARANTEE:

Pyrethrins .....0.40%  
Piperonyl Butoxide .....2.00%

REGISTRATION NO. 26261

PEST CONTROL PRODUCTS ACT

NET CONTENTS 50-400 GRAMS

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

READ THE LABEL BEFORE USING

753146 AB Ltd. o/a UltraSol Industries  
10755-69 Avenue  
Edmonton, Alberta, Canada T6H 2C9  
(780) 432-6535

**DIRECTIONS FOR INDOOR USE:** Remove pets, birds and fish bowls. Open cabinets and doors in the area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing.

**TO OPERATE VALVE:** Can be used manually or valve can be locked in open position. To lock valve in open position for automatic discharge, depress valve lever down firmly until it clicks and stays depressed. For best results, first spray distant rooms manually spraying towards ceiling, 4 to 6 seconds is ample for average (3m x 3m x 3m) room. Also spray into cracks and crevices. Place can on stand or table in centre of unobstructed area, then lock valve down. Leave building at once and keep building closed for 2 hours before airing out. Open all doors and windows and ventilate for 30 minutes. Repeat spraying in 2 weeks or when necessary. This formulation will kill exposed insects only and has no residual control activity.

To kill bed bugs, spray mattress lightly, particularly around seams and tufts. Take beds apart, spray bed frame and springs including all joints. Also, spray into crack, crevices and other areas where the bed bugs may hide.

**APPLICATION RATES:**

Net Contents	1 can treats
50 grams	37.5 cu metres
70 grams	52.5 cu metres
150 grams	112.5 cu metres
400 grams	300 cu metres

**CAUTION:** Do not use in dwellings or in food storage or handling, or service establishments as a total release bomb with valve locked open.

**FOR OUTDOOR AND GARDEN USE:** Spray with valve in manual position. For bugs on such plants as Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses, and Snapdragons. Also for bugs on evergreens and small ornamental deciduous trees, shrubs and vines.

For best results, spray in evening or on a cloudy day when air is still. Use slow, sweeping motion. Keep can 45 cm from plants. Avoid wetting foliage with spray. Spray rows at the rate of 30 cm per second. For heavy growth, spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray garden when temperatures exceed 32°C.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Exposure to prolonged sunlight or other sources of heat may cause bursting. Do not throw into fire, incinerator or store at temperature above 50°C. Do not spray on walls, composition tile or plastic. Do not spray over exposed food. Avoid contamination of feed and foodstuffs. Do not spray into or near any open flame.

**FIRST AID:** If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically. This product contains petroleum distillate. Vomiting may cause aspiration pneumonia.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

**DISPOSAL:** When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.