

Deicers

Deiginneurs

Notes



Table of Contents

Categorized Listing

Buckets and Tubs	78
Plastic	78
Bucket - Heated	78
Bucket - Heated - Plastic	78
Bucket - Heated - Plastic - Flat Back	78
Bucket - Heated - Plastic Tub	78
Rubber	78
Bucket - Heated - Rubber	78
Bucket - Heated - Rubber - Flat Back	78
Submersible	79
Deicer - Bucket Deicer	79
Deicer - Bucket Deicer - Coated Aluminum	79
Deicer - Bucket Heater	79
Deicers	79
Birdbath	79
Deicer - Birdbath	79
Floating	79
Deicer - 3-in-1 - Stock Tank	79
Deicer - Convertible	79
Deicer - Floating	81
Deicer - Floating - Cast Aluminium	81
Deicer - Floating - Traditional	81
Miscellaneous	81
Cord Connect Cord Lock	81
Deicer Guard	81
Heated Hose	81
Thermo Cube	81
Pond	82
Deicer - Floating Pond	82
Deicer - Floating Pond - Cast Aluminium	82
Deicer - Patio Pond - Cast Aluminum	82
Deicer - Pond Breather	82
Deicer - Pond Saucer	82
Deicer - Sinking - Pond	82
Submersible	82
Deicer - Cast Aluminum	82
Deicer - Drain Plug - Rubbermaid - Allied	83
Deicer - Drain Plug - Rubbermaid - Farm Innovator	83
Deicer - Drain Plug - Universal - Allied	83
Deicer - Drain Plug - Universal - Farm Innovator	83
Deicer - Sinking	83
Deicer - Sinking - Aluminum	83
Deicer - Submersible	83
Deicer - Submersible - Cast Aluminium	84
Deicer - Submersible Utility	84

Table of Contents

Alphabetized Listing

B	
Birdbath	79
Bucket - Heated	78
Bucket - Heated - Plastic	78
Bucket - Heated - Plastic - Flat Back	78
Bucket - Heated - Plastic Tub	78
Bucket - Heated - Rubber	78
Bucket - Heated - Rubber - Flat Back	78
Buckets and Tubs	78-79
C	
Cord Connect Cord Lock	81
D	
Deicer - 3-in-1 - Stock Tank	79
Deicer - Birdbath	79
Deicer - Bucket Deicer	79
Deicer - Bucket Deicer - Coated Aluminum	79
Deicer - Bucket Heater	79
Deicer - Cast Aluminum	82
Deicer - Convertible	79-80
Deicer - Drain Plug - Rubbermaid - Allied	83
Deicer - Drain Plug - Rubbermaid - Farm Innovator	83
Deicer - Drain Plug - Universal - Allied	83
Deicer - Drain Plug - Universal - Farm Innovator	83
Deicer - Floating	81
Deicer - Floating - Cast Aluminium	81
Deicer - Floating - Traditional	81
Deicer - Floating Pond	82
Deicer - Floating Pond - Cast Aluminium	82
Deicer - Patio Pond - Cast Aluminum	82
Deicer - Pond Breather	82
Deicer - Pond Saucer	82
Deicer - Sinking	83
Deicer - Sinking - Aluminum	83
Deicer - Sinking - Pond	82
Deicer - Submersible	83
Deicer - Submersible - Cast Aluminium	84
Deicer - Submersible Utility	84
Deicer Guard	81
Deicers	79-84
F	
Floating	79-81
H	
Heated Hose	81
M	
Miscellaneous	81
P	
Plastic	78
Pond	82
R	
Rubber	78
S	
Submersible	79, 82-84
T	
Thermo Cube	81

Notes





Buckets and Tubs

Plastic

Bucket - Heated



This 8 quart plastic heated bucket is thermostatically controlled to operate automatically. 60 watt built-in heater keeps water from freezing. Cord protector to deter chewing.

KVS	Size	Watts	Case	Part	Mfg.
216-333	8qt	60	7	HB60	Farm Inn.

Bucket - Heated - Plastic



These heated buckets are designed to accommodate multiple animals. They feature built-in thermostats to keep water ice-free in temperatures as low as 20 degree Fahrenheit. They feature built in handles and 3 prong cord with chew protectors.

KVS	Size	Case	Part	Mfg.
600-017	9qt	6	9HB	Allied
600-019	5gal	6	20FB	Allied
600-015	16gal	4	16HB	Allied

Bucket - Heated - Plastic - Flat Back



Can be hung in the stall. Field tested at -28 C. Thermostatically controlled for efficiency. Unique hide-away cord compartment for year round use. Heavy duty handle, spill-free pour spout, and table of measurements.

KVS	Size	Watts	Case	Part	Mfg.
216-332	24qt	120	8	FB120	Farm Inn.

Bucket - Heated - Plastic Tub



Thermostatically controlled to operate only when necessary. Replaceable element.

KVS	Size	Watts	Case	Part	Mfg.
216-334	16gal	200	4	HT200	Farm Inn.

Rubber

Bucket - Heated - Rubber



Thermostatically controlled to operate only when necessary. Flat back provides stability when hung on a wall. Both the deicer and bucket are replaceable if needed.

KVS	Color	Size	Watts	Part	Mfg.
216-339	Black	12qt	70	FB-80R	Farm Inn.

Bucket - Heated - Rubber - Flat Back



Can be hung in the stall. Field tested at -28 C. Thermostatically controlled for efficiency.

KVS	Size	Watts	Case	Part	Mfg.
216-331	20qt	150	5	FB15R	Farm Inn.



Buckets and Tubs Submersible

Deicer - Bucket Deicer



Bucket Deicer - 250 watts / 2A cast, submergible bucket deicer. For use in 5 gallon plastic buckets.

KVS	Watts	Case	Part	Mfg.
216-223	250	8	H49	Farm Inn.

Deicer - Bucket Deicer - Coated Aluminum



Uses multiple thermostats for optimized control. The low-profile, finned design provides a large surface area to run cooler while putting out the same amount of heat as conventional deicers resulting in less mineral buildup and longer life. Comes with a convenient 6-foot cord with anti-chew spring. cULus Listed.

KVS	Info	Watts	Case	Part	Mfg.
600-027	Up to 30 gal	250	6	DT250	Allied
600-028	Up to 60 gal	500	6	DT500	Allied

Deicer - Bucket Heater



This unit is designed to heat water, not just de-ice it. The heater, while immersed in water will heat continuously past 150 degrees Fahrenheit. It comes with a stainless steel guard and has an automatic shut off.

KVS	Watts	Case	Part	Mfg.
600-013	1000	12	C742G	Allied

Deicers Birdbath

Deicer - Birdbath



Constructed of durable cast aluminum for longevity and durability. CSA approved.

KVS	Watts	Case	Part	Mfg.
216-335	150	12	C50	Farm Inn.

Floating

Deicer - 3-in-1 - Stock Tank



This convertible stock tank deicer can be used as a floating or sinking deicer. This high tech heater uses micro-processing to detect and control water temperature resulting in energy savings.

KVS	Watts	Mfg.
600-012	1500	Allied

Deicer - Convertible



Easily converts between a floating and submergible deicer in under 30 seconds, without tools. Constructed of patented cast aluminum for ultimate efficiency, greater performance and safety. Thermostatically controlled to operate only when necessary. Heavy duty anti-chew cord protector. Safe in plastic tanks.

KVS	Watts	Case	Part	Mfg.
216-207	1500	8	H4615	Farm Inn.
216-208	1250	8	H418C	Farm Inn.

Stock Tank Deicers, Heated Pet Bowls Heated Buckets & More.



H-418 Tank De-Icer



**HPF-100
Heated Poultry Fount**



HB-60 Heated Bucket



**C-50P Chicken
Waterer Deicer**



P-60 Heated Pet Bowl

Keeping your animal's water ice-free for over 30 years.



Deicers Floating

Deicer - Floating



Floating deicers are designed to float in the water tank and are thermostatically controlled with an automatic shut off. The styrofoam float is completely enclosed with a rugged plastic housing and the cord exits from the top of the unit.

KVS	Watts	Case	Part	Mfg.
600-003	1000	6	C7621	Allied
600-005	1500	6	C7521	Allied

Deicer - Floating - Cast Aluminium



1250 Watts / 8.3A cast aluminum floating deicer. Recommended for use around horses. Thermostatically controlled. 6' cord. Safe in plastic.

KVS	Watts	Case	Part	Mfg.
216-418	1250	8	H418	Farm Inn.

Deicer - Floating - Traditional



1500 Watts / 12.5A floating tank deicer. Designed for metal tanks only. Unit is NOT safe in plastic stock tanks. Thermostatically controlled. 6' cord. CSA approved.

KVS	Watts	Case	Part	Mfg.
216-210	1500	8	H4815	Farm Inn.

Miscellaneous

Cord Connect Cord Lock



The Cord Connect is a simple, practical and effective watertight cord lock. Simply close the Cord Connect around each end of the cord, then twist to lock the cords together to create a watertight seal. A gasket withstands jet nozzle sprays, drip box tests, and prevents water from reaching the electrical connection.

KVS	Mfg.
216-430	Farm Inn.

Deicer Guard



deicer guard may be used with either the Allied floating or sinking deicers. The strong galvanized wire guard is designed to be less affected by rust or corrosion and is used to protect plastic tanks.

KVS	Case	Part	Mfg.
600-007	12	88R	Allied

Heated Hose



Thermostatically controlled. Turns on in cold temperatures and off in warmer temperatures. 5/8" diameter hose made with durable 150psi PVC and quality brass fittings. Tested to minus 41 degrees celsius.

KVS	Size	Part	Mfg.
600-025	25ft	H25	Allied
600-026	50ft	H50	Allied

Thermo Cube



Automatically turns power on and off according to outside temperature.

KVS	Info	Temp On	Temp Off	Part	Mfg.
216-431	Gas Engine	-18C	-12C	TC-1	Farm Inn.
216-433	Diesel Engine	-7C	-1C	TC-2	Farm Inn.
216-435	Freezing Water	2C	7C	TC-3	Farm Inn.



Deicers Pond

Deicer - Floating Pond



Floating deicers are designed to float in the water tank and are thermostatically controlled with an automatic shut off. The styrofoam float is completely enclosed with a rugged plastic housing and the cord exits from the top of the unit.

KVS	Watts	Case	Part	Mfg.
600-021	1500	6	P7521	Allied

Deicer - Floating Pond - Cast Aluminium



1250 Watts / 8.3A cast aluminum floating pond deicer with 10' cord. Thermostatically controlled and is fish and plant-friendly. Safe in all ponds.

KVS	Watts	Case	Part	Mfg.
216-419	1250	8	P418	Farm Inn.

Deicer - Patio Pond - Cast Aluminum



Constructed of cast aluminum for ultimate efficiency and safety. Thermostatically controlled to only operate when necessary. For use in all ponds up to 50 gallons and safe in all patio ponds.

KVS	Info	Watts	Part	Mfg.
216-449	Premium	500	P500	Farm Inn.

Deicer - Pond Breather



Vent harmful gasses from your frozen pond with a Pond Breather. Freezes in the ice. Very economical to operate.

KVS	Watts	Part	Mfg.
600-024	40	8PD	Allied

Deicer - Pond Saucer



Low watt heated pond saucer is perfect for small pre-formed ponds. Keeps hole open in ice to remove harmful gasses. Floats on surface and is thermostatically controlled to operated automatically.

KVS	Watts	Part	Mfg.
216-421	200	PS200	Farm Inn.

Deicer - Sinking - Pond



The sinking deicer operates at the bottom of the tank and therefore it is less likely to be disturbed by livestock. It is thermostatically controlled with an automatic shut-off, and comes complete with a galvanized wire guard.

KVS	Watts	Case	Part	Mfg.
600-023	1500	6	P15N	Allied

Submersible

Deicer - Cast Aluminum



Constructed of cast aluminum for ultimate efficiency and safety. Thermostatically controlled to only operate when necessary. Safe in plastic tanks.

KVS	Watts	Part	Mfg.
216-427	1000	H409	Farm Inn.



Deicers

Submersible

Deicer - Drain Plug - Rubbermaid - Allied



For Rubbermaid® tanks only. Mounts securely into the tank drain hole to keep the heating element away from livestock. Has a butterfly heating element and is designed to mount into the larger drain hole found on some Rubbermaid® tanks.

KVS	Watts	Case	Part	Brand	Mfg.
600-002	1500	6	15DP	Allied	Allied

Deicer - Drain Plug - Rubbermaid - Farm Innovator



Installs in minutes without tools and is designed for use in all rubber/plastic stock tanks. Thermostatically controlled for efficiency. Field tested to -28C.

KVS	Watts	Case	Part	Mfg.
216-205	1500	8	DPH15	Farm Inn.

Deicer - Drain Plug - Universal - Allied



Designed to fit metal or plastic stock tanks that have 3/4" drain holes. The electric cord is not in the water therefore, the deicer cannot be thrown out of the tank. It has a built in thermostat and a 6" power cord.

KVS	Watts	Case	Part	Mfg.
600-001	1500	6	2002DP	Allied

Deicer - Drain Plug - Universal - Farm Innovator



Universal drain plug deicer. Fits most metal and plastic tanks. Safe in all tanks.

KVS	Watts	Case	Part	Mfg.
216-206	1500	8	UPH15	Farm Inn.

Deicer - Sinking



The sinking deicer operates at the bottom of the tank and therefore is less likely to be disturbed by livestock. It is thermostatically controlled with an automatic shut-off, and comes complete with a galvanized wire guard.

KVS	Watts	Case	Part	Mfg.
600-009	1500	6	C15N	Allied

Deicer - Sinking - Aluminum



1500 watts, 120 VAC, 60 Hz This energy efficient sinking deicer keeps your entire tank ice-free without overheating the water. Safe for animals, this deicer includes a durable PTFE coating for easy cleaning. The large, finned base runs cooler than conventional deicers, making it safe for plastic or metal tanks alike. The cord is wrapped in a heavy-duty anti-chew spring protector. cULus Listed.

KVS	Watts	Case	Part	Mfg.
600-010	1500	6	DTS15	Allied

Deicer - Submersible



Thermostatically controlled submersible deicer. Safe in plastic epoxy sealed tanks. Comes complete with guard.

KVS	Watts	Case	Part	Mfg.
216-214	1000	8	DH439	Farm Inn.
216-215	1500	8	DH429	Farm Inn.



Deicers Submersible

Deicer - Submersible - Cast Aluminium



Thermostatically controlled with state of the art design and technology. Safe in plastic. Rugged, durable design is virtually indestructible. Best for use in the coldest climates.

KVS	Watts	Case	Part	Mfg.
216-219	1500	5	H419	Farm Inn.

Deicer - Submersible Utility



Unique structure of cast aluminum guarantees durability and long life. Designed for multiple uses around the farm. Thermostatically controlled. CSA approved.

KVS	Watts	Case	Part	Mfg.
216-227	250	8	C250	Farm Inn.
216-229	250	8	C500	Farm Inn.

Deicers / Degivreurs