

 <b>W.F. YOUNG</b> <small>ESTD 1892</small>	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	1/12

## SECTION 1: Identification

### 1.1. Identification

Product form : Mixture  
Product name : Absorbine® Hooflex® Magic Cushion®  
Product number : 446001, 446011, 446025, 446030, 446110, 446120

### 1.2. Recommended use and restrictions on use

Recommended use : Cools and cushions to maintain healthy hoof condition  
Restrictions on use : None known

### 1.3. Supplier

#### Manufacturer

W.F. Young, Inc.  
302 Benton Drive  
East Longmeadow, MA 01028  
USA  
T (413) 526-9999 x 468 - F (413) 526-9869  
[www.wfyoung.com](http://www.wfyoung.com)

### 1.4. Emergency telephone number

Emergency number : Company Hotline: +1 (413) 526-9999

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### GHS US classification

Acute toxicity (oral) Category 4	Harmful if swallowed
Skin corrosion/irritation Category 2	Causes skin irritation
Eye irritation Category 2	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction

### 2.2. GHS Label elements, including precautionary statements

#### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning  
Hazard statements (GHS US) : Harmful if swallowed  
Causes skin irritation  
May cause an allergic skin reaction  
Causes serious eye irritation  
Precautionary statements (GHS US) : Avoid breathing dust, vapors.  
Wash hands thoroughly after handling.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 <b>W.F. YOUNG</b> <small>ESTD 1892</small>	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	2/12

Do not eat, drink or smoke when using this product.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear eye protection, protective gloves, protective clothing.  
 If on skin: Wash with plenty of water.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Take off contaminated clothing and wash it before reuse.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical advice/attention.  
 If swallowed: Call a poison center or doctor if you feel unwell.  
 Rinse mouth.  
 Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Rosin	CAS-No.: 8050-09-7	50-60
Gum turpentine oil	CAS-No.: 8006-64-2	31.8
Iodine	CAS-No.: 7553-56-2	0.65

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret  
 Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel. Call a poison center or a doctor if you feel unwell.

Creator  Victor Vides Regulatory Manager	Controller  Victor Vides Regulatory Manager	Approvers  Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	3/12

#### 4.2. Most important symptoms and effects (acute and delayed)

Inhalation	: At high concentrations, the vapors can be irritating to the respiratory system. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Skin	: May cause moderate irritation. May cause an allergic skin reaction.
Eyes	: May cause moderate irritation to the eyes.
Ingestion	: Harmful if swallowed. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Chronic symptoms	: None known.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.
------------------------------	--

#### 5.2. Specific hazards arising from the chemical

Fire hazard	: This product is not classified as flammable or combustible. Could burn but does not ignite readily.
Explosion hazard	: Product is not explosive.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO <sub>2</sub> ). Iodine vapor. Toxic vapors may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Cool down the containers exposed to heat with a water spray. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Keep unnecessary and unprotected personnel away from the spillage. Do not attempt to take action without suitable protective equipment.
------------------	---

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Do not touch or walk on the spilled product. Do not get in eyes, on skin, or on clothing. Avoid breathing dust, vapors. Ventilate spillage area.
----------------------	--

##### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

#### 6.2. Environmental precautions

Do not allow product to spread into the environment.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 <b>W.F. YOUNG</b> ESTD 1892	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	4/12

### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage. Contain and collect as any solid.
Methods for cleaning up	: Absorb and/or contain spill with inert material, then place in suitable container. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing vapors, dust. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety procedures.
Hygiene measures	: Always wash hands after handling the product. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in dry, cool, well-ventilated area. Protect from physical damage. Keep container closed when not in use.
--------------------	--

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Rosin (8050-09-7)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Resin acids, as total Resin acids
ACGIH OEL TWA	0.001 mg/m <sup>3</sup> (I - Inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Asthma; resp & eye irr; dermal & resp sens. Notations: DSEN; RSEN
Regulatory reference	ACGIH 2024
<b>Gum turpentine oil (8006-64-2)</b>	
<b>USA - ACGIH - Occupational Exposure Limits</b>	
Local name	Turpentine
ACGIH OEL TWA	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Turpentine

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 <b>W.F. YOUNG</b> <small>ESTD 1892</small>	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> <small>According to 29CFR 1910.1200 OSHA Hazard Communication Standard</small>	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	5/12

#### Gum turpentine oil (8006-64-2)

OSHA PEL (TWA)	560 mg/m <sup>3</sup>
	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### Iodine (7553-56-2)

##### USA - ACGIH - Occupational Exposure Limits

Local name	Iodine, as I
ACGIH OEL TWA	0.001 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Thyroid & maternal repro eff; fetal & neonatal dam. Notations: Skin; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024

##### USA - OSHA - Occupational Exposure Limits

Local name	Iodine
OSHA PEL (Ceiling)	1 mg/m <sup>3</sup>
	0.1 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

#### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.
Environmental exposure controls	: Do not allow product to spread into the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Wear impervious gloves. Consult supplier for specific recommendations.

##### Eye protection:

Wear safety goggles or other eye protection to prevent eye contact.

##### Skin and body protection:

Wear suitable protective clothing

##### Respiratory protection:

No respiratory protection needed under normal use conditions. In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

##### Thermal hazard protection:

Not applicable.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 <b>W.F. YOUNG</b> <small>ESTD 1892</small>	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	6/12

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Brown. Paste.
Color	: Brown
Odor	: Pine
Odor threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: This product is not classified as flammable or combustible. Capable of being set on fire.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.895
Solubility	: Insoluble.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 95000 cP
Explosion limits	: No data available
Explosive properties	: Product is not explosive.
Oxidizing properties	: Not oxidising.

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Keep away from heat and flame.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 <b>W.F. YOUNG</b> ESTD 1892	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	7/12

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Absorbine® Hooflex® Magic Cushion®

ATE US (oral)	1737.318 mg/kg body weight
---------------	----------------------------

#### Rosin (8050-09-7)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402 method)

#### Gum turpentine oil (8006-64-2)

LD50 oral rat	> 500 – ≤ 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402 method)
LC50 Inhalation - Rat	13.7 mg/l/4h (OECD 403 method)

#### Iodine (7553-56-2)

LD50 oral rat	315 mg/kg
LD50 dermal rabbit	1425 mg/kg
LC50 Inhalation - Rat	> 4.588 mg/l/4h

Skin corrosion/irritation : Causes skin irritation.  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitization : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : This product does not contain any component that is considered a carcinogen by IARC, ACGIH, OSHA or NTP. . Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified

#### Iodine (7553-56-2)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified

#### Iodine (7553-56-2)

NOAEL (oral,rat,90 days)	10 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified  
Viscosity, kinematic : No data available

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 <b>W.F. YOUNG</b> ESTD 1892	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	8/12

Inhalation	: At high concentrations, the vapors can be irritating to the respiratory system. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.
Skin	: May cause moderate irritation. May cause an allergic skin reaction.
Eyes	: May cause moderate irritation to the eyes.
Ingestion	: Harmful if swallowed. Ingestion may cause nausea, vomiting and diarrhea. Depression of the central nervous system, headaches, dizziness, drowsiness, loss of coordination.
Chronic symptoms	: None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
-------------------	--

<b>Rosin (8050-09-7)</b>	
LC50 - Fish [1]	5.4 mg/l Danio rerio (Zebrafish)
<b>Gum turpentine oil (8006-64-2)</b>	
LC50 - Fish [1]	29 mg/l Danio rerio (Zebrafish)
EC50 - Crustacea [1]	8.8 mg/l Daphnia magna (Water flea)
<b>Iodine (7553-56-2)</b>	
LC50 - Fish [1]	1.67 mg/l Oncorhynchus mykiss (Rainbow trout)
EC50 - Crustacea [1]	0.55 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	0.13 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

### 12.2. Persistence and degradability

<b>Absorbine® Hooflex® Magic Cushion®</b>	
Persistence and degradability	Rapidly degradable
<b>Rosin (8050-09-7)</b>	
Persistence and degradability	Rapidly degradable
<b>Gum turpentine oil (8006-64-2)</b>	
Persistence and degradability	Rapidly degradable
<b>Iodine (7553-56-2)</b>	
Persistence and degradability	Biodegradation is not applicable to inorganic compounds.

### 12.3. Bioaccumulative potential

<b>Rosin (8050-09-7)</b>	
Bioaccumulative potential	Not bioaccumulative.
<b>Iodine (7553-56-2)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.46

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director





# Absorbine® Hooflex® Magic Cushion® US

## SAFETY DATA SHEET

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Document Code:	SDS-0035
Create Date:	4/27/2012
Revision Date:	4/9/2025
Revision Number:	7
Page:	9/12

### Iodine (7553-56-2)

Bioaccumulative potential: Low bioaccumulation potential.

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available



## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods: Dispose of in accordance with applicable federal, state, and local regulations.

## SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
Not regulated	Not regulated	3077	3077
<b>14.2. Proper Shipping Name</b>			
Not regulated	Not regulated	Environmentally hazardous substance, solid, n.o.s. (Gum turpentine oil)	Environmentally hazardous substance, solid, n.o.s. (Gum turpentine oil)
<b>14.3. Transport hazard class(es)</b>			
Not regulated	Not regulated	9	9
			
<b>14.4. Packing group</b>			
Not regulated	Not regulated	III	III
<b>14.5. Environmental hazards</b>			
Not regulated	Not regulated	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

Note: Inner packages containing net quantities of less than 5 kg/5 L are exempt per IMDG Code 2.10.2.7 and ICAO Special Provision A197.

### 14.6. Special precautions for user

#### DOT

Not regulated

Creator Victor Vides Regulatory Manager	Controller Victor Vides Regulatory Manager	Approvers Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

 <b>W.F. YOUNG</b> ESTD 1892	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	10/12

#### TDG

Not regulated

#### IMDG

Special provision (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP02, P002
Packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: BK1, BK2, BK3, T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23

#### IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provision (IATA)	: A97, A158, A179, A197, A215
ERG code (IATA)	: 9L

### 14.7. Transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Absorbine® Hooflex® Magic Cushion®

SARA Section 311/312 Hazard Classes	Refer to Section 2 for OSHA Hazard Classification.
-------------------------------------	--

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Creator	Controller	Approvers
Victor Vides Regulatory Manager	Victor Vides Regulatory Manager	Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director

 <b>W.F. YOUNG</b> ESTD 1892	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	11/12

## 15.2. International regulations

### CANADA

#### Rosin (8050-09-7)

Listed on the Canadian DSL (Domestic Substances List)

#### Gum turpentine oil (8006-64-2)

Listed on the Canadian DSL (Domestic Substances List)

#### Iodine (7553-56-2)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations

#### Absorbine® Hooflex® Magic Cushion®

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Listed on the Canadian DSL (Domestic Substances List)

#### Rosin (8050-09-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Gum turpentine oil (8006-64-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### Iodine (7553-56-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Gum turpentine oil(8006-64-2)	U.S. - New Jersey - Right to Know Hazardous Substance List
Iodine(7553-56-2)	U.S. - New Jersey - Right to Know Hazardous Substance List

Creator  Victor Vides Regulatory Manager	Controller  Victor Vides Regulatory Manager	Approvers  Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
---	--	--

 <b>W.F. YOUNG</b> ESTD 1892	<b>Absorbine® Hooflex® Magic Cushion® US</b>  <b>SAFETY DATA SHEET</b> According to 29CFR 1910.1200 OSHA Hazard Communication Standard	Document Code:	SDS-0035
		Create Date:	4/27/2012
		Revision Date:	4/9/2025
		Revision Number:	7
		Page:	12/12

## SECTION 16: Other information

According to 29CFR 1910.1200 OSHA Hazard Communication Standard

Safety Data Sheet (SDS), USA

WF Young, Inc. urges each customer or recipient of this Safety Data Sheet to study it carefully and consult, if necessary or appropriate, experts in the field to be aware of the information contained in this SDS and any hazards associated with this product and understand them. Information herein is provided in good faith and believed to be accurate as of the date shown above. However, no warranty is given, either expressed or implied. The Regulatory requirements are subject to change and may vary by location. There is the responsibility of the purchaser / user to ensure that its activities comply with legislation. The information presented here pertains only to the product as shipped. The terms of use of the product are not under the control of the manufacturer, it is the duty of the purchaser / user to determine the conditions necessary for the safe use of this product. Due to the proliferation of information sources such as the Data Sheets (MSDS) specific to a manufacturer, we are not responsible and cannot be held accountable for SDSs obtained from any source other than ourselves. If you obtained an SDS from another source or if you are worried that your SDS is outdated, please contact us for the latest version.

<b>Creator</b>  Victor Vides Regulatory Manager	<b>Controller</b>  Victor Vides Regulatory Manager	<b>Approvers</b>  Michael Carlson - Director of Quality Audra Mulligan - Regulatory Director
--	---	---