

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

www.petware.ca

# Safety Data Sheet

Date: November 30, 2023

**Product:** Antiseptic Iodine Spray / Iospray (1%)

**Product Information:** Iodine Spray

**Product Codes:** 01L-IOSPR, 10L-ISPRA, 10L-ISRPA4

**D.I.N.** 0049600

**Manufacturer/Supplier:** Dominion Veterinary Labs LTD.

1199 Sanford St Winnipeg, Manitoba

R3E 3A1

Telephone: (204)-589-7361 Fax: (204)-943-9612

### 1. IDENTIFICATION

**Product Identifier** 

Name Iodine Spray 1%
Chemical Identity: Blend
CAS No. and name: Blend
Formula and M.Wt.: Blend

#### **Product use:**

As an antiseptic for topical use, a counter-irritant in chronic inflammatory conditions and as a parasiticide in ringworm. May be used as a pre and post operative dressing.

### 1.3 Emergency Contact:

Telephone: (204)-589-7361, Fax: (204)-943-9612

#### 2. HAZARD IDENTIFICATION

Pictogram:

Classification: Category 2Flammable Liquid

Signal Word: Danger

**Hazard Statements: Flammable** 



**Quality Animal Health Pharmaceuticals - Dedicated Service Since** 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

www.petware.ca

### **SECTION 3: INFORMATION ON INGREDIENT**

CHEMICAL NAME	CAS#
Povidone Iodine	25655-41-8
Isopropyl Alcohol	67-63-0
Water	7732-18-5

The exact percentage has been withheld as a trade secret

### **SECTION 4: FIRST-AID MEASURES**

ROUTE	COMMON SYMPTOMS	FIRST AID
Inhalation	Not determined	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Ingestion	Not determined	Do not induce vomiting. Give victim large quantities of milk or water and seek immediate medical attention. Never give anything by mouth to an unconscious person.
Skin	Not determined	Flush with large quantities of water. Remove contaminated clothing and gently wash contaminated skin with water and a non-abrasive soap. Seek medical attention if irritation develops.
Eyes	Not determined	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention if irritation occurs.

### **SECTION 5: FIRE-FIGHTING MEASURES**

Flash Point: 25°C

Est. Explosive Range Limit LEL 3.3% UEL 19%

Flash Point Method Used: Closed Cup

Suitable extinguishing

media Water spray ,ABC-powder Carbon dioxide (CO2) Nitrogen



**Quality Animal Health Pharmaceuticals - Dedicated Service Since** 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 www.petware.ca

### **Advice for firefighters**

DO NOT fight fire when fire reaches explosives.

Protective equipment and precautions for firefight. Wear a self-contained breathing apparatus and chemical protective clothing ers

#### **Additional information**

Do not allow run-off from fire-fighting to enter drains or water courses.

Do not inhale explosion and combustion gases.

Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire: Evacuate area.

### **SECTION 6: ACCIDENTAL RELEASE**

Personal Precautions:	In case of major fire and large quantities: Remove persons to safety.
Environmental Precautions:	Discharge into the environment must be avoided.
Method of Containment:	Small Spill: Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.
	Large Spill: Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal. Do not touch spilled material.
Method for Clean-Up:	Ventilate area of spill or leak. Sweep or scrap up and containerize in approved chemical waste container. Wash spill area with water.

#### **SECTION 7: HANDLING AND STORAGE**

Handling:	All work processes must always be designed so that the following is as low as possible: Inhalation skin contact Eye contact Use extractor hood (laboratory). If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means
Storage:	Recommended storage temperature: no data available Keep container tightly closed and in a well-ventilated place. Keep/Store only in original container.



**Quality Animal Health Pharmaceuticals - Dedicated Service Since** 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

www.petware.ca

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:	Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.
Personal Protective Equipment (PPE)	Wear suitable protective clothing. When handling with chemical substances, protective clothing must be worn.
Eye/Face Protection:	Eye glasses with side protection
Skin Protection:	Wear suitable gloves. When handling with chemical substances, protective gloves must be worn. In the case of wanting to use the gloves again, clean them before taking off and air them well. Check leak tightness/impermeability prior to use.
Respiratory Protection	Respiratory protection necessary at: aerosol or mist formation If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.
General Hygiene Considerations:	Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance

Physical state: liquid

Color: Brownish-red Odour: characteristic

pH: 3.5

Flammability (solid, gas): Highly flammable liquid

and vapor.

Boiling Point 82 °C



# **Quality Animal Health Pharmaceuticals - Dedicated Service Since** 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

www.petware.ca

Vapour pressure: no data available

Vapour density: 2.1

Relative density: 0.85 g/cm<sup>3</sup> (20 °C)

Solubility(ies)

Water solubility (g/L): miscable

### **SECTION 10: STABILITY AND REACTIVITY**

Reactivity:	Not determined
Chemical Stability:	Stable under normal ambient temperatures (70°F)
Possibility of Hazardous reactions:	Not determined.
Conditions to Avoid:	No determined
Incompatible materials:	Not determined
Hazardous Decomposition Products:	Not determined

### **SECTION 11 : TOXICOLOGICAL INFORMATION**

Acute toxicity:	oral toxicity:  2-Propanol - LD50: > 5045 mg/kg - Rat - (RTECS) 2- Propanol - LDLo: > 3570 mg/kg - Human - (RTECS)  Acute dermal toxicity:  2-Propanol - LD50: > 12800 mg/kg - Rabbit - (RTECS)  Acute inhalation toxicity:  2-Propanol - LC50: 72600 mg/m3 - Rat - (Japan GHS Basis for Classification Data)
Skin irritation:	Not determined.
Eye irritation:	Causes serious eye irritation
Respiratory damage:	Not determined.
STOT-single exposure:	May cause drowsiness or dizziness.
STOT-repeated exposure	Not determined.
Carcinogenicity:	Not listed
OSHA:	Not listed



**Quality Animal Health Pharmaceuticals - Dedicated Service Since** 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

www.petware.ca

NTP:	Not listed
IARC:	Not listed

#### **SECTION 12: ECOLOGICAL INFORMTION**

Acute or chronic aquatic toxicity:	Fish toxicity: 2-Propanol - LC50: 9640 mg/l (96 h) - Brooke, L.T., D.J. Call, D.L. Geiger, and C.E. Northcott 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (Pimephales promelas), Vol. 1. Center for Lake Superior Environmental Stud., Univ.of Wisconsin-Superior, Superior, WI:414 Daphnia toxicity: 2-Propanol - LC50: 1400 mg/l (48 h) - Blackman, R.A.A. 1974. Toxicity of Oil-Sinking Agents. Mar.Pollut.Bull. 5:116-118 Algae toxicity: no data available Bacteria toxicity: no data available
Chemical degradation:	Not determined.
Biodegradation:	Not determined.
Bioaccumulation potential	Not determined.
Mobility in soil:	Not determined.
Other adverse effects	Not determined.

### **SECTION 13: DISPOSAL**

Waste disposal methods

Dispose of waste according to federal, provincial, and local regulations. May be used directly as a fuel stock with appropriate emissions control equipment. Otherwise, incinerate directly with or without other flammable solvent additives.

### **SECTION 14: TRANSPORT INFORMATION**

UN number:	1219
UN proper shipping name:	ISOPROPANOL
Class(es):	3
Packing group number:	п



**Quality Animal Health Pharmaceuticals - Dedicated Service Since** 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1 Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612 www.petware.ca

Environmental hazards:	Not determined
Special precautions:	Limited Quantity (1L)

### **SECTION 15: REGULATORY INFORMATION**

Listed as a DIN with Health Canada

#### **SECTION 16: OTHER INFORMATION**

The information contained herein is, to the best of our knowledge, true and accurate. Any recommendations or suggestions are made without obligation on our part and the Company accepts no liability to any customers, their employees or any other person whatsoever for any loss, injury or damage whether direct or consequential, which may be caused by an error or emission from this sheet even if negligence or otherwise.

Preparation Date: 10/25/07 Revision Date: 11/30/23

Issued By: Dominion Vet Labs. Ltd. Carol Lamirande/Office Manager