


acc. to 29 CFR 1910.1200 App D



Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

SECTION 1: Identification

1.1 Product identifier

Trade name

Alternative number(s)

Lexol Leather Cleaner (After 4/26/21)

012844617436, 012844040272, 312090002131, 012844693102, 312090002155, 312090002186,

012844970050, 098397396295

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

e-mail: Autocare.regulatory@energizer.com

Website: https://data.energizer.com

1.4 Emergency telephone number

Emergency information service

FOR EMERGENCY in USA & Canada CALL +1 800 255-3924 / For International CALL +1 813 248 0585 This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word

warning

- Pictograms

GHS07





acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

- Hazard statements

H319

Causes serious eye irritation.

- Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P103

Read label before use.

P280

Wear eye protection/face protection.

P305+P351+P338

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Hazards not otherwise classified

Contains epoxy constituents. May produce an allergic reaction. May be harmful if swallowed (GHS category 5: acutely toxic - oral). Harmful to aquatic life (GHS category 3: aquatic toxicity - acute). Causes mild skin irritation (GHS category 3: irritant to skin).

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of \geq 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
odium Laureth Sulfate	CAS No 9004-82-4	5-<10	Acute Tox. 4 / H302 Eye Irrit. 2 / H319	(1)
Sodium alkyl sulfate	CAS No trade secret	5-<10	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318	
ethanol	CAS No 64-17-5	1-<5	Eye Irrit. 2 / H319 Flam. Liq. 2 / H225	\$
ammonium chloride	CAS No 12125-02-9	1-<5	Acute Tox. 4 / H302 Eye Irrit. 2 / H319	(1)



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

United States: en Page: 3 / 17

Safety Data Sheet acc. to 29 CFR 1910.1200 App D



Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 **Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

7.3 Specific end use(s)

See section 16 for a general overview.



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0

Replaces version of: 2023-09-08 (3)

Revision: 2025-04-09

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/m ³]	Nota tion	Source e
US	ammonium chloride	12125- 02-9	PEL (CA)		10		20			fume	Cal/OS HA PEL
US	ammonium chloride	12125- 02-9	REL		10 (10 h)		20			fume	NIOSH REL
US	ammonium chloride	12125- 02-9	TLV®		10		20			fume	AC- GIH® 2024
US	glycerine	56-81-5	REL							mist, appx- D	NIOSH REL
US	glycerine	56-81-5	PEL		15					mist, dust	29 CFR 1910.1 000
US	glycerine	56-81-5	PEL		5					mist, r	29 CFR 1910.1 000
US	ethanol	64-17-5	TLV®			1,000					AC- GIH® 2024
US	ethyl alcohol	64-17-5	REL	1,000 (10 h)	1,900 (10 h)						NIOSH REL
US	ethyl alcohol (ethanol)	64-17-5	PEL (CA)	1,000	1,900						Cal/OS HA PEL
US	ethyl alcohol (ethanol)	64-17-5	PEL	1,000	1,900						29 CFR 1910.1 000

Notation

appx-D see Appendix D - Substances with No Established RELs

Ceiling-C ceiling value is a limit value above which exposure should not occur

dust as dust fume as fume mist as mists

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

United States: en

Page: 5 / 17



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3)

Revision: 2025-04-09

Notation

weighted average (unless otherwise specified

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Sodium alkyl sulfate	trade secret	DNEL	285 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Sodium alkyl sulfate	trade secret	DNEL	4,060 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ethanol	64-17-5	DNEL	1,900 mg/m³	human, inhalat- ory	worker (industry)	acute - local effects
ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
ethanol	64-17-5	DNEL	950 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
ammonium chloride	12125-02-9	DNEL	190 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
ammonium chloride	12125-02-9	DNEL	33.5 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Sodium alkyl sulfate	trade secret	PNEC	0.055 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Sodium alkyl sulfate	trade secret	PNEC	0.176 ^{mg} / _I	aquatic organ- isms	freshwater	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	0.018 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	1.35 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	6.97 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	0.697 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Sodium alkyl sulfate	trade secret	PNEC	1.29 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
ethanol	64-17-5	PNEC	0.96 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)

United States: en Page: 6 / 17



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

lease

Relevant PNECs of components							
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
ethanol	64-17-5	PNEC	0.79 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
ethanol	64-17-5	PNEC	580 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
ethanol	64-17-5	PNEC	3.6 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
ethanol	64-17-5	PNEC	0.63 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
ethanol	64-17-5	PNEC	2.75 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease	
ammonium chloride	12125-02-9	PNEC	1.2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
ammonium chloride	12125-02-9	PNEC	11.2 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
ammonium chloride	12125-02-9	PNEC	16.2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
ammonium chloride	12125-02-9	PNEC	0.163 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
ammonium chloride	12125-02-9	PNEC	1.2 ^{mg} / _l	aquatic organ-	water	intermittent re-	

isms

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

United States: en Page: 7 / 17



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Color	Conforms to Standard
Particle	not relevant (liquid)
Odor	Conforms to standard

Other safety parameters

pH (value)	6 – 8	
Melting point/freezing point	not determined	
Initial boiling point and boiling range	64.7 °C at 1,013 hPa	
Flash point	> 93 C	
Evaporation rate	Not determined	
Flammability (solid, gas)	not relevant, (fluid)	

Explosive limits

- Lower explosion limit (LEL)	2.5 vol%
- Upper explosion limit (UEL)	19 vol%
Vapor pressure	169.3 hPa at 25 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined

United States: en Page: 8 / 17

Safety Data Sheet acc. to 29 CFR 1910.1200 App D



Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Partition coefficient

Other information	there is no additional information
Oxidizing properties	none
Explosive properties	none
Viscosity	not determined
Auto-ignition temperature	
- n-octanol/water (log KOW)	this information is not available

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

United States: en Page: 9 / 17



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
Sodium Laureth Sulfate	9004-82-4	oral	500 ^{mg} / _{kg}
Sodium alkyl sulfate	trade secret	oral	1,200 ^{mg} / _{kg}
Sodium alkyl sulfate	trade secret	dermal	>2,000 ^{mg} / _{kg}
ammonium chloride	12125-02-9	oral	1,410 ^{mg} / _{kg}
ammonium chloride	12125-02-9	dermal	>2,000 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Contains epoxy constituents. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
ethanol	64-17-5	1	

Legend

1

Carcinogenic to humans

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

United States: en Page: 10 / 17



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Aquatic toxicity (acut		· . · ·			
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Sodium alkyl sulfate	trade secret	LC50	29 ^{mg} / _l	fish	96 h
Sodium alkyl sulfate	trade secret	ErC50	>120 ^{mg} / _I	algae	72 h
Sodium alkyl sulfate	trade secret	EC50	53 ^{mg} / _l	algae	72 h
Sodium alkyl sulfate	trade secret	NOEC	30 ^{mg} / _l	algae	72 h
ethanol	64-17-5	LC50	15,400 ^{mg} / _l	fish	96 h
ethanol	64-17-5	EC50	12,700 ^{mg} / _l	fish	96 h
ethanol	64-17-5	ErC50	22,000 ^{mg} / _l	algae	96 h
ammonium chloride	12125-02-9	LC50	209 ^{mg} / _l	fish	96 h
ammonium chloride	12125-02-9	EC50	101 ^{mg} / _l	aquatic invertebrates	48 h
ammonium chloride	12125-02-9	LOEC	74 ^{mg} / _l	aquatic invertebrates	48 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0.1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United States: en Page: 11 / 17



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

SECTION 14: Transport information

14.1 UN number

not subject to transport regulations

14.2 UN proper shipping name

not relevant

14.3 Transport hazard class(es)

none

14.4 Packing group

not assigned

14.5 Environmental hazards

non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed or exempt from listing

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
ammonium chloride	12125-02-9		1	5000 (2270)

Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	CAS No	Functionality	Authoritative Lists
Water	7732-18-5	solvents	
Sodium Laureth Sulfate	9004-82-4	surfactant	
Sodium alkyl sulfate	trade secret	stabilizer	2
Glycerol	56-81-5	solvents	
Water	7732-18-5	solvents	
ethanol	64-17-5	solvents	
1,3-bis(hydroxymethyl)-5,5-dimethylim- idazolidine-2,4-dione	6440-58-0	antimicrobial agent	Nonfunctional constituents
Alcohols, C12-15, ethoxylated	68131-39-5	surfactant	
Dorisyl	32210-23-4	fragrance	
benzyl benzoate	120-51-4	fragrance	EU Fragrance Allergens

- Toxic or Hazardous Substance List (MA-TURA)

Name of substance	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Threshol d	De Minimis Con- centration Threshold
ammonium chloride	7664-41-7				1.0 %

- Hazardous Substances List (MN-ERTK)

Name of substance	CAS No	References	Remarks
ammonium chloride	12125-02-9	Α	fume
ethanol	64-17-5	A, O	

Legend

A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH

fume Small solid particles formed by the condensation of vapors of solid materials.

Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

United States: en Page: 13 / 17





Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0

Replaces version of: 2023-09-08 (3)

Revision: 2025-04-09

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
ammonium chloride	12125-02-9		
ethanol	64-17-5		CA MU TE F3

Legend

CA Carcinogenic

F3 Flammable - Third Degree

MU Mutagenic TE Teratogenic

- Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
AMMONIUM CHLORIDE ((NH4)CL)	12125-02-9	E
ETHANOL	64-17-5	

Legend

E Environmental hazard

- Hazardous Substance List (RI-RTK)

Name of substance	CAS No	References	
ammonium chloride	12125-02-9	T, F	
ethanol	64-17-5	T, F	

Legend

F Flammability (NFPA®)

T Toxicity (ACGIH®)

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Name acc. to inventory	CAS No	Remarks	Type of the toxicity
1,4-dioxane	123-91-1	A CONTRACTOR OF THE STREET OF	cancer
ethylene oxide	75-21-8		cancer
ethylene oxide	75-21-8		female
ethylene oxide	75-21-8		developmental, male

United States: en Page: 14 / 17



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Proposition 65 List of chemicals	e		
Name acc. to inventory	CAS No	Remarks	Type of the toxicity
ethanol (ethyl alcohol)	64-17-5	in alcoholic beverages	developmental

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	2	temporary or minor injury may occur
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	0	material that, under emergency conditions, would offer no hazard beyond that of or- dinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed

United States: en Page: 15 / 17



acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Country	Inventory	Status	
EU	REACH Reg.	not all ingredients are listed	
JP	CSCL-ENCS	not all ingredients are listed	
JP.	ISHA-ENCS	not all ingredients are listed	
KR	KECI	all ingredients are listed	
MX	INSQ	not all ingredients are listed	
NZ	NZIoC	all ingredients are listed	
PH	PICCS	all ingredients are listed	
TR	CICR	not all ingredients are listed	
TW	TCSI	all ingredients are listed	
US	TSCA	all ingredients are listed (ACTIVE)	

<u>Legend</u>	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a con- centration of ≥ 0.1%.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a con- centration of ≥ 0.1%.	yes
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a	yes

United States: en Page: 16 / 17





acc. to 29 CFR 1910.1200 App D

Lexol Leather Cleaner (After 4/26/21)

Version number: 4.0 Replaces version of: 2023-09-08 (3) Revision: 2025-04-09

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
	a concentration of ≥ 0.1%.	concentration of ≥ 0.1%.	
3.2	*	Description of the mixture: change in the listing (table)	yes
3.2		Remarks: For full text of abbreviations: see SECTION 16	yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
11.1		Acute toxicity estimate (ATE) of components: change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0.1%.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0.1%.	yes
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0.1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0.1%.	yes
15.1	Toxic Substance Control Act (TSCA): all ingredients are listed (ACTIVE) or exempt from listing	Toxic Substance Control Act (TSCA): all ingredients are listed or exempt from listing	yes
15.1		National inventories: change in the listing (table)	yes

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 17 / 17