

Deicers

Deiginneurs

Table of Contents

Alphabetized Listing

B	
Birdbath	75
Bucket - Heated - Plastic	73
Bucket - Heated - Plastic - Flat Back	73
Bucket - Heated - Plastic Tub	73
Bucket - Heated - Round	73
Bucket - Heated - Rubber - Flat Back	73
Buckets and Tubs	73-74
C	
Cord Connect Cord Lock	76
D	
Deicer - 3-in-1 - Stock Tank	75
Deicer - Birdbath	75
Deicer - Bucket Deicer	73
Deicer - Bucket Deicer - Coated Aluminum	74
Deicer - Bucket Heater	74
Deicer - Cast Aluminum	77
Deicer - Cast Aluminum Bucket Heater	77
Deicer - Convertible	75
Deicer - Drain Plug - Rubbermaid - Allied	77
Deicer - Drain Plug - Rubbermaid - Farm Innovator	78
Deicer - Drain Plug - Universal - Allied	78
Deicer - Drain Plug - Universal - Farm Innovator	78
Deicer - Floating	75
Deicer - Floating - Cast Aluminium	75
Deicer - Floating - Traditional	75
Deicer - Floating Pond	76
Deicer - Floating Pond - Cast Aluminium	76
Deicer - Patio Pond - Cast Aluminum	77
Deicer - Pond Saucer	77
Deicer - Sinking	78
Deicer - Sinking - Aluminum	78
Deicer - Sinking - Pond	77
Deicer - Submersible	78
Deicer - Submersible Utility	78
Deicer Drain Plug Parts	76
Deicer Guard	76
Deicers	75-78
F	
Floating	75
M	
Miscellaneous	76
P	
Plastic	73
Pond	76-77
R	
Rubber	73
S	
Submersible	73-74, 77-78
T	
Thermo Cube	76

The Leader in Providing Innovative De-icing Solutions

FARM
iNNOVATORS^U



Rubber Heated Buckets



Patent pending



Totally concealed heating element

90 Watts of Power

Model FB-15R

18 Quart Heated Rubber Flat-Back Bucket

- Strong, flexible, and durable – resists cold weather cracking down to -35°F (-37°C)
- Concealed heating element – hidden from animals
- Thermostatically controlled to operate only when necessary
- Made from natural and recycled rubber for long lasting durability
- Anti-chew cord protector deters animals from chewing
- Table of measurement – 18 quart capacity
- Guaranteed for one (1) year

Benefits of Heated Rubber Buckets

In addition to automatically keeping water from freezing during the winter, our Heated Rubber Buckets offer several additional benefits when compared to plastic:

- Rubber is more durable and flexible in extremely cold temperatures
- Rubber is a better insulator; allowing them to operate at lower wattages
- Made from natural and recycled materials, they are environmentally friendly
- They won't crack or break if dropped

Plastic Heated Buckets



60 Watts of Power

Model HB-60

2 Gallon Plastic Heated Bucket

- 2 gallon capacity (9 quarts)
- Thermostatically controlled to operate only when necessary
- Heavy duty bail with reinforced connectors
- Table of measurements
- Guaranteed for one (1) year



120 Watts of Power

Model FB-120

5 Gallon Heated Flat-Back Bucket

- 5 gallon capacity (24 quarts)
- Thermostatically controlled to operate only when necessary (on 35°F, off 60°F)
- Unique "hide-away" cord compartment conceals cord for year round use
- Heavy duty bail with reinforced connectors
- Table of measurements
- Guaranteed for one (1) year



200 Watts of Power

Model HT-200

16 Gallon Plastic Heated Tub

- 16 gallon capacity (64 quarts)
- Thermostatically controlled to operate only when necessary
- Unique heating design – replaceable element for years of use
- Replaceable element hidden from animals – goes unnoticed
- Easy grip handles for portability
- Guaranteed for one (1) year



Buckets and Tubs

Plastic

Bucket - Heated - Plastic



These heated buckets are designed to accommodate multiple animals. They feature built-in thermostats to keep water ice-free in temperatures as low as 20 degree Fahrenheit. They feature built in handles and 3 prong cord with chew protectors.

KVS	Info	Size	Case	Part	Mfg.
600-017	Round	9qt	6	9HB	Allied
600-019	Flat Back	5gal/20qt	6	20FB	Allied
600-015	Round	16gal	4	16HB	Allied

Bucket - Heated - Plastic - Flat Back



Can be hung in the stall. Field tested at -28 C. Thermostatically controlled for efficiency. Unique hide-away cord compartment for year round use. Heavy duty handle, spill-free pour spout, and table of measurements.

KVS	Size	Watts	Case	Part	Mfg.
216-332	24qt	120	8	FB120	Farm Inn.

Bucket - Heated - Plastic Tub



Thermostatically controlled to operate only when necessary. Replaceable element.

KVS	Info	Size	Watts	Case	Part	Mfg.
216-334		16gal	200	4	HT200	Farm Inn.
216-500	Replac. Element				RE-200	Farm Inn.

Bucket - Heated - Round



This 8 quart plastic heated bucket is thermostatically controlled to operate automatically. 60 watt built-in heater keeps water from freezing. Cord protector to deter chewing.

KVS	Size	Watts	Case	Part	Mfg.
216-333	9qt	60	7	HB60	Farm Inn.

Rubber

Bucket - Heated - Rubber - Flat Back



Thermostatically controlled to operate only when necessary. Flat back provides stability when hung on a wall. Both the deicer and bucket are replaceable if needed.

KVS	Color	Size	Watts	Part	Mfg.
216-339	Black	12qt	70	FB-80R	Farm Inn.
216-331	Black	18qt	90	FB-15R	Farm Inn.

Submersible

Deicer - Bucket Deicer



Bucket Deicer - 250 watts / 2A cast, submergible bucket deicer. For use in 5 gallon plastic buckets.

KVS	Watts	Case	Part	Mfg.
216-223	250	8	H49	Farm Inn.



Buckets and Tubs

Submersible

Deicer - Bucket Deicer - Coated Aluminum



Uses multiple thermostats for optimized control. The low-profile, finned design provides a large surface area to run cooler while putting out the same amount of heat as conventional deicers resulting in less mineral buildup and longer life. Comes with a convenient 6-foot cord with anti-chew spring. cULus Listed.

KVS	Info	Watts	Case	Part	Mfg.
600-027	Up to 30 gal	250	6	DT250	Allied
600-028	Up to 60 gal	500	6	DT500	Allied

Deicer - Bucket Heater



This unit is designed to heat water, not just de-ice it. The heater, while immersed in water will heat continuously past 150 degrees Fahrenheit. It comes with a stainless steel guard and has an automatic shut off.

KVS	Watts	Case	Part	Mfg.
600-013	1000	12	C742G	Allied



Deicers

Birdbath

Deicer - Birdbath



Constructed of durable cast aluminum for longevity and durability. CSA approved.

KVS	Watts	Case	Part	Mfg.
216-335	150	12	C50	Farm Inn.

Floating

Deicer - 3-in-1 - Stock Tank



This convertible stock tank deicer can be used as a floating or sinking deicer. This high tech heater uses micro-processing to detect and control water temperature resulting in energy savings.

KVS	Watts	Mfg.
600-012	1500	Allied

Deicer - Convertible



Easily converts between a floating and submergible deicer in under 30 seconds, without tools. Constructed of patented cast aluminum for ultimate efficiency, greater performance and safety. Thermostatically controlled to operate only when necessary. Heavy duty anti-chew cord protector. Safe in plastic tanks.

KVS	Watts	Case	Part	Mfg.
216-207	1500	8	H4615	Farm Inn.
216-208	1250	8	H418C	Farm Inn.

Deicer - Floating



Floating deicers are designed to float in the water tank and are thermostatically controlled with an automatic shut off. The styrofoam float is completely enclosed with a rugged plastic housing and the cord exits from the top of the unit.

KVS	Watts	Case	Part	Mfg.
600-003	1000	6	C7621	Allied
600-005	1500	6	C7521	Allied

Deicer - Floating - Cast Aluminium



1250 Watts / 8.3A cast aluminum floating deicer. Recommended for use around horses. Thermostatically controlled. 6' cord. Safe in plastic.

KVS	Watts	Case	Part	Mfg.
216-418	1250	8	H418	Farm Inn.

Deicer - Floating - Traditional



1500 Watts / 12.5A floating tank deicer. Designed for metal tanks only. Unit is NOT safe in plastic stock tanks. Thermostatically controlled. 6' cord. CSA approved.

KVS	Watts	Case	Part	Mfg.
216-210	1500	8	H4815	Farm Inn.



Deicers

Miscellaneous

Cord Connect Cord Lock



The Cord Connect is a simple, practical and effective watertight cord lock. Simply close the Cord Connect around each end of the cord, then twist to lock the cords together to create a watertight seal. A gasket withstands jet nozzle sprays, drip box tests, and prevents water from reaching the electrical connection.

KVS

216-430

Mfg.

Farm Inn.

Deicer Drain Plug Parts



Drain plug parts for part #2002DP (600-001)

KVS

600-295

600-296

Size

Plug Nut

Rubber Seal

Mfg.

Miller

Miller

Deicer Guard



deicer guard may be used with either the Allied floating or sinking deicers. The strong galvanized wire guard is designed to be less affected by rust or corrosion and is used to protect plastic tanks.

KVS

600-007

Case

12

Part

88R

Mfg.

Allied

Thermo Cube



Automatically turns power on and off according to outside temperature.

KVS

216-431

216-433

216-435

Info

Gas Engine

Diesel Engine

Freezing Water

Temp On

-18C

-7C

2C

Temp Off

-12C

-1C

7C

Part

TC-1

TC-2

TC-3

Mfg.

Farm Inn.

Farm Inn.

Farm Inn.

Pond

Deicer - Floating Pond



Floating deicers are designed to float in the water tank and are thermostatically controlled with an automatic shut off. The styrofoam float is completely enclosed with a rugged plastic housing and the cord exits from the top of the unit.

KVS

600-021

Watts

1500

Case

6

Part

P7521

Mfg.

Allied

Deicer - Floating Pond - Cast Aluminium



1250 Watts / 8.3A cast aluminum floating pond deicer with 10' cord. Thermostatically controlled and is fish and plant-friendly. Safe in all ponds.

KVS

216-419

Watts

1250

Case

8

Part

P418

Mfg.

Farm Inn.



Deicers

Pond

Deicer - Patio Pond - Cast Aluminum



Constructed of cast aluminum for ultimate efficiency and safety. Thermostatically controlled to only operate when necessary. For use in all ponds up to 50 gallons and safe in all patio ponds.

KVS	Info	Watts	Part	Mfg.
216-449	Premium	500	P500	Farm Inn.

Deicer - Pond Saucer



Low watt heated pond saucer is perfect for small pre-formed ponds. Keeps hole open in ice to remove harmful gasses. Floats on surface and is thermostatically controlled to operated automatically.

KVS	Watts	Part	Mfg.
216-421	200	PS200	Farm Inn.

Deicer - Sinking - Pond



The sinking deicer operates at the bottom of the tank and therefore it is less likely to be disturbed by livestock. It is thermostaically controlled with an automatic shut-off, and comes complete with a galvanized wire guard.

KVS	Watts	Case	Part	Mfg.
600-023	1500	6	P15N	Allied

Submersible

Deicer - Cast Aluminum



Constructed of cast aluminum for ultimate efficiency and safety. Thermostatically controlled to only operate when necessary. Safe in plastic tanks.

KVS	Watts	Part	Mfg.
216-427	1000	H409	Farm Inn.
216-219	1500	H419	Farm Inn.

Deicer - Cast Aluminum Bucket Heater



Submergible bucket heater that heats up to 5 gallons of water and keeps it from freezing in single-digit temperatures. Thermostatically controlled heating, operating when needed, saving you time and electricity. Constructed from cast aluminum for durability and reliability; safe in plastic containers; 6-foot power cord; Weight: 2.5 pounds.

KVS	Watts	Part	Mfg.
216-330	1000	W-409A	Farm Inn.

Deicer - Drain Plug - Rubbermaid - Allied



For Rubbermaid® tanks only. Mounts securely into the tank drain hole to keep the heating element away from livestock. Has a butterfly heating element and is designed to mount into the larger drain hole found on some Rubbermaid® tanks.

KVS	Watts	Case	Part	Brand	Mfg.
600-002	1500	6	15DP	Allied	Allied



Deicers

Submersible

Deicer - Drain Plug - Rubbermaid - Farm Innovator



Installs in minutes without tools and is designed for use in all rubber/plastic stock tanks. Thermostatically controlled for efficiency. Field tested to -28C.

KVS	Watts	Case	Part	Mfg.
216-205	1500	8	DPH15	Farm Inn.

Deicer - Drain Plug - Universal - Allied



Designed to fit metal or plastic stock tanks that have 3/4" drain holes. The electric cord is not in the water therefore, the deicer cannot be thrown out of the tank. It has a built in thermostat and a 6" power cord.

KVS	Watts	Case	Part	Mfg.
600-001	1500	6	2002DP	Allied

Deicer - Drain Plug - Universal - Farm Innovator



Universal drain plug deicer. Fits most metal and plastic tanks. Safe in all tanks.

KVS	Watts	Case	Part	Mfg.
216-206	1500	8	UPH15	Farm Inn.

Deicer - Sinking



The sinking deicer operates at the bottom of the tank and therefore is less likely to be disturbed by livestock. It is thermostatically controlled with an automatic shut-off, and comes complete with a galvanized wire guard.

KVS	Watts	Case	Part	Mfg.
600-009	1500	6	C15N	Allied

Deicer - Sinking - Aluminum



1500 watts, 120 VAC, 60 Hz This energy efficient sinking deicer keeps your entire tank ice-free without overheating the water. Safe for animals, this deicer includes a durable PTFE coating for easy cleaning. The large, finned base runs cooler than conventional deicers, making it safe for plastic or metal tanks alike. The cord is wrapped in a heavy-duty anti-chew spring protector. cULus Listed.

KVS	Watts	Case	Part	Mfg.
600-010	1500	6	DTS15	Allied

Deicer - Submersible



Thermostatically controlled submersible deicer. Safe in plastic epoxy sealed tanks. Comes complete with guard.

KVS	Watts	Case	Part	Mfg.
216-214	1000	8	DH439	Farm Inn.
216-215	1500	8	DH429	Farm Inn.

Deicer - Submersible Utility



Unique structure of cast aluminum guarantees durability and long life. Designed for multiple uses around the farm. Thermostatically controlled. CSA approved.

KVS	Watts	Case	Part	Mfg.
216-227	250	8	C250	Farm Inn.
216-229	250	8	C500	Farm Inn.