

Fencing

Cloture

Table of Contents

Alphabetized Listing

B		Fence Pliers	203
Battery Lead	202	Fencing - Gates and Accessories	183-187
Battery Powered	177	Fencing - Permanent	188-195
Big Ring T-Post Insulator	188	Fencing - Temporary	196-201
Bracket - XHD 1000	207	Fencing - Tools	202-205
Braid - Extreme	197	G	
C		Gate - Bungy	184
Cable - Underground	195	Gate Accessories	183-184
Cable - Underground - Aluminum Coated	195	Gate Activator	183
Connectors - Rope - Electric	193	Gate Anchor - Patriot	183
Cord - Bungy	202	Gate Anchor - Patriot - Wood post	183
Cord - Power - Replacement	202	Gate Break - Compression	185
Crimp Sleeves	202	Gate Break - Heavy Duty	185
Cut-Out Switches	183	Gate Handle - Black - Kerbl	186
D		Gate Handle - Black - Patriot	186
Dual Purpose	177-179	Gate Handle - Kerbl	186
E		Gate Handle - Orange	186
Earth Clamps	202	Gate Handle - Premium w/ Hook	205
Earth Kit	195	Gate Handle - Yellow - With Hook	186
Electroplus Bronze	193	Gate Handle - Zammer	186
Electroplus Silver	193	Gate Handle Insulator	186
End Strain Insulator & Wide Tape Corner - Politape	197	Gate Kit	185
Energizer - PS5 Solar Energizer	180	Gate Latch - 1-Way - Patriot	183
Energizer - S1000 Solar Energizer	180	Gate Latch - 2-Way - Patriot	184
Energizer - 1000	178	Gate Wheel - Patriot	184
Energizer - 12000i	178	Gates	184-185
Energizer - 18000i Unigizer	179	Gates and accessories	205
Energizer - 2000	178	Geared Reel	200
Energizer - 3000	178	Gripple	203
Energizer - 46000W	179	H	
Energizer - 6000	178	Handles	185-187, 205
Energizer - 6000i	178	I	
Energizer - AN20	177	Indicators	206
Energizer - AN90 - Strip Grazer	177	Insulator - Big Ring	188
Energizer - AN90 - Strip Grazer - With Ground Stake	177	Insulator - Dual Purpose	188
Energizer - AN90 Solar	181	Insulator - End Strain - Economy	188
Energizer - P10	177	Insulator - End Strain - Medium	188
Energizer - P20	177	Insulator - End Strain - Patriot	188
Energizer - P30	178	Insulator - End Strain - Speedrite	188
Energizer - P5	177	Insulator - End Strain - Ultra	189
Energizer - PE10	179	Insulator - Extender Ring	189
Energizer - PE2 Garden Kit	179	Insulator - Jumbo Ring - Screw-In	189
Energizer - PE2 Low Impedance	179	Insulator - Multi-Fit Rod Post - Screw On	189
Energizer - PE5 Low Impedance	179	Insulator - Pinlock Y-Post	189
Energizer - PMX120	180	Insulator - Porcelain Donut	189
Energizer - PMX200	180	Insulator - Ring	189
Energizer - PMX350	180	Insulator - Ring - Metric Thread	190
Energizer - PMX50	180	Insulator - Rod Post	190
Energizer - S500	181	Insulator - Rope - Wood Post Screw	190
Energizer - SG1000 Portable	181	Insulator - Tape - In Line Wood Post	190
Energizer - SG2000 Solar	181	Insulator - T-Post Extender	190
Energizer - SG3000 Solar	181	Insulator - T-Post Gate Anchor Insulator	190
Energizer - SG500 Portable	181	Insulator - T-Post Screw-On Claw Insulator	190
Energizer - SolarGuard 150	181	Insulator - T-Post Topper Insulator	191
Energizer - SolarGuard 80	182	Insulator - T-Post Wrap-Around Claw Insulator	191
Energizers	177-182	Insulator - Wood Post Claw	191
Extreme Braid	197	Insulator - Wood Post Claw - Ribbed	191
Extreme Geared Reel	200	Insulator - Wood Post Pinlock	191
F		Insulator - Wood Post Slant	191
Fence Alert	204	Insulator - Wood Post Square	191
Fence Compass	205	Insulator - Wood Post Tube	192
Fence Lead Set - Patriot	202	Insulator - Wrap Around	192
Fence Lead Set - Speedrite	202	Insulators	188-192

Table of Contents

Alphabetized Listing

I		Standoff - Side Fixing	194
Insul-hook	203	Standoffs & Outriggers	193-194
J		Strainer - Chain	194
Joint Clamp	204	Strainer - Clamp - Heavy Duty	194
Joint Clamp - Zinc	204	Strainers	194-195
L		Super Reel	201
Lead - Jumper	203	Switch - Cut Out	183
Lightning Arrestor	203	Switch - Cut Out - Heavy Duty	183
Lightning Diverter Kit	203	T	
Line Taps Heavy Duty SR	203	Tape - Budget Line	198
Loadbars	207	Tape - Electric - Star Line	198
Loadbars - HD5T	207	Tape - Electric - Top Line PLUS	198
Loadbars - Multipurpose	207	Tape - Extreme	198
M		Tape - Politape	198
Mains Powered	179-180	Tape - Premium	198
Management	202-204	Tester - 5 Light	205
Metal Fencing Wire	193	Testers - Indicators	204-205
Miscellaneous	204	Tread-In - Heavy Duty	199
N		Tread-In - Pigtail	200
Nets	196	U	
O		Underground	195
Outrigger - Wire Pinlock	193	V	
Ovinet for Sheep	196	Value Reel	201
P		Voltmeter - Digital - with Two Clips	205
Patriot 4-Slot Crimping Tool	184	W	
Patriot Strainer - Tensioner Handle	194	Weighing Indicator - EziWeigh 7i BT	206
Patriot Strainer - Wire Loop	194	Weighing Indicator - ID5000	206
Patriot Tape Buckle - 1/2in	184	Weighing Indicator - S3	206
Patriot Tape Buckle - 2in	184	Weighing Indicator - XR5000	206
Platform Scale - Multi-Use	207	Weighing Indicator Parts & Accessories	206
Platforms	207	Wire - Aluminum	193
Poli-Products	197-199	Wire - Extreme	199
Politape	197	Wire - Steel	193
Poliwire	197	Wire Cutter	204
Poly Wire - Budget Line	197	Wire Strainer - Handle	194
Post - Fiberglass	199	Wire Strainer - In Line	195
Post - Plastic - with Galvanized Point	199	Wire Strainer - Insulated BullNose	195
Posts and Tread-Ins	199-200	Wire Strainer - Uninsulated	195
Poulnet for Poultry	196		
Poultry Net Gate	196		
R			
Reel - Corner	192		
Reel - Mega Geared	200		
Reel - Value - Bobbin	200		
Reel Mounting Posts - Galvanized	200		
Reels	200-201		
Remote Unit	205		
Ring Insulator Tool	204		
Rope	193		
Rope - Electric - Budget Line	197		
Rope - Electric - Star Line	198		
S			
Scale - Platform	207		
Scale System - XHD 100000 Complete	207		
Scales	206-207		
Sign - WARNING	204		
Solar	180-182		
Speedrite Sentinel Plastic Tread-In Post	199		
Speedrite T Handle Ground Rod	199		
Spring - Galvanized	187		
Spring Gate	185		
Spring Gate - White	185		
Spring Gate - X-Long	185		



Energizers

Battery Powered

Energizer - AN20



0.04J output, 0.05J stored. Powers up to 1 km. Runs on 2 "D" cell batteries (not included) for up to 35 days.

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-033	3V	0.05J	0.04J	0.65 mi / 1a	814888	Speedrite	Datamars

Energizer - AN90 - Strip Grazer



0.12J output, 0.16J stored. Powers up to 2 km, 5 acres. Batteries not included.

KVS	Volts	Stored	Output	Distance	Case	Model	Part	Brand	Mfg.
533-031	6V / 12V	0.16J	0.12J	2 mi / 5a	6	AN90	SE117-01	Speedrite	Datamars

Energizer - AN90 - Strip Grazer - With Ground Stake



0.12J output, 0.16J stored. Powers up to 2 km, 5 acres. Batteries not included.

KVS	Volts	Stored	Output	Distance	Case	Model	Part	Brand	Mfg.
533-032	6V / 12V	0.16J	0.12J	2 mi / 5a	6	AN90GS	SE117WS-01	Speedrite	Datamars

Dual Purpose

Energizer - P5



0.5J Output, 0.7J Stored, up to 15 miles, 60 acres. Power adaptor & battery leads incl.

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-601	110V	0.7J	0.5J	15 mi / 60a	803401	Patriot	Datamars

Energizer - P10



1.0J Output, 1.4J Stored, up to 30 miles, 100 acres. Power adaptor & battery leads incl.

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-602	110V	1.4J	1.0J	30 mi / 100a	803402	Patriot	Datamars

Energizer - P20



2.0J Output, 2.7J Stored, up to 50 miles, 200 acres. Power adaptor & battery leads incl.

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-603	110V	2.7J	2.0J	50 mi / 200a	803403	Patriot	Datamars



Energizers

Dual Purpose

Energizer - P30



3.0J Output, 4.5J Stored, up to 65 miles, 250 acres. Power adaptor & battery leads incl.

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-604	110V	4.5J	3.0J	65 mi/ 260a	805153	Patriot	Datamars

Energizer - 1000



1J output, 1.4J stored, up to 10 miles, 40 acres Includes battery leads & power adaptor

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-026	12 / 100-240V	1.4J	1J	10 mi / 40a	809446	Speedrite	Datamars

Energizer - 2000



2J output, 2.7J stored, up to 20 miles, 80 acres Includes battery leads & power adaptor

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-027	12 / 100-240V	2.7J	2J	20 mi / 80a	809447	Speedrite	Datamars

Energizer - 3000



3J output, 4.5J stored, up to 30 miles, 120 acres. Includes battery leads & power adaptor

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-028	12 / 100-240V	4.5J	3J	30 mi / 120a	809448	Speedrite	Datamars

Energizer - 6000



6.0J output, 9.0J stored, up to 60 miles, 240 acres. Includes battery leads & power adaptor

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-035	12 / 100-240V	9J	6J	60 mi / 240a	812648	Speedrite	Datamars

Energizer - 6000i



6.0J output, 9.0J stored, up to 60 miles, 240 acres. LCD Display, Earth Monitoring. Remote capable. Incl. battery leads & power adaptor

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-034	12 / 100-240V	9J	6J	60 mi / 240a	812654	Speedrite	Datamars

Energizer - 12000i



12.0J output, 16J stored, up to 90 miles, 500 acres. LCD Display, Earth Monitoring. Remote capable. Incl. battery leads & power adaptor

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-036	12 / 100-240V	16J	12J	90 mi / 500a	814086	Speedrite	Datamars



Energizers

Dual Purpose

Energizer - 18000i Unigizer



Low energy terminal limits energy to below 1.5 J for use around buildings and houses. Cyclic Wave™ technology provides a cleaner, more powerful pulse, maximising the energy that travels down the fence for optimal stock control. Remote capable (remote sold separately FSTFCRC). Battery saver technology extends battery life and is particularly efficient when used in solar installations. Day/Night sensor to automatically adjust pulse speed on day or night conditions. Large terminals ensure good connection. Earth monitoring function allows user to identify earth system problems. Versatile power options - use either mains, battery or solar power. Adjustable settings provide flexible pulse speeds and a low power option.

KVS	Size	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-018	110v 18J	110-240V	24J	18J	110 mi / 270a	821014	Speedrite	Datamars

Mains Powered

Energizer - PE2 Low Impedance



Ideal for containing pets and keeping out small nuisance animals.

KVS	Size	Volts	Stored	Output	Distance	Case	Brand	Mfg.
533-607	2 Mile AC	110V	0.16J	0.1J	2 mi / 8a	8	Patriot	Datamars

Energizer - PE2 Garden Kit



All you need to build a quick, basic electric fence. Great for yards, flower and vegetable gardens, and other similar areas. Safely contains pets and deters small nuisance animals. Kit includes: •110 V Patriot PE2 energizer, •10 x 28.5" posts with 4 preset clips on each post for quick installation, •100ft of green poliwire, •ground rod and •fence connectors, •step by step instructions and •sturdy box to store kit when not in use.

KVS	Volts	Stored	Output	Distance	Case	Brand	Mfg.
533-610	110V	0.16J	0.1J	2 mi / 8a	4	Patriot	Datamars

Energizer - PE5 Low Impedance



Ideal for fencing small properties up to 20 acres.

KVS	Size	Volts	Stored	Output	Distance	Case	Brand	Mfg.
533-608	5 Mile AC	110V	0.32J	0.2J	5 mi / 20a	8	Patriot	Datamars

Energizer - PE10



Ideal for fencing small properties up to 40 acres.

KVS	Size	Volts	Stored	Output	Distance	Case	Brand	Mfg.
533-609	10 Mile AC	110V	0.49J	0.3J	10 mi / 40a	8	Patriot	Datamars

Energizer - 46000W



The Speedrite 46000W Mains Energizer offers a powerful alternative to the 36000R model, for farmers that want a great performing energizer with an intuitive interface. With Bluetooth and Wi-Fi compatibility, the Datamars Livestock Farm App provides the ability to monitor and control the energizer from a phone. Cyclic Wave™ provides continuous power right to the end of the fence. LED indicators show energizer output voltage for quick diagnostics. Bi-polar technology provides high performance in dry, low conductive soil conditions. Split bolt terminals allow multiple fence wires to be connected.

KVS	Stored	Output	Distance	Part	Brand	Mfg.
533-008	68J	46J	290 mi / 3300a*	880 0002-883	Speedrite	Datamars



Energizers

Mains Powered

Energizer - PMX50



For smaller fence lines. Low impedance energizer designed to deliver power to the end of the fence even under heavy load e.g. foliage, undergrowth. Low maintenance design. Simple operation. LED indicator pulses when energizer is working. Robust covered knob design. Easy installation and good wire connection. Multiple mounting options. Easily mounts on wall, wood post or T-post.

KVS	Volts	Stored	Output	Distance	Brand	Mfg.
533-665	110V	0.85J	0.5J	15mi/60a	Patriot	Datamars

Energizer - PMX120



Suited for farms with small numbers of livestock. Low impedance energizer. Designed to deliver power to the end of the fence even under heavy load e.g. foliage, undergrowth. Low maintenance design with simple operation. LED indicator pulses when energizer is working. Robust covered knob design. Easy installation and good wire connection. Multiple mounting options. Easily mounts on wall, wood post or T-post.

KVS	Volts	Stored	Output	Distance	Brand	Mfg.
533-666	110V	1.7J	1.2J	30mi/100a	Patriot	Datamars

Energizer - PMX200



Ideal for medium to large farms with a larger number of livestock. Designed to deliver power to the end of the fence even under heavy load e.g. foliage, undergrowth. Low maintenance design. Simple operation. LED indicator pulses when energizer is working. Robust covered knob design. Easy installation and good wire connection. Multiple mounting options. Easily mounts on wall, wood post or T-post.

KVS	Volts	Stored	Output	Distance	Brand	Mfg.
533-667	110V	3.0J	2.0J	50mi/165a	Patriot	Datamars

Energizer - PMX350



Provides more power than those slightly larger farm areas. Low impedance energizer. Designed to deliver power to the end of the fence even under heavy load e.g. foliage, undergrowth.

Low maintenance design. Simple operation. LED indicator pulses when energizer is working. Robust covered knob design. Easy installation and good wire connection. Multiple mounting options. Easily mounts on wall, wood post or T-post.

KVS	Volts	Stored	Output	Distance	Brand	Mfg.
533-668	110V	6.4J	3.5J	65mi/200a	Patriot	Datamars

Solar

Energizer - PS5 Solar Energizer



Ideal for keeping small nuisance pests out, or for keeping small animals safely contained. Fully portable, 'All in One' compact design. The light, compact design with carry handle makes it ideal for portability. The unit includes internal battery and solar panel, providing a convenient all-in-one energizer. Energy efficient solar panel charges the internal battery to power the fence line. Solar power recharges the battery as required to support long battery life. Flashing red light indicates at a glance that the energizer is working and powering the fence.

Fast set up with no trenches or underground cable.

KVS	Volts	Stored	Output	Distance	Case	Brand	Mfg.
533-664	4V	0.06J	0.04J	2mi/8a	4	Patriot	Datamars

Energizer - S1000 Solar Energizer



Powers up to 140 acres or 40 miles of fence. 1J output power. Comes with built-in solar panel and 12 V 7 amp hour battery.

KVS	Stored	Output	Distance	Brand	Mfg.
533-025	1.30J	1.00J	6mi/10km	Speedrite	Datamars



Energizers

Solar

Energizer - AN90 Solar



All the features of the AN90 with a solar panel and stand.

KVS	Volts	Stored	Output	Distance	Part	Brand	Mfg.
533-029	12V Battery	0.16J	0.12J	1.25 mi / 5a	814072	Speedrite	Datamars

Energizer - S500



Powers up to 8 km / 5 miles of fence. 0.50 J maximum output energy (0.65 J stored energy). Includes 12V battery.

KVS	Volts	Stored	Output	Distance	Model	Part	Brand	Mfg.
533-030	12V Battery	0.63J	0.5J	5 mi / 20a	SX	834994	Speedrite	Datamars

Energizer - SG1000 Portable



Fully portable, 'All in One' compact design. Fully weatherproof. 9.6W solar panel, includes internal rechargeable 12V battery. LED indicator pulses when energizer is working. Easily mounts on wood post, or T-post. 3 year warranty, includes lightning. FENCE LEAD SET INCLUDED.

KVS	Stored	Output	Distance	Brand	Mfg.
533-663	1.30 J	1.00 J	40 mi / 140a	Patriot	Datamars

Energizer - SG2000 Solar



Designed for easy installation and maximum efficiency, Patriot portable solar energizers harness solar energy to deliver reliable electric fencing power. These lightweight, robust models feature larger solar panels and batteries, giving you power where conventional power sources are unavailable.

KVS	Size	Model	Brand	Mfg.
533-669	28W	SG2000	Patriot	Datamars

Energizer - SG3000 Solar



Designed for easy installation and maximum efficiency, Patriot portable solar energizers harness solar energy to deliver reliable electric fencing power. These lightweight, robust models feature larger solar panels and batteries, giving you power where conventional power sources are unavailable.

KVS	Size	Model	Brand	Mfg.
533-670	39W	SG3000	Patriot	Datamars

Energizer - SG500 Portable



Fully portable, 'All in One' compact design. Fully weatherproof. 9.6W solar panel, includes internal rechargeable 12V battery. LED indicator pulses when energizer is working. Easily mounts on wood post, or T-post. 3 year warranty, includes lightning. FENCE LEAD SET INCLUDED.

KVS	Stored	Output	Distance	Brand	Mfg.
533-662	0.65 J	0.50 J	30 mi / 100a	Patriot	Datamars

Energizer - SolarGuard 150



The Patriot SG150 Integrated Solar Energizer is easily portable, simple and intuitive, plus it's more powerful than comparable energizers. Suitable for farmers of all types, the S150 can be used on larger farms, as well as lifestyle properties.

KVS	Volts	Stored	Output	Distance	Brand	Mfg.
533-637	4.1kV	0.21J	0.15J	10 mi/40a	Patriot	Datamars



Energizers

Solar

Energizer - SolarGuard 80



The Patriot SG80 Integrated Solar Energizer is easily portable, simple and intuitive, plus it's more powerful than comparable energizers. Suitable for farmers of all types, the S80 can be used on larger farms, as well as lifestyle properties.

KVS	Volts	Stored	Output	Distance	Brand	Mfg.
533-636	3.1kV	0.11J	0.08J	3 mi/12a	Patriot	Datamars



Fencing - Gates and Accessories

Cut-Out Switches

Switch - Cut Out



Allows you to isolate sections of fence with minimal disruption.

KVS	Color	Case	Part	Brand	Mfg.
533-096	Yellow	10	SA064	Speedrite	Datamars

Switch - Cut Out - Heavy Duty



Allows you to isolate sections of fence with minimal disruption. Heavy duty connection arm

KVS	Part	Brand	Mfg.
533-095	807882	Speedrite	Datamars

Gate Accessories

Gate Activator



Use with all Speedrite Gate Handles. Made from long lasting hot dipped galvanized steel. Use to connect gate-handles to wood posts

KVS	Pack	Part	Brand	Mfg.
533-102	2	824843	Speedrite	Datamars

Gate Anchor - Patriot



Simple to use. Holds gate open for easy livestock movement. Zinc-coated, strong, sturdy materials for long-lasting performance. Optional use as a horizontal slide latch. Gate mounting hardware included. For 1 3/4" - 2" OD Round Tube Gates.

KVS	Brand	Mfg.
533-661	Patriot	Datamars

Gate Anchor - Patriot - Wood post



For use on wood posts. Economical option for building a gate between wood posts. Suitable for use with poliwire, poliropo, steel/aluminum wire

KVS	Case	Brand	Mfg.
533-702	5	Patriot	Datamars

Gate Latch - 1-Way - Patriot



For 1 5/8" - 2" OD Round Tube Gates. Simple, one-handed operation opens gate from inside or outside. Zinc-coated, strong, sturdy materials for long lasting performance. Can be padlocked for increased security. Gate mounting hardware included.

KVS	Brand	Mfg.
533-659	Patriot	Datamars



Fencing - Gates and Accessories

Gate Accessories

Gate Latch - 2-Way - Patriot



Small: 1 1/4" - 1 1/2" OD Round Tube Gates. Large: 1 5/8" - 2" OD Round Tube Gates. Simple, one-handed operation opens gate from inside or outside. Zinc-coated, strong, sturdy materials for long lasting performance. Can be padlocked for increased security. Gate mounting hardware included.

KVS	Size	Brand	Mfg.
533-658	Small	Patriot	Datamars
533-657	Large	Patriot	Datamars

Gate Wheel - Patriot



Provides smoother and easier means of opening and closing gates. Zinc-coated, strong, sturdy materials for long-lasting performance. Gate mounting hardware included. For 1 5/8" - 2" OD Round Tube Gates.

KVS	Brand	Mfg.
533-660	Patriot	Datamars

Patriot 4-Slot Crimping Tool



For use with Patriot Crimp Sleeves.

KVS	Brand	Mfg.
533-704	Patriot	Datamars

Patriot Tape Buckle - 1/2in



Use to join or splice politape. Angled end can be used to connect politape to gate handle. Suitable for use with politape up to 1/2 in wide. Three per pack.

KVS	Size	Pack	Case	Brand	Mfg.
533-703	1/2in	3pk	10	Patriot	Datamars

Patriot Tape Buckle - 2in



Use to join or splice politape. Angled end can be used to connect politape to gate handle. Suitable for use with politape up to 2 in wide.

KVS	Size	Pack	Case	Part	Brand	Mfg.
533-643	2in	5pk	10	824727	Patriot	Datamars

Gates

Gate - Bungy



Provides extreme stretch, maximum shock exposure. Comes with a highly visible safety flag.

KVS	Case	Part	Brand	Mfg.
533-089	10	813719	Speedrite	Datamars



Fencing - Gates and Accessories

Gates

Gate Kit



Kit consists of 1 gate handle w/hook, 1 tension spring and 2 gate handle insulators. Stretches up to 5m (16')

KVS

376-242

Mfg.

Kerbl

Spring Gate



Use as gate in temporary and permanent fences. Covers up to 16' gate opening. Includes: yellow gate handle, activator, anchor and 16' spring.

KVS

533-622

Brand

Patriot

Mfg.

Datamars

Spring Gate - White



Ideal spring gate option for added visibility. Electrifies gateways up to 5m wide. Highly visible pwd coated white rust resistant spring

KVS

533-084

Info

5m

Color

White

Size

16' / 5m

Case

10

Part

FSTSGWY

Brand

Speedrite

Mfg.

Datamars

Spring Gate - X-Long



Features rust resistant galvanized spring. Electrifies gateways up to 8m wide. Fully insulated handle - non-slip grip.

KVS

533-083

Info

8m

Color

Yellow

Size

26' / 8m

Case

10

Part

SA0448M

Brand

Speedrite

Mfg.

Datamars

Handles

Gate Break - Compression



Compression handle design prevents over stretching the gate spring. Non-slip insulated grip

KVS

533-069

Color

Blue

Part

SA042C

Brand

Speedrite

Mfg.

Datamars

Gate Break - Heavy Duty



Rugged body - large flanges. Non-slip insulated grip. High tensile galvanized spring.

KVS

533-080

Color

Yellow

Part

807888

Brand

Speedrite

Mfg.

Datamars



Fencing - Gates and Accessories

Handles

Gate Handle - Black - Kerbl

Plastic gate handle with hook and tension limiter which prevents over-stretched spring.



KVS	Color	Pack	Part	Mfg.
376-237	Black	5	44241	Kerbl

Gate Handle - Black - Patriot



Fully insulated handle with positive non-slip grip and high-tensile galvanized spring. Works with high-tensile wire, poliwire, poliropo, politape, or as a replacement handle for Patriot Spring Gate in permanent and temporary fences.

KVS	Color	Part	Brand	Mfg.
533-615	Black	817217	Patriot	Datamars

Gate Handle - Kerbl



Plastic gate handle with hook and tension spring.

KVS	Color	Part	Mfg.
376-550	Black	44251	Kerbl

Gate Handle - Orange



Insulated rubber gate handle. Bright orange color for easy identification. Works with high tensile wire & most poli products

KVS	Color	Part	Brand	Mfg.
533-068	Orange	828230	Patriot	Datamars

Gate Handle - Yellow - With Hook



Plastic gate handle with hook and tension spring.

KVS	Info	Color	Pack	Part	Mfg.
376-245	With Hook	Yellow	5	44953	Kerbl

Gate Handle - Zammer



Can be used as a live or insulated hook in temporary fencing or as a gate break handle. Specifically designed to ensure easy wind-back through pigtail.

KVS	Case	Part	Brand	Mfg.
533-067	30	824115	Speedrite	Datamars

Gate Handle Insulator



Gate Handle Insulator with 6mm wood screw and two galvanized hooks, gate handles from both sides.

KVS	Color	Pack	Part	Mfg.
376-244	Black	10	44248	Kerbl



Fencing - Gates and Accessories

Handles

Spring - Galvanized



Stainless steel tension spring for steel wire. A sturdy model for steel wire that eases the strain on wire and corner posts. Balances temperature changes in winter and makes fences flexible.

KVS

376-557

Mfg.

Kerbl



Fencing - Permanent Insulators

Big Ring T-Post Insulator



High-quality, easy-installation T-posts in various lengths for long-term use. The entire post is covered in nubs spaced at intervals of 5.5 cm to use to affix accessories. A solid base plate gives the post a secure footing. The posts are coated for excellent weather protection. We recommend using approx. 30 cm longer posts for each corner post. The insulators can be fixed securely at the desired height by clipping them to the T-post.

- For wire, polywire, rope and tape up to 10 mm
- Improved clip system - simplifies fastening to the T-post

KVS	Pack	Part	Mfg.
376-558	25	441180	Kerbl

Insulator - Big Ring



For poly wire and steel wire. Impact resistant plastic.

KVS	Pack	Case	Part	Mfg.
376-554	25	500	44327	Kerbl

Insulator - Dual Purpose



Sturdy pin for longer life. Reinforced jaws & pinlock allows for easy wire removal. Use on standard T-posts or wood posts. (25/pk)

KVS	Color	Pack	Case	Part	Brand	Mfg.
533-054	Green	25	500	SI037	Speedrite	Datamars

Insulator - End Strain - Economy



Strain insulator for electric rope. Reinforced with fiberglass. Suitable as corner and strain insulator. Available in EC only.

KVS	Info	Pack	Mfg.
376-421	Economy	25	Kerbl

Insulator - End Strain - Medium



For medium tension. Deep grooves hold wire in place, prevents twisting. Long leakage path prevents arcing. (25/pk)

KVS	Color	Pack	Case	Part	Brand	Mfg.
533-062	Green	25	250	SI031D	Speedrite	Datamars

Insulator - End Strain - Patriot



Long leakage paths to prevent arcing and deep grooves to hold wire in place. Use with high-tensile wire and polywire in permanent fences for ends, curves and corners.

KVS	Pack	Part	Brand	Mfg.
533-617	10	809981	Patriot	Datamars

Insulator - End Strain - Speedrite



Reinforced polymer for max. strength. Deep grooves hold wire in place, prevents twisting. (5/pk)

KVS	Pack	Case	Part	Brand	Mfg.
533-103	5	20	812842	Speedrite	Datamars



Fencing - Permanent Insulators

Insulator - End Strain - Ultra

Reinforced polymer for max.strength. Deep grooves hold wire in place, prevents twisting.Long leakage path prevents arcing. (25/pk)



KVS	Color	Pack	Case	Part	Brand	Mfg.
533-061	White	25	250	SI018	Speedrite	Datamars

Insulator - Extender Ring

6" offset. Keeps live wire away from posts.For rope up to 8mm (10/pk)



KVS	Size	Pack	Case	Part	Mfg.
376-551	22cm	10	300	44310	Kerbl

Insulator - Jumbo Ring - Screw-In



Jumbo Ring Insulators are a simple, effective solution for supporting electric fence wires on posts. They hold most types of electric fence wire including polirope, coated wire, and braid. Excellent arcing protection reduces shorting. Made from UV-stabilized plastic for long life. To install, drill a guide hole into the post, screw the insulator into the guide hole, and insert the wire into the ring. Recommended for equine use.

KVS	Color	Pack	Case	Part	Brand	Mfg.
533-616	Black	25		817201	Patriot	Datamars
533-700	White	25	10	814590	Patriot	Datamars

Insulator - Multi-Fit Rod Post - Screw On



Can hold high tensile wire, Poliwire, rope & tape. 6mm to 14mm (1/4" to 9/16") in diameter. Heavy duty screw nut with non-slip grips. (25/pk)

KVS	Color	Size	Pack	Case	Model	Part	Brand	Mfg.
533-063	Black	1/4" - 9/16"	25	25	RP14	820847	Speedrite	Datamars

Insulator - Pinlock Y-Post



Rugged self-locking, tapered pins for quick removal of wires. Single spark shield prevents arcing. (25/pk)

KVS	Color	Pack	Case	Part	Brand	Mfg.
533-049	Black	25	400	SI025SP	Speedrite	Datamars

Insulator - Porcelain Donut

Suitable for T, wood and metal pipe posts. Creates corners in electric fence wire. (each sold separately)



KVS	Color	Part	Brand	Mfg.
533-625	White	812511	Patriot	Datamars

Insulator - Ring

For Wood posts. Sturdy plastic body. (25/pk)



KVS	Size	Pack	Case	Part	Mfg.
376-552	5.3mm	25	500	44316	Kerbl



Fencing - Permanent Insulators

Insulator - Ring - Metric Thread

Metric thread. For steel T-posts. Study plastic (25/pk)



KVS	Size	Pack	Case	Part	Mfg.
376-553	6mm	25	500	44324	Kerbl

Insulator - Rod Post

Fits rod posts from 1/4" to 5/8" (25/pk)



KVS	Color	Pack	Part	Brand	Mfg.
533-628	Black	25	820019	Patriot	Datamars

Insulator - Rope - Wood Post Screw

Euro rope insulator with wood post screw. Used for electric rope up to 1/3" (8mm).



KVS	Size	Pack	Case	Mfg.
376-556	6mm	25	500	Kerbl

Insulator - Tape - In Line Wood Post

Fits 1/2" (12mm) and 1.5" (40mm) tape 1/4" (6mm) rope and can be nailed or stapled to wood posts.



KVS	Color	Pack	Case	Part	Brand	Mfg.
533-058	White	25	100	FSTWTIW	Patriot	Datamars

Insulator - T-Post Extender

Solid construction for longevity and superior holding capacity. Works with high-tensile wire, poliwire, poliropo or 1/2" politape. Great way to add high-tensile wire to existing barb wire fence. 533-630 fits on the front side of the post only.



KVS	Info	Color	Pack	Part	Brand	Mfg.
533-630	Front Side	Black	10	820021	Patriot	Datamars

Insulator - T-Post Gate Anchor Insulator

For use on T-posts. Economical option for building a gate between T-posts. Ideal for use with poliwire, poliropo, and steel/aluminum wire. 2 per pack.



KVS	Pack	Brand	Mfg.
533-642	2	Patriot	Datamars

Insulator - T-Post Screw-On Claw Insulator

Screw-On T-Post Claw Insulators securely connect electric fence wires to t-posts. They hold poliwire, politape, poliropo, steel wire, and aluminum wire. Excellent arcing protection reduces shorting. Made from UV-stabilized plastic for long life. To install, fit the insulator over the t-post at desired height, tighten plastic nut, and place the wire in the insulator.



KVS	Color	Pack	Brand	Mfg.
533-640	Black	25	Patriot	Datamars



Fencing - Permanent Insulators

Insulator - T-Post Topper Insulator



T-Post Topper Insulators prevent cuts from sharp t-post edges and are a quick and easy way to connect electric fence wires to t-posts. They fit standard t-posts and hold poliwire, poliropo, and politape up to 2". Made from UV-stabilized plastic for long life. To install, push onto the top of the t-post, open the clip, insert poli-fence, and snap shut.

KVS	Color	Pack	Brand	Mfg.
533-641	White	10	Patriot	Datamars

Insulator - T-Post Wrap-Around Claw Insulator



Wraparound T-Post Claw Insulators quickly and easily connect electric fence wire to t-posts. They hold most types of electric fence wire, poliwire, and poliropo. Excellent arcing protection reduces shorting. Made from UV-stabilized plastic for long life. To install, snap the insulator into place on the front of the t-post, and insert the wire into the claws on the front of the insulator.

KVS	Color	Pack	Brand	Mfg.
533-639	Black	25	Patriot	Datamars

Insulator - Wood Post Claw



Large shield to prevent arcing, easily attaches to wood post with nails or screws. Works with high tensile wire, poliwire or politape in both permanent and temporary fences.

KVS	Color	Pack	Part	Brand	Mfg.
533-618	Black	25	820023	Patriot	Datamars

Insulator - Wood Post Claw - Ribbed



Rugged claw design with unique staple guides Twin spark guides prevent arcing. (25/pk)

KVS	Color	Pack	Case	Part	Brand	Mfg.
533-053	Green	25	500	SI0292	Speedrite	Datamars

Insulator - Wood Post Pinlock



High strength rugged pinlock design. Unique staple guides. Twin spark guides prevent arcing (25/pk)

KVS	Color	Pack	Case	Part	Brand	Mfg.
533-052	Green	25	500	SI027	Speedrite	Datamars

Insulator - Wood Post Slant



Protects existing fence by extending electric fence wire off the wood post. For Poliwire, poliropo, steel / aluminum wire.

KVS	Color	Size	Pack	Case	Brand	Mfg.
533-638	Black	2in	25		Patriot	Datamars
533-631	Black	5in	25	10	Patriot	Datamars

Insulator - Wood Post Square



Economical single nail installation. For Poliwire, thin gauge steel/aluminum wire.

KVS	Color	Pack	Brand	Mfg.
533-632	Black	25	Patriot	Datamars



Fencing - Permanent Insulators

Insulator - Wood Post Tube



Economical way to insulate electric fence wire when using wood posts.

KVS	Color	Size	Pack	Case	Mfg.
533-634	Black	4"	25	20	Datamars

Insulator - Wrap Around



Place around corner/ends posts to insulate wire. Works with high-tensile wire in permanent fences.

KVS	Color	Pack	Part	Brand	Mfg.
533-624	Black	10	811413	Patriot	Datamars

Reel - Corner



Corner "swivel" Insulator for Poly wire and electric rope. Has glass fibre reinforcement.

KVS	Pack	Mfg.
376-439	25	Kerbl



Fencing - Permanent Metal Fencing Wire

Wire - Aluminum



This aluminum wire is used for permanent electric fence applications.

KVS	Info	Size	Brand	Mfg.
533-655	14 gauge	1320ft	Patriot	Datamars
533-656	14 gauge	2640ft	Patriot	Datamars
533-651	17 gauge	100ft	Patriot	Datamars
533-652	17 gauge	250ft	Patriot	Datamars
533-653	17 gauge	1320ft	Patriot	Datamars
533-654	17 gauge	2640ft	Patriot	Datamars

Wire - Steel



This steel wire is 100' in length and is used for permanent fence applications.

KVS	Info	Size	Brand	Mfg.
533-650	17 gauge	100ft	Patriot	Datamars

Rope

Connectors - Rope - Electric



For use in joining electric fence rope together. For use with 6mm wide rope. Easy to install with screwdriver.

KVS	Pack	Mfg.
376-481	5	Kerbl

Electroplus Bronze



1 black tracer for visibility. Metallic coated copper wires cross 3 times per inch. 700lb break strength.

KVS	Size	Mfg.
681-009	1320ft	Electro Fence
681-011	660ft	Electro Fence

Electroplus Silver



1 black tracer for visibility. Metallic coated copper wires cross 3 times per inch. 1460lb break strength. Made with Polyethylene for better UV protection.

KVS	Size	Mfg.
681-005	1320ft	Electro Fence
681-007	660ft	Electro Fence

Standoffs & Outriggers

Outrigger - Wire Pinlock



Ideal for installing electric fence onto existing non-electrified fences. High tensile galvanized steel. UV stabilized pinlock insulator for easy wire insertion & removal (50/ctn)

KVS	Color	Size	Pack	Case	Part	Brand	Mfg.
533-050	Black	300mm	50	50	SI060SP	Speedrite	Datamars



Fencing - Permanent Standoffs & Outriggers

Standoff - Side Fixing



Fixes to side of fence post for running electric fence along an existing fence line.

KVS	Size	Part	Brand	Mfg.
533-039	6"	807873	Speedrite	Datamars
533-047	10 5/8"	807867	Speedrite	Datamars

Strainers

Patriot Strainer - Tensioner Handle



Patriot Strainer Tensioner Handle is used for increasing tension on medium-to-high-strain wire fences. These tension handles can be used with spring clip strainers to join wires or added to your electric fence without cutting wire.

KVS	Case	Brand	Mfg.
533-701	5	Patriot	Datamars

Patriot Strainer - Wire Loop



Designed for easy tensioning. Suitable for high strain use. Spring clip design for easy tensioning. UV stabilized for long life. Galvanized frame with aluminum spool. Available in 10 per pack

KVS	Mfg.
533-644	Datamars

Strainer - Chain



Designed for use with prefabricated fence. For use with Steel Strainer Clamps.

KVS	Color	Size	Part	Brand	Mfg.
533-801	Red	20 ft chain	H406	Hayes	Datamars

Strainer - Clamp - Heavy Duty



This heavy duty industry leader is suitable for 16 - 12.5 gauge wire. Simple & proven design

KVS	Color	Size	Part	Brand	Mfg.
533-800	Red	Suitable for 1.6-5.0mm Wire	CYC72002	Hayes	Datamars

Wire Strainer - Handle



Galvanized handle for use with In Line Strainer Rust Resistant - Rugged & easy to use.

KVS	Part	Brand	Mfg.
533-091	RSTDSPH	Speedrite	Datamars



Fencing - Permanent Strainers

Wire Strainer - In Line



Use with high-tensile wire in permanent fence to maintain fence line tension. Resists corrosion. (5/pk)

KVS	Pack	Case	Part	Brand	Mfg.
533-090		50	81389	Speedrite	Datamars
533-620	5		825247	Patriot	Datamars

Wire Strainer - Insulated BullNose



Suitable for high strain use. Spring clip for easy tensioning. Heavy duty insulator protects against arcing. Rust resistant

KVS	Pack	Part	Brand	Mfg.
533-094	50	814570	Speedrite	Datamars

Wire Strainer - Uninsulated



Use with high-tensile wire in permanent fence to maintain tension along fence line or on brace wires.

KVS	Case	Part	Brand	Mfg.
533-092	50	SA100-50	Speedrite	Datamars
533-629		809813	Patriot	Datamars

Underground

Cable - Underground



Double insulated 12.5 gauge galvanized wire. For under gate & lead out applications

KVS	Info	Color	Size	Part	Brand	Mfg.
533-071		Black	165ft	806045	Speedrite	Datamars
533-072	With Reel	Black	330ft	806046	Speedrite	Datamars
533-614			50' roll	809731	Patriot	Datamars

Cable - Underground - Aluminum Coated



12.5 gauge aluminium coated steel. 3 times more conductive than galvanized wire. A must for large energizer lead out cable

KVS	Color	Size	Part	Brand	Mfg.
533-073	Black	330ft	806052	Speedrite	Datamars

Earth Kit




Galvanized earth kit ensures effective connection between energizer & earth. 3 x 2m earth rods & 3 x earth clamps.

KVS	Size	Part	Brand	Mfg.
533-105	5ft Rods	826479	Speedrite	Datamars



Fencing - Temporary Nets

Ovinet for Sheep



Comes with 14 plastic posts with galvanized spikes. Welded knots. Three stainless steel conductors per horizontal strand. Upper strand has 5 stainless steel and one copper conductors.

KVS	Info	Size	Mfg.
376-170	Double Spike	36" x 50m	Kerbl
376-171	Double Spike	43" x 50m	Kerbl

Poulnet for Poultry



Electrifiable netting, double prong visible plastic stakes, 44 inches tall by 50m long. Suitable for hens, geese, turkeys and lambs. Features welded knots, strengthened top strand and small mesh width in lower area of net.

KVS	Color	Size	Part	Mfg.
376-172	Green	44" x 50m	292220	Kerbl

Poultry Net Gate



Enables quick and easy passage through fence netting. Practical door for your electric netting. Quick and easy to install. Can be installed to any position on the netting - can also be installed subsequently to a fence that has already be set up. The green netting of the door is electrifiable, the stable frame is insulated. When opening the door, the power does not have to be turned off.

KVS	Mfg.
376-173	Kerbl



Fencing - Temporary

Poli-Products

Braid - Extreme



4 tinned copper strands 72x more conductive than standard Poliwire

KVS	Size	Part	Brand	Mfg.
533-408	660' L x 7mm dia	814540	Speedrite	Datamars

End Strain Insulator & Wide Tape Corner - Politape



Can also be used with metal pipes. Works with politape (2/pk)

KVS	Pack	Part	Brand	Mfg.
533-635	2	814593	Patriot	Datamars

Extreme Braid



Extreme braid features: 4 tinned copper strands for ultimate conductivity, 4 stainless steel strands for ultimate strength, 68 x more conductive than standard Poliwire, increased shocking and stopping power, ideal for long lengths of temporary and semipermanent fence, White with red weave for ultimate visibility and UV stabilized for long life.

KVS	Size	Brand	Mfg.
533-409	660ft 3mm	Speedrite	Datamars

Politape



6 stainless steel strands. Tightly woven for superior strength. 12mm width

KVS	Info	Color	Size	Case	Part	Brand	Mfg.
533-500	6 Strand	White	660ft	10	SP016	Speedrite	Datamars
533-509	6 Strand	Orange	660ft	10	SP018	Speedrite	Datamars

Poliwire



9 stainless steel strands

KVS	Info	Color	Size	Case	Part	Brand	Mfg.
533-400	6 Strand	White	660ft	10	SP013	Speedrite	Datamars
533-401	6 Strand	White	1650ft	10	SP011	Speedrite	Datamars
533-402	9 Strand	White	1320ft	10	SP211	Speedrite	Datamars

Poly Wire - Budget Line



Budget line is yellow and orange with 3 conductors and 0.16mm stainless steel wire.

KVS	Color	Size	Part	Mfg.
376-470	Ylw/Orge	820ft	44520	Kerbl

Rope - Electric - Budget Line



Economy Line electric fence rope. 6 stainless steel conductors. Ideal for short fence lines. Recommended maximum fence length 600m. Superior breaking strength. White

KVS	Color	Size	Mfg.
376-476	White	660ft x 6mm	Kerbl
376-477	White	660ft x 8mm	Kerbl



Fencing - Temporary

Poli-Products

Rope - Electric - Star Line



White poly rope with 6 tinned copper wires. Made of 3 white strands with green tracer 660'.

KVS	Size	Mfg.
376-478	200mx6mm	Kerbl

Tape - Budget Line



Economy Line electric fence tape. 12mm x 200m. Four stainless steel conductors. Ideal for short fence lines.

KVS	Color	Size	Mfg.
376-450	4 strand	12mm x 200m	Kerbl
376-457	8 strand	40mm x 200m	Kerbl

Tape - Electric - Star Line



Thick, tin-plated copper conductors, Reinforced outer edges help increase tear resistance. High quality materials offer outstanding performance.

KVS	Size	Mfg.
376-449	660ft x 1/2in	Kerbl
376-459	660ft x 40mm	Kerbl

Tape - Electric - Top Line PLUS



Top Line electric fence tape. 20mm x 200m. Excellent conductivity for medium to long fences (5000m max). Five times more conductive than the Economy Line.

KVS	Color	Size	Mfg.
376-451	White/Red	20mm x 200m	Kerbl

Tape - Extreme



1/2" tape, 6 strands, tinned copper, white and red. 106 times more conductive than standard politape

KVS	Info	Color	Size	Case	Part	Brand	Mfg.
533-507	6 Strand	White/Red	660ft	10	SP050	Speedrite	Datamars
533-508	6 Strand	White/Red	1320ft	6	SP052	Speedrite	Datamars

Tape - Politape



Ideal for use with tread-in or permanent posts. 6 stainless steel conductors. Flexible, woven for strength and easy handling. For use with sentinel tread in or pigtail tread in posts & equine.

For use with sentinel tread in or pigtail tread in posts & equine range insulators. 1 1/2" x 660' White 6 strands of stainless steel conductors. Flexible, woven for strength & easy handling. For use with sentinel tread in or pigtail tread in posts & equine range insulators.

KVS	Info	Size	Case	Brand	Mfg.
533-675	6 Strand	660ft	6	Patriot	Datamars

Tape - Premium



10 stainless steel strands - 40mm (1 1/2") wide 1.7 x more conductive than standard tape

KVS	Info	Size	Part	Brand	Mfg.
533-505	10 Strand	1.5in x 660ft	FSTTGTW200	Speedrite	Datamars



Fencing - Temporary

Poli-Products

Wire - Extreme



6 tinned copper strands 105 x more conductive than standard poliwire

KVS	Info	Color	Size	Case	Part	Brand	Mfg.
533-403	6 Strand	White/Red	660ft	6	SP040	Speedrite	Datamars
533-404	6 Strand	White/Red	1320ft	6	SP041	Speedrite	Datamars

Posts and Tread-Ins

Post - Fiberglass



Fiberglass step in post. 48" high. Lightweight, durable. Will not rust or rot. Features Smart Clip insulators which can accommodate up to 2" electric tape, braided rope, polywire or galvanized wire.

KVS	Mfg.
545-202	Geotek

Post - Plastic - with Galvanized Point



Plastic step-in post 150cm (60"). For conventional tapes, ropes and poliwire. Reinforced for increased stability. With galvanized spike

KVS	Size	Mfg.
376-483	60 "	Kerbl

Speedrite Sentinel Plastic Tread-In Post



KVS	Color	Case	Brand	Mfg.
533-066	Black	50	Speedrite	Datamars

Speedrite T Handle Ground Rod



30" long galvanized steel ground rod with 6" handle and tapered end. Ideal for energizers and temporary fences that will be moved frequently.

KVS	Brand	Mfg.
533-120	Speedrite	Datamars

Tread-In - Heavy Duty



49" total height, 39" above ground height

KVS	Color	Case	Part	Brand	Mfg.
533-051	White/Yellow	50	820013	Speedrite	Datamars



Fencing - Temporary Posts and Tread-Ins

Tread-In - Pigtail



Easy to move steel step-in post with large foot and insulated top. Measures 40" total height (34" above ground)

KVS	Color	Size	Case	Part	Brand	Mfg.
533-064	Red Top	34in	500	829704	Speedrite	Datamars

Reels

Extreme Geared Reel



Features the Speedrite Zammr Handle for the ultimate, multi-purpose solution. Drag Adjust, Fence & ATV/UTV Lock with Quick Release Trigger, Locking Pawl Toggle, On/Off Switch, Wire Tracking and Fully Insulated Handle & Frame.

KVS	Brand	Mfg.
533-119	Speedrite	Datamars

Geared Reel



One piece replacement bobbin

KVS	Color	Case	Part	Brand	Mfg.
533-112	White	4	822714A	Speedrite	Datamars
533-117	Bobbin Only		803653	Speedrite	Datamars

Reel - Mega Geared



Holds 3300' Extreme Wire/Poliwire, 1320' Extreme Tape/ Politape, 3:1 gear ratio. Includes Insulated Fence Hook

KVS	Color	Part	Brand	Mfg.
533-113	White	SR021	Speedrite	Datamars

Reel - Value - Bobbin



One piece replacement bobbin

KVS	Color	Part	Brand	Mfg.
533-114	Black	814357	Speedrite	Datamars

Reel Mounting Posts - Galvanized



3 hole mounting post.

KVS	Part	Brand	Mfg.
533-078	814844	Speedrite	Datamars



Fencing - Temporary Reels

Super Reel



Holds 3300' Extreme Wire/Poliwire, 1320' Extreme Tape/ Politape, 1:1 gear ratio

KVS	Color	Case	Part	Brand	Mfg.
533-111	Black	2	SR001	Speedrite	Datamars

Value Reel



Holds 660' Extreme Tape/Politape, 1650' Extreme Wire/ Poliwire. 1:1 Gear ratio

KVS	Color	Case	Part	Brand	Mfg.
533-110	White	4	SR015	Speedrite	Datamars



Fencing - Tools Management

Battery Lead



Replacement battery leads.

KVS	Size	Part	Brand	Mfg.
533-521	X12I	811079P	Speedrite	Datamars
533-613	For P5 P10 P20 P30 Chargers		Patriot	Datamars

Cord - Bungy



Heavy duty electrified shock cord w/supreme elasticity. 4 stainless steel wires cross over 10x per cm for maximum conductivity.

KVS	Size	Case	Part	Brand	Mfg.
533-086	165ft	3	805194	Speedrite	Datamars

Cord - Power - Replacement



Designed to fail in the event of power surges saving your energizer. Replacement power cord for P5, P10, P20 and P30 chargers and other energizers.

KVS	Size	Brand	Mfg.
533-612	For P5 P10 P20 P30 Chargers	Patriot	Datamars

Crimp Sleeves



Easiest & most effective means of joining wire. Creates a joint that exceeds the breaking strength of wire. 16 - 12½ guage fence wire. (100/pk)

KVS	Info	Size	Pack	Part	Brand	Mfg.
533-812	HC2	16-12.5ga	100	807979	Hayes	Datamars

Earth Clamps



Solid galvanised construction.

KVS	Case	Part	Brand	Mfg.
533-076	5	SA112	Speedrite	Datamars

Fence Lead Set - Patriot



Connects energizer to fencing to transfer electricity. Use on all Patriot energizers incl. solars. Also use for Speedrite SXS Solar Energizer

KVS	Part	Brand	Mfg.
533-633	821229	Patriot	Datamars

Fence Lead Set - Speedrite



Connects energizer to fencing to transfer electricity for use with all Speedrite Unigizers

KVS	Part	Brand	Mfg.
533-510	803879P	Speedrite	Datamars



Fencing - Tools Management

Fence Pliers



Use to hammer staples, to extract staples with hood, and to crop, stretch, and twist the wire.

KVS	Size	Mfg.
100-716		KVS
376-418	Cuts 5mm	Kerbl

Gripline



Wire splicers for quick dependable splices. Faster and more reliable than twisted wires. No tools required.

KVS	Info	Size	Pack	Mfg.
376-494	EC Only	10-14gauge		Kerbl
541-030		10-14gauge	20	Dare Products Inc.

Insul-hook



Used when an insulated connection required.

KVS	Color	Case	Part	Brand	Mfg.
533-081	Yellow	100	SA013	Speedrite	Datamars

Lead - Jumper



Recommended to ensure good connections in temporary fencing.

KVS	Info	Part	Brand	Mfg.
533-098	Single	810836	Speedrite	Datamars

Lightning Arrestor



Helps protect fence charger in the event of lightning strike to the fence line.

KVS	Part	Brand	Mfg.
533-048	814630	Speedrite	Datamars

Lightning Diverter Kit



Redirects lightning to ground minimizing energizer and fence damage. Easily mounts to wood posts.

KVS	Part	Brand	Mfg.
533-046	822024	Speedrite	Datamars

Line Taps Heavy Duty SR



Line taps heavy duty SR clamping action to ensure highly conductive joints. Non-corrosive galvanized finish, multiwire joining clamp. (20/tub)

KVS	Pack	Case	Part	Brand	Mfg.
533-600	20	360	SA052	Speedrite	Datamars



Fencing - Tools Management

Ring Insulator Tool



Screw-in tool for ring insulators. For drills and battery screwdrivers. Makes installing ring insulators easy

KVS
376-555

Part
441363/011

Mfg.
Kerbl



Wire Cutter



Wire cutter for cutting the high tensile wires used in fencing. The steel jaws have been heat-treated for longer life.

KVS
541-040

Mfg.
Dare Products Inc.

Miscellaneous

Joint Clamp



For wires up to 2.7mm diameter. Solid zinc for superior corrosion resistance.

KVS
533-097

Color
Zinc

Pack
25

Case
500

Part
822467

Brand
Speedrite

Mfg.
Datamars

Joint Clamp - Zinc



Split-bolt clamp design used to hold multiple fence wires or underground cable. (5/pk)

KVS
533-619

Pack
5

Part
809984

Brand
Patriot

Mfg.
Datamars

Sign - WARNING



Yellow plastic sign that gives clear warning for safety. Clips on fence.

KVS
533-100

Color
Yellow

Case
10

Part
SA046

Brand
Speedrite

Mfg.
Datamars

Testers - Indicators

Fence Alert



Low voltage warning light. Starts flashing when your fence stops

KVS
533-043

Case
72

Part
ST0303

Brand
Speedrite

Mfg.
Datamars



Fencing - Tools

Testers - Indicators

Fence Compass



Makes fence maintenance easy. The combined voltmeter & current meter is designed for the rapid location of electric fence faults.

KVS	Case	Part	Brand	Mfg.
533-040	20	ST100	Speedrite	Datamars

Remote Unit



The Fault Finder Remote Control Handset has three functions:

- Voltmeter - provides instant feedback on fence performance (voltage and current)
- Fault finder - assists in the location of faults anywhere on the fence system
- Remote control - allows you to switch a Tru-Test remote controlled energizer on or off from anywhere on the fence system.

KVS	Case	Part	Brand	Mfg.
533-044	20	ST102	Speedrite	Datamars

Tester - 5 Light



Ideal for testing general condition of fence. Shows if fence is live & measures approximate voltage. No battery required.

KVS	Case	Part	Brand	Mfg.
533-042	100	814217	Speedrite	Datamars

Voltmeter - Digital - with Two Clips



Readings from 200 V to 9,900 V in 100 V Increments. Replaceable 9 volt battery

KVS	Case	Part	Brand	Mfg.
533-041	20	822643	Speedrite	Datamars

Gates and accessories

Handles

Gate Handle - Premium w/ Hook



Premium gate handle with hook (blue). Very robust and durable. Hook and eyelet made from non-rusting stainless steel that ensures excellent corrosion resistance. Special surface structure and very large grip surface give the gate handle an innovative look and pleasant feel.

KVS	Color	Mfg.
376-246	Blue	Kerbl



Scales Indicators

Weighing Indicator - EziWeigh 7i BT



With the capability to record information against Electronic ID (EID) or Visual tags, you can easily capture and analyse individual animal performance and history. Replacing guesswork with facts, the EziWeigh7i displays live weight gain since the previous session, showing animal performance right there in the yard.

Using its built-in Bluetooth® technology, the EziWeigh7i wirelessly connects to Tru-Test's EID readers, automatically transferring scanned ID's straight into the weigh scale indicator, saving time and improving accuracy. Alternatively, the animal's VID can be entered using the large and durable keypad.

The EziWeigh7i features Tru-Test's proven Superdamp™ III technology, enabling you to capture accurate live animal weights more quickly than any other weigh scale on the market, even for the liveliest animals.

KVS

778-006

Mfg.

Datamars

Weighing Indicator - ID5000



It's never been easier to track the performance of your animals and make better informed decisions. Quickly capture accurate animal weights to provide information you can act on to maximise profitability. Use it to identify poor performers, catch health issues early or easily split your animals into groups.

KVS

778-030

Mfg.

Datamars

Weighing Indicator - S3



Highly visible display. The high contrast display is clearly visible on the brightest day and the LED backlit screen ensures visibility in failing light or dark sheds. Simple user interface. Only two clearly visible buttons, on/off and zero. Other settings are easily accessible on the Data Link mobile app or Data Link PC software. Superdamp™ III technology. Capture accurate live weights more quickly than any other weigh scale indicator on the market. Bluetooth® Low Energy technology. Record weights and configure settings using the Data Link mobile app or Data Link PC program. Record weights using the Data Link mobile app. The S3 weigh scale indicator connects to Data Link to easily record weights and visual ID numbers. These are automatically available in Datamars Livestock, or can be emailed or shared via other apps. Long life and fast charging internal battery. Up to 20 hours of run time and only 6 hours to recharge. Rugged IP67 enclosure. To withstand the toughest environments.

KVS

778-001

Mfg.

Datamars

Weighing Indicator - XR5000



Capture the wide range of animal information you need to help you make the right decisions. Use it to quickly identify poor performing animals, optimise your breeding programme and catch animal health issues early. Track performance through a range of features to calculate and visualise the performance of individual animals or groups.

KVS

778-031

Mfg.

Datamars

Weighing Indicator Parts & Accessories

**KVS**

778-021

Info

USB/Serial Adapter Cable

Mfg.

Datamars



778-025

AC Converter

Datamars



778-100

Female Cable Plug

Datamars

778-101

Cap for Female Cable Plug

Datamars



Scales

Loadbars

Bracket - XHD 1000

2-piece mounting bracket for manual and hydraulic squeeze chute installations. Hardware included.

**KVS**

778-020

Mfg.

Datamars

Loadbars - HD5T

Tru-Test load bars are recognized for their rugged durability and performance in harsh environments. The HD5T Load Bars are designed to be tough, reliable and easy to install under any manual or hydraulic squeeze chute. The simplicity of set up means you can easily install with no assistance needed.



With a capacity suitable for the heaviest of cattle squeeze chutes, you will have outstanding performance with the best weighing set up for your animals.

KVS

778-023

Info

5000kg Capacity

Size

39in

Model

HD5T

Mfg.

Datamars

778-024

HD5T Loadbars
Bracket

HD5T

Datamars

Loadbars - Multipurpose

Multi-Purpose load bars, designed for portable applications (alleyways, crates). Load bar accuracy rating within +/- 1%. 3000kg capacity. Preferred loadbar for most equine platforms.

**KVS**

778-011

Info

23" long

Size

2000kg Capacity

Part

MP600

Mfg.

Datamars

778-013

32" long

3000kg Capacity

MP800

Datamars

Platform Scale - Multi-Use

High-precision sensor system with a large backlit LCD display. This scale can measure in multiple units of weight (kg, lb, oz) and has a capacity of 150kg. The remote display unit allows for the weighing of objects without blocking the readout. Platform is made of stainless steel. Powered by 1.5Vx4AA battery of with 110V adapter (included).

**KVS**

943-065

Size

150kg

Mfg.

Heiniger

Scale System - XHD 100000 Complete

The Tru-Test XHD100000 consists of four extra heavy duty load cells and a junction box. The load cells are fitted for permanent installation under cattle squeeze chutes or crushes. XHD100000 load cells are especially suited to applications where extra capacity and durability are required. Plated tool steel construction protects against the corrosive agricultural environment. Calibrated for use with a Tru-Test 3000 series or EziWeigh indicator (sold separately) to display weights. In most applications, each load cell is mounted in a bracket assembly (sold separately).

**KVS**

778-017

Info

Load Cells

Mfg.

Datamars

Platforms

Scale - Platform

Weld free folded design with no flex for increased accuracy. Unique non-slip surface to ensure safety and comfort to the animals. Holes in the surface of the platform to prevent manure build up and allow for easy cleaning. Angled sides to keep animals centered. For use with the MP600 loadbar (778-011)

**KVS**

778-050

Info

For MP600 loadbar

Size

7'4" L

Mfg.

Datamars