



Table of ContentsAlphabetized Listing

A		
	A5	69-70
	Accessories	72
В		
	Blade - #10 - Extra Wide	69
	Blade - #10 - Standard	69
	Blade - #40 - Surgical	69
	Blade - #7 - Skip-Tooth	69
	Blade - #7F - Full-Tooth	69
	Blade - #8.5 - Medium	69
	Blade - 83 AU Upper	70
	Blade - 83/84 Set	70
	Blade - 84 AU Lower	70
	Blade - AAA 4 Point Cutter - #34AB	71
	Blade - Full-Tooth - #5F	69
	Blade - Jet Cutter	71 71
	Blade - Shearing 2.5 #PC17 Blade - Thin Comb - #P1082	71
	Blade - Tooth Comb - #P7112	71
	Blade- #5/8 - Close Cut	70
с		70
5	Clipmaster	70
	Clipper	67-68
	Clipper - A5 - Golden Kit	67
	Clipper - A5 - Single-Speed Kit	67
	Clipper - A5 - Turbo Kit	67
	Clipper - Clipmaster Single Speed	67
	Clipper - Clipmaster Variable Speed	67
	Clipper - Handy	67
	Clipper - Progress Style	67
	Clipper - Saphir - Cordless	68
	Clipper - Shearmaster	68
	Clipper - Showmaster	68
	Clipper - Xpert - Sheep	68
	Clipper - Xplorer - Cordless	68
	Clipper Blades	69-71
	Clipper Grease	72
	Clipper Oil - Heiniger Comb - Shattle	72
	Comb - Shattle Comb Attachment - Universal - with Pouch	70 70
	Comb Attachments	70
Е		70
	Electric	67-68
	Eze Clipper Guard Set	72
Н		
	Heiniger	71
Κ		
	Kool Lube	72
Μ		
_	Maintainance Products	72
0	Oster Blade Oil	70
s		72
3	Scissors	68
	Shear - Sheep - Manual	68
	Shearmaster	71



Clipper ectric Clipper - A5 - Golden Kit Heavy duty professional corded animal clipper. Powerful universal rotary motor. 2-speed. 2,000 strokes per minute on low speed and 3,000 strokes per minute on high speed. Compatible with all Oster CryogenX detachable blades. Includes soft sided carrying case. **KVS** Info Mfa. D43-41694 Two Speed Oster Clipper - A5 - Single-Speed Kit These incredibly versatile clippers with their cooling face plate will make your job easier handling everything from general purpose grooming to precision clipping on any coat type. Kit includes clipper, brush, blade oil, clipper grease, and spring assembly. **KVS** Mfg. D43-45000 Oster Clipper - A5 - Turbo Kit Heavy duty professional corded animal clipper. Powerful universal rotary motor. 2-speed. 2,000 strokes per minute on low speed and 3,000 strokes per minute on high speed. Compatible with all Oster CryogenX detachable blades. **KVS** Info Mfq. D43-41690 Single Speed Oster **Clipper - Clipmaster Single Speed** This lightweight and well-balanced Clipper performs flawlessly at its peak of 3,000 cutting strokes per minute. It has an operating weight of 4 pounds and runs on 120 volts. **KVS** Part Mfg. 043-050 1510-18 Oster **Clipper - Clipmaster Variable Speed** This versatile clipper offers an exclusive variable speed switch for an infinite number of settings. It features a strong top blade tension assembly that makes adjusting easy. It will perform 700 to 3,000 cutting strokes per minute. **KVS** Part Mfg. 1500-03 043-051 Oster **Clipper - Handy** Easy to handle, reliable and durable horse clipper that also performs well on dairy cattle. The Handy Clipper's short body also makes it easy to use in tight areas. The powerful 120 watt fan cooled motor gives a high cutting speed of 3200 rpm speedy clipping. KVS Watts Mfg. 943-273 120w Heiniger **Clipper - Progress Style** Complete with 31F/15 blade set. Great for nervous or young horses. Quiet-running clipper with a strong 80 watt permanent magnet motor that has considerable torque. The ultra-slim grip provides easy handling or dependable and smooth precision clipping. Speed: 2200 dbs/min. Complete with handy carry case. **KVS** Watts Mfg. 943-269 65w Heiniger





Clipper

Electric

Clipper - Saphir - Cordless

The perfect clipper for partial cattle and horse clipping and cow or horse styling. Additional battery pack and less than 60 minutes charging time for continuous clipping. Supplied in a handy and resistant carrying case.

943-400 35w Heiniger	KVS	Watts	Mfg.
	943-400	35w	Heiniger

Clipper - Shearmaster

161	1	2		
		Y		
		Y		
				0
				(and
			4	
				-

Packing a powerful punch, this machine is the choice of shearing professionals around the world for fitting cattle, shearing sheep and llamas. Its 3" head runs cooler than ever, and its clearly marked tension knob means easier blade adjustments for a variety of jobs. A 13-tooth comb and 4-point cutter give a high-quality shearing job with few second cuts in the fleece, and various other comb and cutter combinations are also available to handle all your jobs.

KVS	Info	Part	Mfg.
043-075	Single Speed	1530-03	Oster

Clipper - Showmaster

The Showmaster has a variable speed motor that adjusts from 700 to 3000 cutting strokes per minute. It is equipped with a 3" shearing head that is fitted with a 4-point cutter and a 20-tooth comb. The clipper has a 15' insulated cord.

KVS	Info	Size	Part	Mfg.
043-100	Variable Speed	Wide Head	1530-06	Oster

Clipper - Xpert - Sheep

Shearing like an XPERT is easy. Super powerful 240v/200w permanent magnet motor. Low vibration, with durable fibreglass case and "soft feel" finish. Ergonomic slim grip handle. Ideal for crutching, dagging/wigging and shearing for small flocks of sheep, goats, and camelids.

KVS	Watts	Mfg.
943-285	200w	Heiniger

Clipper - Xplorer - Cordless

Includes 2 batteries. 10.8V cordless horse and cattle clipper with smooth and powerful clipping! All new ergonomicallyshaped slim grip & soft feel barrel. New switch position allows for one-handed thumb operation. Solid durable fibreglass reinforced case. More cutting power to the blades compared to any other clipper in its class -- 2450 dbs/minute!

	cutting power to the blades compared to any other capper in its class	2 150 abs/minuce.	
KVS	Volts	Mfg.	
943-292	10.8	Heiniger	

Scissors

Shear - Sheep - Manual

The 6.5" Double Bow Sheep Shears are made from Sheffield steel by Burgon & Ball. The shears have a rolled bow, which creates an easier action and increases overall strength. Heat treatment guarantees hardness & long term edge retention of

er blades.			
KVS	Info	Size	Mfg.
034-014	Heat Treated Steel	6.5in	Neogen
376-704	Economy	6.25in	Kerbl

crea blad KV



Clipper Blades

Blade - #10 - Extra Wide

r #10 cut blade.	e, regula	e. Cuts to 3/32". Desi	gned to fit both the A5	single and double speed clippers.	
	S	Info	Case	Part	Mfg.
	8-021	3/32", 2.4mm	12	919-44	Oster
	-021	3/32°, 2.4mm	12	919-44	

Blade - #10 - Standard

Medium blade is designed for general cutting and underbody use. Cuts to 1/16", (1.6mm). Designed to fit both the A5 single and double speed clippers.

USA	ĸvs	Info	Case	Part	Mfg.
Oster	043-008	1/16, 1.6mm	12	919-04	Oster
NC (RYOTECH" (CRYOTECH")					

Blade - #40 - Surgical

Very close cutting blade is designed for surgical, veterinary use. Leaves hair 1/100", (0.25mm). Designed to fit both the A5 single and double speed clippers. Oster blade sets are manufactured from only fine grain, high carbon steel.

and the second se			-		
WSA	KVS	Info	Case	Part	Mfg.
OSCER. AS®	043-005	1/100" 0.25mm	12	919-01	Oster
CRYCIECH' SIZE 40					

Blade - #7 - Skip-Tooth

٢

SIZE 7 3 mm

Skip-tooth blade is a general use blade which cuts to a medium plucking length. Leaves hair 1/8". Designed to fit both the A5 single and double speed clippers.

111111111111111111	KVS	Info	Case	Part	Mfg.
Oster.	043-009	1/8", 3.2mm	12	919-05	Oster
CRYDIECH"					

Blade - #7F - Full-Tooth

Size 7F blade. Cuts to 1/8". Designed to fit both the A5 single and double speed clippers.

กครศรษรษรษรษรษร	KVS	Info	Case	Part	Mfg.
	043-017	1/8", 3.2mm	12	919-16	Oster
Oster					

Blade - #8.5 - Medium

A11111111111111111	Size 8 1/2 blade.	Cuts to 7/64". Designed to fit both t	the A5 single and do	uble speed clippers.	
*************	KVS	Info	Case	Part	Mfg.
Oster.	043-016	7/64", 2.8mm	12	919-14	Oster
JD SIZE 8 1/2					

Blade - Full-Tooth - #5F

	Size 5F blade. Cu	uts to 1/4". Designed to fit both the	A5 single and double	e speed clippers.	
*****	KVS	Info	Case	Part	Mfg.
USA	043-018	1/4", 6.3mm	12	919-17	Oster
OSACCO					



Clipper Blades

Blade- #5/8 - Close Cut



This 5/8" wide close cut blade is ideal for trimming and finishing small Poodles. Cuts to 1/32". Designed to fit both the A5 single and double speed clippers.

KVS	Info	Case	Part	Mfg.
043-012	1/32", 0.8mm	12	919-10	Oster

pmaster

Blade - 83 AU Upper

AAAAAAAAAAAAA	Top clipping blade for every clipping job.				
	KVS	Case	Part	Mfg.	
10 HT-01	043-054	12	1511-01	Oster	

Blade - 83/84 Set

2	Bla
0	PERMIT
50	An

02/0	S4 Set	
	Top and Bottom blade set . Standard for the clipmaster. #043-054 Top clipping blade for every clipping job.	#043-055 All
	purpose bottom blade for general use on horses, cattle, goats and lambs.	

- 897	KVS	Case	Part	Mfg.
in posterior -	043-053	12	1511-22	Oster
energy and the second			,	

de - 84 AU Lower

	All purpose bottom blade for general use on horses, cattle, goats and lambs.				
****	KVS	Case	Part	Mfg.	
84AU 1511-02	043-055	12	1511-02	Oster	

Comb Attachments

Comb - Shattle

The Shattle is a 25 tooth comb designed to clip cattle or horses, using either a mechanical shearing handpiece or electrical clipper. Use with Jet cutter blade.

MANANANA	KVS	Info	Part	Mfg.
u • 40	943-151	25 Teeth	100108592	Heiniger

Comb Attachment - Universal - with Pouch



Includes: #0 (1/16"); #1 (1/8"); #2 (1/4"); #3 (3/8"); #4 (1/2");#5 (5/8"); #6 (3/4"); #7 (7/8"); #8 (1"); & #10 (1-1/4"). Specially designed to fit Oster clippers but fits almost any clipper available.

MP 1	KVS	Size	Mfg.	
	043-251	10рс	Oster	



Clipper Blades

Heiniger

Blade - Jet Cutter

1		
6L	1	1
1 HL	INIGER	Un

KVS	Size	Part	Mfg.
943-150	4.4mm	100C100100	Heiniger

Shearmaster

Blade - AAA 4 Point Cutter - #34AB

. .

....

	Wide "AAA" 4 point cutter.	Wide tooth angle for easy wool entry.		
	KVS	Case	Part	Mfg.
COERES TROSS-OSE	043-108	12	1555-05	Oster

Blade - Shearing 2.5 #PC17

ananas	hobb
Becken	1 1 1 10 III. 1 1014
PO17 TGC 1034-06	
	Batteri Port taz

aring 2.5 #PC17		
17-Tooth Golden Ram Show Comb for us	se on 2 1/2" sheep shearing head. Mostly use	d for close, smooth show trimming.
KVS	Size	Mfg.
043-576	2.5"	Oster

Blade - Thin Comb - #P1082

1111	3" wide Arizona thin 13 tooth of	comb. For close, smooth shearing	g.		
HANN	KVS	Case	Part	Mfg.	
3	043-102	12	1554-01	Oster	
	KVS 043-102	Case 12			

Blade - Tooth Comb - #P7112

anni linaa.	3" wide 20 tooth Goat comb. For regular Goat shearing.			
	KVS	Case	Part	Mfg.
Benter da	043-103	12	1554-05	Oster



Maintainance Products

Accessories

Clipper Grease



Oster Electric Clipper Grea	se is designed to help all universal n	notor clippers run more smooth	nly and effectively.
KVS	Size	Case	Mfg.
043-258	1.25oz	12	Oster

Clipper Oil - Heiniger

Lubricant for animal shearing and	clipping machines. Enchances blade lifetime & im	proves cutting. Non irritating.
KVS	Size	Mfg.
943-141	100ml	Heiniger

Eze Clipper Guard Set



High quality aluminum guards ensure fast blocking on sale cattle. Protects animal from injury by covering the cutting blade. Set includes 1/4", 1/2", and 3/4" guards to meet show clipping requirements. Fits Sunbeam/Oster sheep head clippers.

KVS	Раск	NITG.
012-003	3	Stone Mfg

Kool Lube

Oster
Paletter
KUUL
LUBE
Belle a spin
And the state of the state
CONTRACTOR OF A

e			
Oster Kool Lube is a practica	al coolant reducing heat, friction a	nd blade wear.	
KVS	Size	Case	Mfg.
043-250	16oz	12	Oster

Oster Blade Oil

Oster Lube Oil is a lubricating oil that is the best non-detergent type oil you can use on your clipper and blades.

KVS	Size	Case	Mfg.
043-254	4oz	12	Oster