# SAFETY DATA SHEET

# **SECTION 1. IDENTIFICATION**

Product identifier used on the label

: Isopropyl alcohol 99%

Product Code(s) : None assigned.

Recommended use of the chemical and restrictions on use

: Solvent; Reagent

Use pattern: Professional Use Only Restriction on use: None known

Chemical family : Pure substance

of the supplier: the manufacturer:

Canadian Alcohol Co

Refer to supplier

4120 Midland Ave Agincourt, ON, Canada

M1S 3B9

Supplier's Telephone # : 416-293-0123

24 Hr. Emergency Tel. # (613) 996-6666 (CANUTEC)

## SECTION 2. HAZARDS IDENTIFICATION

#### Classification of the chemical

Clear colourless liquid. Alcohol odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Flammable Liquids - Category 2 Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity, Single Exposure - Category 3 (respiratory) Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

## Label elements

#### Hazard pictogram(s)





Signal Word

DANGER!

#### Hazard statement(s)

Highly flammable liquid and vapour. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.

## SAFETY DATA SHEET

#### Precautionary statement(s)

Keep away from heat, open flames and hot surfaces. - No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing mist or vapours.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: get medical advice/attention.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store in a well-ventilated place. Keep cool.

Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other hazards

Other hazards which do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Pure substance

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Isopropyl alcohol	Isopropyl alcohol 2-Propanol	67-63-0	99.00

## SECTION 4. FIRST-AID MEASURES

## Description of first aid measures

Ingestion : Call a physician or poison control centre immediately. Do not induce vomiting. If

vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk

of aspiration. Never give anything by mouth to an unconscious person.

Inhalation : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Get medical

attention if symptoms persist.

Skin contact: Wash off with soap and plenty of water. If irritation or symptoms develop, seek medical

attention. Wash contaminated clothing before re-use.

Eye contact : Immediately flush eyes with running water for at least 15 minutes. Obtain medical

attention if irritation persists.

## Most important symptoms and effects, both acute and delayed

: Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct skin contact may cause slight or mild, transient irritation. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing and breathing difficulties. May cause central nervous system effects. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

## SAFETY DATA SHEET

#### Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. This product is a CNS depressant.

#### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

Suitable extinguishing media

: Use water fog or fine spray, foams, carbon dioxide or dry chemical.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

## Special hazards arising from the substance or mixture / Conditions of flammability

Highly flammable liquid and vapour. Vapors may travel considerable distance to a source of ignition and flash back. Vapors are heavier than air and may spread along floors. Static discharge, impact, friction, and heat may ignite exposed chemical material.

# Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquids - Category 2

## **Hazardous combustion products**

: Carbon monoxide, carbon dioxide, toxic vapours, gases or particulates.

# Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

#### Special fire-fighting procedures

: Fight fires from a safe distance. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.

# **Environmental precautions**

Do not allow material to contaminate ground water system. For large spills, dike the area to prevent spreading.

#### Methods and material for containment and cleaning up

: Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with inert, non-combustible absorbent material (e.g. sand, vermiculite), then place material into open, unsealed containers. For waste disposal, see Section 13 of the SDS.

#### Special spill response procedures

If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).
US CERCLA Reportable quantity (RQ): None.

# SECTION 7. HANDLING AND STORAGE

## Precautions for safe handling

Use only in well-ventilated areas. Wear protective gloves and eye/face protection. Do not ingest or swallow. Avoid breathing vapours. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat, sparks and open flames. Use only non-sparking tools. Avoid contact with incompatible materials. Keep container tightly closed. Take precautionary measures against static discharge. Bond and ground transfer containers and equipment. Use explosion-proof electrical and ventilating equipment.

## SAFETY DATA SHEET

Conditions for safe storage : Store locked up. Store in a cool, dry, well-ventilated area. Store away from

incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for

damage or leaks. No smoking in the area.

Incompatible materials : Strong oxidizing agents; Strong acids.; Alkali metals; Aluminium. . ,

# SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:					
Chemical Name	ACGIH TLV		OSHA PEL		
	<u>TWA</u>	STEL	PEL	<u>STEL</u>	
Isopropyl alcohol	200 ppm	400 ppm	400 ppm (980 mg/m³)	N/Av	

#### **Exposure controls**

## Ventilation and engineering measures

: Ensure adequate ventilation, especially in confined areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Use explosion-proof electrical and ventilating equipment.

**Respiratory protection**: Respiratory protection is required if the concentrations exceed the TLV.

NIOSH-approved respirators are recommended. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR

1910.134) or CSA Z94.4-02.

**Skin protection**: Wear protective gloves. Advice should be sought from glove suppliers.

Eye / face protection : Wear eye/face protection. Safety glasses with side-shields or chemical splash

goggles.

Other protective equipment : An eyewash station and safety shower should be made available in the immediate

working area. Depending on conditions of use, an impervious apron should be worn.

Other equipment may be required depending on workplace standards.

# General hygiene considerations

: Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not ingest. Do not eat, drink or smoke when using this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance**: Clear colourless liquid.

Odour : Alcohol
Odour threshold : Not available.

pH : N/Av

**Melting/Freezing point** :  $<-89^{\circ}\text{C} (--128.2^{\circ}\text{F})$ 

Initial boiling point and boiling range

: >82.5°C (180.5°F)

Flash point : >13°C (-55.4°F)

Flashpoint (Method) : closed cup

Evaporation rate (BuAe = 1) : Not available.

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

: 2.5%

Upper flammable limit (% by vol.)

: 12%

Oxidizing properties : None.

**Explosive properties** : Not explosive Vapour pressure : 24.7 (100%)

## SAFETY DATA SHEET

Vapour density : Not available.

Relative density / Specific gravity

: Not available.

Solubility in water : Complete

Other solubility(ies) : Soluble in most organic solvents (e.g. ethanol, acetone, diethyl ether, chloroform).

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: Not available.

Auto-ignition temperature : >399°C (750.2°F)

Decomposition temperature : Not applicable.

Viscosity : Not available.

Volatiles (% by weight) : Not available.

**Volatile organic Compounds (VOC's)** 

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap Other physical/chemical comments

: None known or reported by the manufacturer.

# SECTION 10. STABILITY AND REACTIVITY

**Reactivity**: Not normally reactive.

Chemical stability : Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

: Hazardous polymerization will not occur.

**Conditions to avoid** : Keep away from excessive heat, open flames, sparks and other possible sources of

ignition. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation. Avoid heat, open flames, sparks, static electricity and electrical

equipment.

**Incompatible materials**: Incompatible materials (see Section 7).

**Hazardous decomposition products** 

: None known, refer to hazardous combustion products in Section 5.

# SECTION 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: NO

## **Potential Health Effects:**

# Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

: May cause irritation of the nose, throat, mucous membranes, and respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

Sign and symptoms ingestion

: May cause irritation of mouth, throat, and stomach. May be an aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Sign and symptoms skin : May cause mild skin irritation.

Sign and symptoms eyes : Causes serious eye irritation. Symptoms may include stinging, tearing, redness,

swelling and blurred vision.

# SAFETY DATA SHEET

#### **Potential Chronic Health Effects**

: Prolonged or repeated skin contact may cause drying and irritation. Prolonged

overexposure may cause liver and kidney effects.

**Mutagenicity**: Not expected to be mutagenic in humans.

Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to have other reproductive effects.

**Sensitization to material**: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects; This material is classified as hazardous under U.S. OSHA regulations (29CFR

1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products

Regulations) (WHMIS 2015). Classification:

Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory) Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

May cause respiratory irritation. May cause drowsiness or dizziness.

Not classified as a specific target organ toxicity - repeated exposure.

#### Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials

: None known or reported by the manufacturer.

Toxicological data : See below

: See below for toxicological data on the substance.

	LC50(4hr)	LC <sub>50</sub> (4hr) LDe			
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)		
Isopropyl alcohol	17 000 ppm (41.8 mg/L) (vapour)	4720 mg/kg	12 890 mg/kg		

#### Other important toxicological hazards

: None known or reported by the manufacturer.

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

: Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. See the following tables for individual ingredient ecotoxicity data.

## Ecotoxicity data:

Ingradiente	040 No		Toxicity to Fish		
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor	
Isopropyl alcohol	67-63-0	9640 mg/L (Fathead minnow)	N/Av	None.	

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
Isopropyl alcohol	67-63-0	> 10 000 mg/L/24hr (Daphnia magna)	N/Av	None.		

<u>Ingredients</u>	CAS No	Toxicity to Algae				Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor				
Isopropyl alcohol	67-63-0	N/Av	N/Av	None.				

# SAFETY DATA SHEET

Persistence and degradability

: Readily biodegradable.

**Bioaccumulation potential** : Does not significantly accumulate in organisms.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Isopropyl alcohol (CAS 67-63-0)	0.05	1.0

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

# SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal** : See Section 7 (Handling and Storage) for further details. Empty containers retain

residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on

or near this container.

**Methods of Disposal** : Dispose in accordance with all applicable federal, state, provincial and local

regulations.

**RCRA** If this product, as supplied, becomes a waste in the United States, it may meet the

criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and

disposal method.

# **SECTION 14. TRANSPORT INFORMATION**

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label				
TDG	UN1219	ISOPROPANOL	3	II	3				
TDG Additional information	May be shipped as a Limited Quantity when transported in containers no larger than 1.0 L, in combination packagings no larger than 30 kg gross mass.								
49CFR/DOT	UN1219	ISOPROPANOL; or ISOPROPYL ALCOHOL	3	II	3				
49CFR/DOT Additional information	For limited quantity and other exemptions see section 173.150.								
ICAO/IATA	UN1219	Isopropanol; or Isopropyl alcohol	3	II	3				
ICAO/IATA Additional information	Refer to IATA/ICAO packaging instruction.								
IMDG	UN1219	ISOPROPANOL; or ISOPROPYL ALCOHOL	3	II	3				
IMDG Additional information	Refer to the IMDG regulations for more information.								

Special precautions for user: Keep away from heat, sparks and open flame. - No smoking.

**Environmental hazards** 

: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

## SAFETY DATA SHEET

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

## SECTION 15 - REGULATORY INFORMATION

#### **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Se 372, Specific To	,
<u>Ingredients</u>	dients CAS# Invento	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration
Isopropyl alcohol	67-63-0	Yes	None.	None.	Yes	No

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Flammable; Eye irritation ;Specific target organ toxicity, single exposure,Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

# **US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS#	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity CA MA	MN	NJ	PA	RI		
Isopropyl alcohol	67-63-0	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

# **Canadian Information:**

WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product. All ingredients are present on the DSL.

## **International Information:**

Components listed below are present on the following International Inventory list:

	<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Is	sopropyl alcohol	67-63-0	200-661-7	Present	Present	(2)-207	KE-29363	Present	HSR001180

# **SECTION 16. OTHER INFORMATION**

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations CNS: Central Nervous System CSA: Canadian Standards Association DOT: Department of Transportation

EPA: Environmental Protection Agency HMIS: Hazardous Materials Identification System

HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer

Inh: Inhalation

IUCLID: International Uniform Chemical Information Database

## SAFETY DATA SHEET

LC: Lethal Concentration

LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

#### References

: 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016

2. International Agency for Research on Cancer Monographs, searched 2017

3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases,

2017(Chempendium, HSDB and RTECs).

4. Material Safety Data Sheets from manufacturer.

5. US EPA Title III List of Lists - 2017 version.

6. California Proposition 65 List - 2017 version.

7. OECD - The Global Portal to Information on Chemical Substances -

eChemPortal,2017.

# Preparation Date (mm/dd/yyyy)

: 08/08/2017

## Other special considerations for handling

: Provide adequate information, instruction and training for operators.

## Prepared for:

Canadian Alcohol Co 4120 Midland Ave

Agincourt, ON, Canada, M1S 3B9 Telephone: (416) 293 0123



# Canadian Alcohol Co.

#### Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



## **DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Canadian Alcohol Co. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Canadian Alcohol Co. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this Safety Data Sheet does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Canadian Alcohol Co.