

2.1.2. Classification - GHS

2.2. Label elements

# SAFETY DATA SHEET

according to Hazardous Products Regulations (HPR)

Page 1/11

# COMPANION™ Hand Sanitizer

Revision date 2020-07-23

	Revision date 2020-07-2			
SECTION 1: Identification	n of the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	COMPANION™ Hand Sanitizer			
Product code	490909, 8078			
1.2. Relevant identified uses of the substance or mixture and uses advised against				
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC35] Washing and cleaning products (including solvent based products);			
Description	Hand sanitiser.			
1.3. Details of the supplier of	of the safety data sheet			
Company	Neogen Corporation			
Address	620 Lesher Place Lansing MI 48912 USA			
Web	www.neogen.com			
Telephone	517-372-9200/800-234-5333			
Email	SDS@neogen.com			
1.4. Emergency telephone r	number			
	24 hours: Medical: 1-800-498-5743 (U.S. and Canada) or 1-651-523-0318 (international) Spill/CHEMTREC: 1-800-424-9300 (U.S. and Canada) or 1-703-527-3887 (international)			
Further information				
	Manufactured By:. Neogen Corporation 717 E. Shiawassee St. Lansing, MI 48912.  Preserve International			
	944 Nandino Blvd.			
	Lexington, KY 40511-1205 U.S.A.			
	Preserve International is a wholly-owned subsidiary of Neogen Corporation.			
SECTION 2: Hazards ide	entification			
2.1. Classification of the sub	estance or mixture			

Flam. Liq. 2: H225; Acute Tox. 4: H302; STOT SE 3: H336;

Revision 3 Revision date 2020-07-23

### 2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Acute Tox. 4: H302 - Harmful if swallowed. STOT SE 3: H336 - May cause drowsiness or dizziness.
Precautionary Statement: Prevention	P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P270 - Do not eat, drink or smoke when using this product.
Precautionary Statement: Response	P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P330 - Rinse mouth. P370+P378 - In case of fire: Use alcohol resistant foam, Dry chemical, Carbon dioxide (CO2), media appropriate to the surrounding conditions for extinction.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste disposal facility in accordance with
Disposal	local and national regulations.
2.3. Other hazards	
Other hazards	Contains material(s) which may be harmful if inhaled.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isopropanol (2-Propanol)	603-117-00-0	67-63-0	200-661-7		1 - 10%	Flam. Liq. 2: H225; Eye Irrit.
						2: H319; STOT SE 3: H336;
Ethanol	603-002-00-5	64-17-5	200-578-6		60 - 70%	Flam. Liq. 2: H225;

### Description

	Concentrations listed are not product specifications.
F (1 ) C (1	

#### Further information

Full text of Hazard Statements listed in this Section is provided in Section 16.

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen. If breathing stops, provide artificial respiration. Seek medical attention if irritation or symptoms persist.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Seek medical attention if irritation or symptoms persist.	

Revision 3 Revision date 2020-07-23

	Nevision date 2020-01-2		
4.1. Description of first aid mea	sures		
Skin contact	Remove contaminated clothing. Avoid prolonged or repeated exposure. Repeated exposure may cause skin dryness or cracking. Seek medical attention if irritation or symptoms persist.		
Ingestion	Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.		
4.2. Most important symptoms	and effects, both acute and delayed		
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Eye contact	May cause irritation to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting.		
4.3. Indication of any immediat	e medical attention and special treatment needed		
	Remove the affected person from the source of contamination immediately. Transfer to hospital if there are burns or symptoms of poisoning. IF exposed or concerned: Get medical advice/attention. If medical advice is needed, have product container or label at hand.		
SECTION 5: Firefighting me	easures		
5.1. Extinguishing media			
	In case of fire, use carbon dioxide (CO2), Alcohol resistant foam, Dry chemical, Foam. Use extinguishing media appropriate to the surrounding fire conditions.		
5.2. Special hazards arising fro	m the substance or mixture		
	In case of fire and/or explosion do not breathe fumes. Vapour may travel considerable distance to source of ignition and flash back. Heat will increase pressure in sealed containers.		
5.3. Advice for firefighters			
	Flammable liquid and vapour. In case of fire and/or explosion do not breathe fumes. Wear self contained breathing apparatus and protective clothing.		
SECTION 6: Accidental rele	ease measures		
6.1. Personal precautions, prot	ective equipment and emergency procedures		
	Flammable liquid. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid sparks, flames, heat and sources of ignition. Ensure adequate ventilation of the working area. Use as appropriate: Protective equipment. Avoid prolonged or repeated exposure.		
6.2. Environmental precautions			
	Prevent further spillage if safe. Clean spillage area thoroughly with plenty of water. Do not flush into surface water. Do not let product contaminate subsoil.		
6.3. Methods and material for o	containment and cleaning up		
	Flammable liquid. Absorb with inert, absorbent material. Collect spillage. Transfer to suitable, labelled containers for disposal. Dispose of this material and its container to hazardous or special waste collection point. Do not contaminate water by cleaning of equipment or disposal of wastes. Clean with detergents. Avoid solvents.		
6.4. Reference to other section	s		
	See section 2, 8 & 13 for further information.		
SECTION 7: Handling and	storage		
7.1. Precautions for safe handl			

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact

Revision 3 Revision date 2020-07-23

7.1. Precautions for safe handling	ng
	with eyes. Do not eat, drink or smoke in areas where this product is used or stored. Ensure adequate ventilation of the working area. Do not contaminate water by cleaning of equipment or disposal of wastes. Use as appropriate: Protective clothing.  Read the entire label and follow all use directions, restrictions, and precautions.
7.2. Conditions for safe storage,	, including any incompatibilities
	Flammable liquid and vapour. Contact with combustible material may cause fire. Store in correctly labelled containers. Keep container tightly closed. Do not contaminate water, food, or feed by storage or disposal. Follow label instructions.
7.3. Specific end use(s)	
	See Section 1.2 for further information.
Further information	
	Refer to product label and/or package insert for additional information. Follow label instructions.
SECTION 8: Exposure contr	rols/personal protection

### 8.1.1. Exposure Limit Values

8.1. Control parameters

Ethanol	8-hour OEL ppm: 1000	8-hour OEL mg/m3: 1880
	8-hour OEL f/cc:	15-min or ceiling (c) OEL ppm:
	15-min or ceiling (c) OEL mg/m3:	Substance interaction 1,2,3: 3
Ethanol (Ethyl alcohol)	8-hour OEL ppm: 1000	<b>8-hour OEL mg/m3:</b> 1880
	8-hour OEL f/cc:	15-min or ceiling (c) OEL ppm:
	15-min or ceiling (c) OEL mg/m3:	Substance interaction 1,2,3: 3
Glycerin (Glycerin mist)	8-hour OEL ppm:	<b>8-hour OEL mg/m3:</b> 10
	8-hour OEL f/cc:	15-min or ceiling (c) OEL ppm:
	15-min or ceiling (c) OEL mg/m3:	Substance interaction 1,2,3: 3
Isopropanol (2-Propanol)	8-hour OEL ppm: 400	<b>8-hour OEL mg/m3:</b> 983
	8-hour OEL f/cc:	15-min or ceiling (c) OEL ppm: 500
	15-min or ceiling (c) OEL mg/m3: 1230	Substance interaction 1,2,3: 3
Isopropanol (Isopropyl alcohol)	<b>8-hour OEL ppm:</b> 400	<b>8-hour OEL mg/m3:</b> 983
	8-hour OEL f/cc:	15-min or ceiling (c) OEL ppm: 500
	15-min or ceiling (c) OEL mg/m3: 1230	Substance interaction 1,2,3: 3

# 8.2.1. Appropriate engineering | Ensure adequate ventilation of the wo

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.		
8.2.2. Individual protection	Use as appropriate: Protective equipment.		
measures			
Eye / face protection	Use as appropriate: Suitable eye protection.		
Skin protection -	Use as appropriate: Chemical-resistant gloves made of any waterproof material.		
Handprotection			
Skin protection - Other	Use as appropriate: Protective clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Occupational exposure	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep away from food, drink		
controls	and animal feedingstuffs. Provide chemical shower. Provide eye wash station.		

Revision 3 Revision date 2020-07-23

**Further information** 

Refer to product label and/or package insert for additional information.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State
Colour
Odour Alcoholic
No data available
pH
Melting point
Freezing Point
Boiling point
Flash point

Liquid
Clear/Colourless
No data available
No data available
No data available
78 °C
17 °C

Flammability limits
Vapour pressure
Vapour density

No data available
No data available
No data available
No data available

Relative density 0.8 - 1

Partition coefficient

No data available

No data available

Viscosity

No data available

Viscosity
Explosive
Oxidising
Solubility
No data available
No data available
Soluble in water

#### 9.2. Other information

Gas group Not applicable.

VOC (Volatile organic compounds)

Not applicable.

≈ 65.9 %

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

#### 10.5. Incompatible materials

Contact with combustible material may cause fire. Keep away from oxidising agents.

#### 10.6. Hazardous decomposition products

Carbon oxides.

Revision 3 Revision date 2020-07-23

Revision date 2020-07-23				
SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity	Harmful if swallowed. See section 3 for further information.			
Skin corrosion/irritation	May cause irritation to skin.			
Serious eye damage/irritation	May cause irritation to eyes.			
Respiratory or skin sensitisation	May cause allergic reactions in susceptible people.			
Germ cell mutagenicity	No mutagenic effects reported.			
Carcinogenicity	No components at >0,01% are listed in the American Conference of Governmental Industrial Hygienists (ACGIH) Guide to Occupational Exposure Values.  Listed by the International Agency for Research on Cancer (IARC) as a group 3 substance: evidence does not support the substance as a human carcinogen, [Isopropanol (2-Propanol), CAS No. 67-63-0].  No components at >0,01% are listed in the National Toxicology Program (NTP) Report on Carcinogens.  Not listed in the OSHA standard 1910.1003 Carcinogens.			
Reproductive toxicity	No teratogenic effects reported.			
STOT-single exposure	May cause dizziness and headache. May cause allergy or asthma symptoms or breathing difficulties if inhaled.			
STOT-repeated exposure	Components(s) may cause damage to human organs based on animal data.			
Aspiration hazard	No Significant Hazard.			
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Repeated exposure may cause skin dryness or cracking. Exposure above the recommended occupational exposure limit (OEL) may cause adverse health effects. Delayed appearance of the complaints and development of hypersensitivity (difficult breathing, coughing, asthma) are possible.			
11.1.2. Mixtures				
	See Section(s) 3 for further information.			
11.1.3. Hazard Information				
	See Section(s) 2 and 3 for further information.			
11.1.4. Toxicological Information	1			
	No data available			
11.1.5. Hazard Class				
	See Section(s) 2 and 14 for further information.			
11.1.6. Classification Criteria				
	Based on the Globally Harmonised System (GHS) considerations for the classification of mixtures. See Section 15 for regulatory citations.			
11.1.7. Information on likely rout	tes of exposure			
	Eye contact. Skin contact. Inhalation. Ingestion.			
11.1.8. Symptoms related to the	physical, chemical and toxicological characteristics			
	See Section(s) 4.2 for further information.			
11.1.9. Delayed and immediate	effects as well as chronic effects from short and long-term exposure			
	See Section(s) 4.2 for further information.			
11.1.10. Interactive effects	•			
	No data available.			
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			

Revision 3 Revision date 2020-07-23

	1.010.011 data 2020 0.
11.1.11. Absence of specific dat	ta
	<1% of this mixture consists of ingredients of unknown acute toxicity.
11.1.12. Mixture versus substan	nce information
	See Section(s) 3 for further information.
11.1.13. Other information	
	No data available.
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	- pility
	No data is available on this product.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	COMPANION™ Hand Sanitizer No data available Ethanol -0.349 log P
12.4. Mobility in soil	
·	No data is available on this product.
12.5. Results of PBT and vPvB	assessment
	No data is available on this product.
12.6. Other adverse effects	
	Specific test data for the substance or mixture is not available.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of as special waste in compliance with local and national regulations.
Disposal methods	
	Do not contaminate water by cleaning of equipment or disposal of wastes. Do not flush into surfa water. Dispose of in compliance with all local and national regulations.
Disposal of packaging	
	Nonrefillable container. Do not reuse or refill this container.  If empty: Do not reuse this container. Place in trash or offer for recycling, if available.  If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
SECTION 14: Transport info	rmation
Hazard pictograms	

Revision 3 Revision date 2020-07-23

Hazard pictograms		
	3	
14.1. UN number	•	
	UN1170	
14.2. UN proper shipping name		
	ETHANOL SOLUTION	
14.3. Transport hazard class(es	)	
ADR/RID	3	
Subsidiary risk	] -	
IMDG	3	
Subsidiary risk	-	
IATA	3	
Subsidiary risk	-	
14.4. Packing group		
Packing group	11	
14.5. Environmental hazards	·	
Environmental hazards	No	
Marine pollutant	No	
ADR/RID		
Hazard ID	33	
Tunnel Category	(D/E)	
IMDG		
EmS Code	F-E S-D	
IATA		
Packing Instruction (Cargo)	364	
Maximum quantity	60 L	
Packing Instruction (Passenger)	353	
Maximum quantity	5 L	

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

13.1. Safety, fleatiti and environmental regulations/legislation specific for the substance of mixture	
Regulations	WHMIS 2015 requirements as specified in the Hazardous Products Act (HPA) and the Hazardous Products Regulations (HPR).
	International  Basel Convention (Hazardous Waste): H3. Chemical Weapons Convention (OPCW): This product does not contain reportable substances at >0,0001% concentration.  Kyoto Protocol Greenhouse Gases: This product does not contain reportable substances at >0,0001% concentration.

Revision 3 Revision date 2020-07-23

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Mercosur Agreement: Not applicable.

Montreal Protocol: This product does not contain reportable substances at >0,0001% concentration

The Rotterdam Convention: This product does not contain reportable substances at >0,0001% concentration.

The Stockholm Convention: This product does not contain reportable substances at >0,0001% concentration.

#### --Asia and the ASEAN Nations--.

Catalog of Hazardous Chemicals (China): [2568, Ethanol (ethyl alcohol), CAS No. 64-17-5], [111, Isopropanol (2-Propanol), CAS No. 67-63-0].

Regulation of Minister of Trade of the Republic of Indonesia, Number 75, Year 2014, regarding The Second Amendment of Minister of Trade, Number 44, Year 2009, Regarding Provision,

Distribution, and Control of Hazardous Substances: Usable hazardous and toxic material, [Ethanol (ethyl alcohol), CAS No. 64-17-5].

Air Pollution Control Law (Japan): This product does not contain reportable substances at >0.0001% concentration.

Chemical Substances Control Law (Japan): Priority Assessment, (human health), [102, Isopropanol (2-Propanol), CAS No. 67-63-0].

Industrial Safety and Health Act, Dangerous Substances (Japan): Labeling/Notification required, Dangerous substance, Flammable, Second-class organic solvents, etc., [Ethanol (ethyl alcohol), CAS No. 64-17-5], [Isopropanol (2-Propanol), CAS No. 67-63-0]. Administrative controls, reg. no. [300, Isopropanol (2-Propanol), CAS No. 67-63-0].

Poisonous and Deleterious Substances Act (Japan): This product does not contain reportable substances at >0,0001% concentration.

Soil Contamination Countermeasures Act (Japan): This product does not contain reportable substances at >0,0001% concentration.

Water Pollution Control Law (Japan): This product does not contain reportable substances at >0,0001% concentration.

Chemical Substances Subject to Permission (Korea): This product does not contain reportable substances at >0,0001% concentration.

Restricted or Prohibited Substances (Korea): This product does not contain reportable substances at >0,0001% concentration.

Use and Standards of Exposure of Chemicals Hazardous to Health (USECHH), Regulation 2000 (Malaysia): Schedule I exposure standard, CLASS regulation, [Ethanol (ethyl alcohol), CAS No. 64-17-5], [Isopropanol (2-Propanol), CAS No. 67-63-0].

Philippine Inventory of Chemicals and Chemical Substances (PICCS): All ingredients listed or exempt.

Taiwan Toxic and Concerned Chemical Substances Control Act (TCCSCA): This product does not contain reportable substances at >0,0001% concentration.

Hazardous Substances Act (Thailand): This product does not contain reportable substances at >0.0001% concentration.

Law on Chemicals (Vietnam): Decree 113/2017/ND-CP: List of chemicals subject to compulsory declaration, Decree 113/2017/ND-CP: List of chemicals subject to conditional industrial production and trading, [Ethanol (ethyl alcohol), CAS No. 64-17-5].

#### --Australia and New Zealand--.

Australian Dangerous Goods Code: Class 3.

Australian Inventory of Chemical Substances (AICS): All ingredients listed or exempt. New Zealand Inventory of Chemicals (NZIoC): All ingredients listed or exempt.

--European Union (EU) and the United Kingdom (UK)--.

Annex XVII for REACH: This product does not contain reportable substances at >0,0001%

Revision 3 **Revision date** 2020-07-23

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

concentration.

Article 95 of the Biocidal Products Regulation (BPR): Not applicable.

Authorisation List (Annex XIV of REACH): This product does not contain reportable substances at >0,0001% concentration.

--North America --.

Domestic/Non-Domestic Substances Lists (DSL/NDSL): All ingredients listed or exempt.

Toxic Substances Control Act (TSCA): All ingredients listed or exempt. Massachusetts Right-to-Know Hazardous Substance List: Isopropanol.

New Jersey Worker and Community Right to Know Act: Ethyl alcohol, Isopropyl alcohol.

Pennsylvania Right to Know Law: Ethanol, 2-Propanol.

Rhode Island Right-to-Know General Law: Ethyl alcohol, Isopropyl alcohol.

California Proposition 65: This material contains no reportable components.

#### SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas:.
	2 - Hazard pictograms.
_	2 - Precautionary Statement: Response.
Acronyms	ACGIH: American Conference of Governmental Industrial Hygienists.
	ADR/RID: European Agreements Concerning the International Carriage of Dangerous Goods by Rail (RID) and by Road (ADR).
	CAS No.: Chemical Abstracts Service.
	CLASS: Classification, Labelling, and Safety Data Sheet of Hazardous Chemicals Regulation 2013
	(Malaysia).
	FIFRA: U.S. Federal Insecticide, Fungicide, and Rodenticide Act.
	GHS: Globally Harmonized System.
	HCS 2012: U.S. Hazard Communication Standard (2012 revision).
	IATA: International Air Transport Association.
	ICAO: International Civil Aviation Organisation.
	IMDG: International Maritime Dangerous Goods.
	LC: Lethal concentration.
	LD: Lethal dose.
	OEL: Occupational exposure limit.
	OSHA: U.S. Occupational Safety and Health Administration.
	PEL: Permissible Exposure Limit.

REACH: Registration, Evaluation, Authorisation, and Restriction of Chemicals.

SVHC: Substance of very high concern.

UN: United Nations.

US DOT: United States Department of Transportation.

VOC: Volatile Organic Compound. WEL: Workplace Exposure Limit.

#### **Text of Hazard Statements in** Section 3

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

#### Maximum content of VOC

65.9 %.

#### **Further information**

DISCLAIMER: The information and recommendations set forth herein ("Information") are presented in good faith and believed to be correct as of the date issued. No representation is made regarding the completeness or accuracy of the Information. Further, because of the many factors that affect

Revision 3 Revision date 2020-07-23

#### Further information

the use of this product, the Information is supplied upon the condition that the person(s) receiving it will make their own determination regarding its suitability for their own unique purpose(s), prior to use.

Except as expressly stated herein, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, COURSE OF PERFORMANCE, USAGE OF TRADE, OR RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT are made with respect to this product or use of this product. The product covered is furnished "as is" and only subject to the warranties herein provided, no liability is assumed resulting from the use of this product.