SAFETY DATA SHEET

1. Identification

Product identifier B54401 BVT BABY POWDER-DEODORIZER

Other means of identification

Product code 1000016677

Recommended use Air Freshener

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name ACUITY HOLDINGS INC. dba AMREP

Address 11627 178 STREET NW

EDMONTON, AB T5S 1N6

Canada

Telephone General Assistance 1-905 669-9876

E-mail Not available.

Emergency phone number Emergency - US 1-866-836-8855

Emergency - Outside US 1-952-852-4646

Supplier Not available.

2. Hazard(s) identification

Physical hazards Flammable aerosols Category 1

Health hazards Not classified.

Label elements



Signal word Danger

Hazard statement Extremely flammable aerosol.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Response Wash hands after handling.

Storage Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isopropyl Alcohol		67-63-0	2
Lauryl methacrylate		142-90-5	0.175
Other components below re	portable levels		97.82608

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation If symptoms develop move victim to fresh air. Get medical attention if symptoms persist.

Direct contact with eyes may cause temporary irritation.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and delayed

Indication of immediate

General information

medical attention and special

treatment needed

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water spray. Alcohol resistant foam. Powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Use standard firefighting procedures and consider the hazards of other involved materials. Move Specific methods

containers from fire area if you can do so without risk. Use water spray to cool unopened containers. In the event of fire and/or explosion do not breathe fumes.

Extremely flammable aerosol. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Level 3 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122°F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US.	ACGIH	Threshold	I imit	Values
oo.		IIIIESIIUIU		v aluco

Components	Туре	Value
sopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm
Canada. Alberta OELs (Occupati	onal Health & Safety Code, Scl	hedule 1, Table 2)
Components	Туре	Value
sopropyl Alcohol (CAS 67-63-0)	STEL	984 mg/m3
		400 ppm
	TWA	492 mg/m3
		200 ppm
Canada. British Columbia OELs. Safety Regulation 296/97, as amo		s for Chemical Substances, Occupational Health and
Components	Туре	Value
sopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm
·	TWA	200 ppm
Canada. Manitoba OELs (Reg. 21	17/2006, The Workplace Safety	And Health Act)
Canada. Manitoba OELs (Reg. 21 Components	17/2006, The Workplace Safety Type	And Health Act) Value
Components sopropyl Alcohol (CAS		•
Components	Туре	Value
Components sopropyl Alcohol (CAS	Type STEL TWA	Value 400 ppm 200 ppm
Components sopropyl Alcohol (CAS 67-63-0)	Type STEL TWA	Value 400 ppm 200 ppm
Components Sopropyl Alcohol (CAS 67-63-0) Canada. Ontario OELs. (Control Components Sopropyl Alcohol (CAS	Type STEL TWA of Exposure to Biological or C	Value 400 ppm 200 ppm hemical Agents)
Components Sopropyl Alcohol (CAS 67-63-0) Canada. Ontario OELs. (Control Components	Type STEL TWA of Exposure to Biological or Cl Type	Value 400 ppm 200 ppm hemical Agents) Value
components sopropyl Alcohol (CAS 67-63-0) Canada. Ontario OELs. (Control Components sopropyl Alcohol (CAS 67-63-0)	Type STEL TWA of Exposure to Biological or Cl Type STEL TWA	Value 400 ppm 200 ppm hemical Agents) Value 400 ppm
components sopropyl Alcohol (CAS 67-63-0) Canada. Ontario OELs. (Control Components sopropyl Alcohol (CAS 67-63-0)	Type STEL TWA of Exposure to Biological or Cl Type STEL TWA	Value 400 ppm 200 ppm hemical Agents) Value 400 ppm 200 ppm
components sopropyl Alcohol (CAS 67-63-0) Canada. Ontario OELs. (Control Components sopropyl Alcohol (CAS 67-63-0) Canada. Quebec OELs. (Ministry Components sopropyl Alcohol (CAS	Type STEL TWA of Exposure to Biological or Cl Type STEL TWA of Labor - Regulation Respect	Value 400 ppm 200 ppm hemical Agents) Value 400 ppm 200 ppm 200 ppm ting the Quality of the Work Environment)
components sopropyl Alcohol (CAS 67-63-0) Canada. Ontario OELs. (Control Components sopropyl Alcohol (CAS 67-63-0) Canada. Quebec OELs. (Ministry Components	Type STEL TWA of Exposure to Biological or Cl Type STEL TWA of Labor - Regulation Respect	Value 400 ppm 200 ppm hemical Agents) Value 400 ppm 200 ppm 200 ppm ting the Quality of the Work Environment) Value
components sopropyl Alcohol (CAS 67-63-0) Canada. Ontario OELs. (Control Components sopropyl Alcohol (CAS 67-63-0) Canada. Quebec OELs. (Ministry Components sopropyl Alcohol (CAS	Type STEL TWA of Exposure to Biological or Cl Type STEL TWA of Labor - Regulation Respect	Value 400 ppm 200 ppm hemical Agents) Value 400 ppm 200 ppm 200 ppm ting the Quality of the Work Environment) Value 1230 mg/m3

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl Alcohol (CAS	40 mg/l	Acetone	Urine	*

^{* -} For sampling details, please see the source document.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an

air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Gas.
Form Aerosol.
Color Not available.
Odor Not available.
Odor threshold Not available.
PH Not available.
Melting point/freezing point Not available.

Initial boiling point and boiling

range

2.59 °F (-16.34 °C) estimated

Flash point -99.4 °F (-73.0 °C) Propellant estimated

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

4 % estimated

Flammability limit - upper

(%)

12 % estimated

Explosive limit - lower (%)

Not available.

Not available.

Explosive limit - upper (%)

81.4 psig @70F estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Vapor pressure

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature 835.14 °F (446.19 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Explosive properties Not explosive.

Heat of combustion (NFPA

30B)

39.15 kJ/g estimated

Oxidizing properties Not oxidizing.

Percent volatile 96.95 % estimated

Specific gravity 0.578 estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materialsStrong oxidizing agents. Nitrates. Fluorine. Chlorine.Hazardous decompositionNo hazardous decomposition products are known.

products

Product name: B54401 BVT BABY POWDER-DEODORIZER
Product #: 1000016677 Version #: 01 Issue date: 05-22-2017

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
Isopropyl Alcohol (CAS 67	-63-0)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	16.4 ml/kg, 24 Hours	
Inhalation			
LC50	Rat	> 10000 ppm, 6 Hours	
Oral			
LD50	Rat	5.84 g/kg	
Lauryl methacrylate (CAS	142-90-5)		
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 3000 mg/kg	
Oral			
LD50	Rat	> 5000 mg/kg	

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

Isopropyl Alcohol (CAS 67-63-0)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

2-PROPANOL (CAS 67-63-0) Not classifiable as a human carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not likely, due to the form of the product.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product name: B54401 BVT BABY POWDER-DEODORIZER
Product #: 1000016677 Version #: 01 Issue date: 05-22-2017

Components Species Test Results

Isopropyl Alcohol (CAS 67-63-0)

Aquatic

 Algae
 IC50
 Algae
 1000.0001 mg/L, 72 Hours

 Crustacea
 EC50
 Daphnia
 13299 mg/L, 48 Hours

 Fish
 LC50
 Bluegill (Lepomis macrochirus)
 > 1400 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Isopropyl Alcohol 0.05

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents

under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

14. Transport information

TDG

UN number UN1950

UN proper shipping name Transport hazard class(es) AEROSOLS, flammable

Class 2.1 Subsidiary risk -

Packing group Not applicable.

Environmental hazards D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

This product meets the exemption requirements and may be shipped as a limited quantity.

IATA

UN number UN1950

UN proper shipping name Aerosols, flammable

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) 2.1

Packing group Not applicable.

Environmental hazards No. ERG Code 10L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

^{*} Estimates for product may be based on additional component data not shown.

IMDG

UN number UN1950 UN proper shipping name AEROSOLS

Transport hazard class(es)

Class 2.1 Subsidiary risk -Label(s) None

Packing group Not applicable.

Not applicable.

Environmental hazards

 $\begin{tabular}{ll} \mbox{Marine pollutant} & \mbox{No.} \\ \mbox{EmS} & \mbox{F-D, S-U} \\ \end{tabular}$

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region Inventory name On inventory (yes/no)* European Inventory of Existing Commercial Chemical Europe

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date 05-22-2017

Version # 01

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Product name: B54401 BVT BABY POWDER-DEODORIZER Product #: 1000016677 Version #: 01 Issue date: 05-22-2017