SAFETY DATA SHEET

1. Identification

Product identifier	B97001 325G KONK "NEW"	HORNET&WASP LB 12PK
Other means of identification Product code	1000029047	
Recommended use	pesticide	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	ACUITY HOLDINGS INC. dba 11627 178 STREET NW EDMONTON, AB T5S 1N6 Canada	AMREP
Telephone	General Assistance	1-905 669-9876
E-mail	Not available.	
Emergency phone number	Emergency - US	1-866-836-8855
	Emergency - Outside US	1-952-852-4646
Supplier	Not available.	
2. Hazard(s) identification		

Physical hazards Flammable aerosols Category 2 Not classified. Health hazards Label elements Signal word Warning **Hazard statement** Flammable aerosol. **Precautionary statement** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevention Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid release to the environment. Response Wash hands after handling. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Storage Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Hazardous to the aquatic environment, acute Category 3 **Environmental hazards** hazard Hazardous to the aquatic environment, Category 3 long-term hazard

	-
Other hazards	Combustible.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Carbon Dioxide		124-38-9	3
Tetramethrin		7696-12-0	0.2

Chemical name	Common name and synonyms	CAS number	%
d-Phenothrin		26002-80-2	0.125
Other components below report	table levels		96.674
All concentrations are in percent by	y weight unless ingredient is a gas. Gas concen	trations are in percent by vo	ume.
4. First-aid measures			
Inhalation	If symptoms develop move victim to fresh air.	Get medical attention if sym	ptoms persist.
Skin contact	Wash off with soap and water. Get medical at	tention if irritation develops a	ind persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.		
ngestion	Rinse mouth. Get medical attention if symptoms occur.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary	y irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the protect themselves.	ne material(s) involved, and t	ake precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Alcohol resistant foam. Powder. Dry chemical	s. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as thi	is will spread the fire.	
Specific hazards arising from the chemical	Contents under pressure. Pressurized contair During fire, gases hazardous to health may be		ed to heat or flame.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equ face shield, gloves, rubber boots, and in enclo		lant coat, helmet with
Fire fighting equipment/instructions	Move containers from fire area if you can do s water spray and remove container, if no risk is prevent vapor pressure build up. For massive monitor nozzles, if possible. If not, withdraw a	s involved. Containers should fire in cargo area, use unma	be cooled with water
Specific methods	Use standard firefighting procedures and cons containers from fire area if you can do so with breathe fumes.		
General fire hazards	Flammable aerosol. Combustible.		
6. Accidental release meas	sures		
Personal precautions.	Keep unnecessary personnel away. Keep per	ople away from and upwind o	f spill/leak. Wear

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or

expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Level 3 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

US. ACGIH Threshold Lir Components	Туре	Value
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm
121 00 0)	TWA	5000 ppm
Canada. Alberta OELs (O	Occupational Health & Safety Code, Scl	nedule 1, Table 2)
Components	Туре	Value
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3
		30000 ppm
	TWA	9000 mg/m3
		5000 ppm
Safety Regulation 296/97		s for Chemical Substances, Occupational Health and
Components	Туре	Value
Carbon Dioxide (CAS	STEL	15000 ppm
124-38-9)	STEE	
	TWA	5000 ppm
Canada. Manitoba OELs	(Reg. 217/2006, The Workplace Safety	And Health Act)
Components	Туре	Value
Carbon Dioxide (CAS	STEL	30000 ppm
	OTEL	
124-38-9)	TWA	
124-38-9)	TWA	5000 ppm
124-38-9)		5000 ppm
124-38-9) Canada. Ontario OELs. (Components	TWA Control of Exposure to Biological or C	5000 ppm nemical Agents) Value
124-38-9) Canada. Ontario OELs. (Components Carbon Dioxide (CAS	TWA Control of Exposure to Biological or C Type STEL	5000 ppm nemical Agents) Value 30000 ppm
124-38-9) Canada. Ontario OELs. (0	TWA Control of Exposure to Biological or Cl Type	5000 ppm nemical Agents) Value
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (I	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect	5000 ppm nemical Agents) Value 30000 ppm 5000 ppm ing the Quality of the Work Environment)
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9)	TWA Control of Exposure to Biological or Cl Type STEL TWA	5000 ppm nemical Agents) Value 30000 ppm 5000 ppm
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (I	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect	5000 ppm nemical Agents) Value 30000 ppm 5000 ppm ing the Quality of the Work Environment)
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (C Components Carbon Dioxide (CAS	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type STEL	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (C Components Carbon Dioxide (CAS	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm 5000 ppm ing the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (C Components Carbon Dioxide (CAS	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA TWA	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (C Components Carbon Dioxide (CAS	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (I Components Carbon Dioxide (CAS 124-38-9) ogical limit values ropriate engineering	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm 5000 ppm ting the Quality of the Work Environment) Value 54000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (I Components Carbon Dioxide (CAS 124-38-9) Ogical limit values propriate engineering trols	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm 5000 ppm 5000 ppm 5000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm 1000 mg/m3 1000 ppm 1000 mg/m3 10000 ppm 1000 mg/m3 1000 ppm 1000 ppm 1
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (I Components Carbon Dioxide (CAS 124-38-9) Ogical limit values propriate engineering trols	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estable	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm 5000 ppm 5000 ppm 5000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ntain airborne levels below recommended exposure limits. Jished, maintain airborne levels to an acceptable level. nent
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (I Components Carbon Dioxide (CAS 124-38-9) ogical limit values propriate engineering trols	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estate es, such as personal protective equipneed	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm 5000 ppm 5000 ppm 5000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ntain airborne levels below recommended exposure limits. Jished, maintain airborne levels to an acceptable level. nent
124-38-9) Canada. Ontario OELs. (C Components Carbon Dioxide (CAS 124-38-9) Canada. Quebec OELs. (I Components Carbon Dioxide (CAS 124-38-9) ogical limit values propriate engineering trols	TWA Control of Exposure to Biological or Cl Type STEL TWA Ministry of Labor - Regulation Respect Type STEL TWA No biological exposure limits noted Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estate es, such as personal protective equipt Wear safety glasses with side shield	5000 ppm hemical Agents) Value 30000 ppm 5000 ppm 5000 ppm 5000 ppm 5000 mg/m3 30000 ppm 9000 mg/m3 5000 ppm 9000 mg/m3 5000 ppm for the ingredient(s). 0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation ntain airborne levels below recommended exposure limits. Jished, maintain airborne levels to an acceptable level. nent

Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Gas.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	225.8 °F (107.7 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	0.5 % estimated
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	421 °F (216.11 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.832 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	\$	Test Results	
Tetramethrin (CAS 7696-12-0)				
Acute				
Oral				
LD50	Rat		4640 mg/kg	
* Estimates for product may I	be based on a	additional component data not sho	own.	
Skin corrosion/irritation		skin contact may cause temporal		
Serious eye damage/eye irritation	-	tact with eyes may cause tempora	-	
Respiratory or skin sensitizatio	n			
Respiratory sensitization	Not a resp	piratory sensitizer.		
Skin sensitization	This produ	uct is not expected to cause skin s	ensitization.	
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not availa	ble.		
Reproductive toxicity	This produ	uct is not expected to cause repro	ductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classi	fied.		
Specific target organ toxicity - repeated exposure	Not classi	fied.		
Aspiration hazard	Not likely,	due to the form of the product.		
12. Ecological information	n			
Ecotoxicity	Harmful to	aquatic life with long lasting effect	xts.	
Components		Species	Test Results	
Tetramethrin (CAS 7696-12-	0)			
Aquatic				
Fish	LC50	Carp (Cyprinus carpio)	0.095 - 0.16 mg/l, 96 hours	
* Estimates for product may I	be based on a	additional component data not sho	own.	
Persistence and degradability		available on the degradability of		
Bioaccumulative potential				
Partition coefficient n-o	octanol / wat	ter (log Kow) 4.73		
Mobility in soil	No data a	vailable.		
Other adverse effects			. ozone depletion, photochemical ozone creation ing potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

14. Transport information

TDG			
UN number	UN1950		
UN proper shipping name	AEROSOLS, flammable		
Transport hazard class(es)			
Class	2.1		
Subsidiary risk	2.1		
Packing group	Not applicable.		
Environmental hazards	D		
	-		
Special precautions for user Not available. This product meets the exemption requirements and may be shipped as a limited quantity.			
	an requiremente and may be empped de a innited quantity.		
UN number	UN1950		
UN proper shipping name	Aerosols, flammable		
Transport hazard class(es)			
Class	2.1		
Subsidiary risk	-		
Label(s)	2.1		
Packing group	Not applicable.		
Environmental hazards	No.		
ERG Code	10L		
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.		
Passenger and cargo aircraft	Allowed with restrictions.		
Cargo aircraft only	Allowed with restrictions.		
IMDG			
UN number	UN1950		
UN proper shipping name	AEROSOLS		
Transport hazard class(es)			
Class	2.1		
Subsidiary risk	-		
Label(s)	2.1		
Packing group	Not applicable.		
Environmental hazards			
Marine pollutant	No.		
EmS	F-D, S-U		
	Read safety instructions, SDS and emergency procedures before handling.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.		

IATA; IMDG; TDG



15. Regulatory information

Canadian regulations		
Controlled Drugs and Sub	stances Act	
Not regulated.		
Export Control List (CEPA	1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Carbon Dioxide (CAS 1 Precursor Control Regulat		
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto protocol		
Carbon Dioxide (CAS 1 Montreal Protocol	24-38-9) Listed.	
Not applicable. Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all comp	onents of this product comply with the inventory requirements administered by th	ne governing country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date	04-28-2017
Version #	01

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. We cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information

Product and Company Identification: Alternate Trade Names