Product Name: BioSentry® Chlor-A-Foam™

Issue Date: June 1st, 2015 Replaces: New Issue SDS Number: HAC0013 - COL

1. PRODUCT IDENTIFICATION

Product Name: BioSentry® Chlor-A-FoamTM

Product Number(s): D12709702-COL, D12695561-COL

Use: Cleaner

Manufacturer: HACCO, Inc.

110 Hopkins Drive Randolph, WI 53956

Manufacturer Phone: 1-920-326-5141

Distributer: Neogen Corporation – Animal Safety

944 Nandino Boulevard Lexington, KY 40511

Distributer Phone: 1-800-477-8201

Emergency Phone: Medical: 1-651-523-0318

Spill: 1-703-527-3887

2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Respiratory Irritation, Category 3

Carcinogenicity: Category 1A

Specific Target Organ Toxicity: Repeated Category I

Dermal: Category 3

Signal Word (EPA): DANGER
Signal Word (OSHA): DANGER

Hazard Statements: Toxic in contact with skin.

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure



Hazard Symbols:

Precautionary Statements: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing, eye protection. If on skin: Wash with plenty of soap and water.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If exposed or concerned: Get medical advice/attention.

Call a poison control center, doctor or 1-651-523-0318 (Prosar) if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: This product presents no significant hazards under normal conditions of use.

Product Name: **BIOSENTRY**® **CHLOR-A-FOAM**TM (**Colombia – English**)

Page 1 of 8

Product Name: BioSentry® Chlor-A-FoamTM

Issue Date: June 1st, 2015 Replaces: New Issue SDS Number: HAC0013 - COL

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Potassium Hydroxide	Potassium Hydroxide	1310-58-3	1 - 5%
Sodium Hypochlorite	Sodium Hypochlorite	7681-52-9	1 - 5 %
Detergent Booster	Detergent Booster	9016-45-9	0.1 - 1%
Foam Booster	Foam Booster		0.1 - 1%
Emulsifier	Emulsifier		1 - 5%
Chelating & Sequestering Agent	Chelating & Sequestering Agent		1 - 5%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label, or Material Safety Data Sheet with you when calling 800-498-5743, a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call 1-651-523-0318, a poison control center or doctor immediately for treatment advice.

Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 1-651-523-0318 or by a poison control center or doctor. Do not give anything by mouth to an

unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after 5 minutes, then continue rinsing eye. Call 1-651-523-0318, a poison control center

or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Wash skin with soap and water.

Inhalation: Not applicable.

Most Important Symptoms/Effects:

This product may cause irritation with discomfort, tearing or blurred vision, eye corrosion with corneal or conjunctival ulceration, rash, skin burns or ulcerations, irritation of the upper respiratory tract with coughing or discomfort, corrosion to the mouth and upper gastrointestinal tract with abdominal discomfort, nausea, severe paid, diarrhea and possible collapse.

Indication of immediate medical attention and special treatment needed:

Not Applicable.

Further information is available from the Prosar Emergency Number (1-651-523-0318) provided in this documents.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO₂ extinguishing media. If water is to be used to fight fire, dike and collect run-off.

Specific Hazards:

During a fire, irritating and possible toxic gases may be generated by thermal decomposition of combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or product of combustion.

Product Name: **BIOSENTRY**® **CHLOR-A-FOAM**TM (Colombia – English)

Page 2 of 8

Product Name: BioSentry® Chlor-A-FoamTM

Issue Date: June 1st, 2015 Replaces: New Issue SDS Number: HAC0013 - COL

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Clean up spills immediately, observing precautions outlines in Section 8. Sweep up material and place in a compatible disposal container. Once all material is collected, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure rea out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING, AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limit

Chemical Name	OSHA PEL	ACGIH TLV	OTHER	SOURCE
Potassium Hydroxide	Not Established	2 mg/m ³ (Ceiling)	Not Established	Not Applicable
Sodium Hypochlorite	Not Established	Not Established	Not Established	Not Applicable
Detergent Booster	Not Established	Not Established	Not Established	Not Applicable
Foam Booster	Not Established	Not Established	Not Established	Not Applicable
Emulsifier	Not Established	Not Established	Not Established	Not Applicable
Chelating & Sequestering Agent	Not Established	Not Established	Not Established	Not Applicable

Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for

exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact: Eye protection is not required for normal handling. Where eye contact is likely, wear tight-fitting chemical

goggles.

Skin Contact: Gloves are not required for normal handling. Where heavy contact is likely, wear chemical resistant (such

as nitrile or butyl) gloves.

Inhalation: Respiratory protection is not required for normal handling. In the event of an unusual dust exposure, use

engineering controls or a NIOSH-approved particulate respirator (N, P, R, or HE filter) to keep exposure

below the Occupational Exposure Limit.

Product Name: **BIOSENTRY**® **CHLOR-A-FOAM**TM (**Colombia – English**)

Page 3 of 8

Product Name: BioSentry® Chlor-A-FoamTM

Issue Date: June 1st, 2015 Replaces: New Issue SDS Number: HAC0013 - COL

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, yellow liquid

Odor: Chlorine pH: 13.5-14.5 Melting Point: Not Applicable Freezing Point: Not Available Boiling Point and Boiling Range: >100°C Flash Point (Test Method): Not Available Flammable Limits (% in air): Not Available Flammability: Not Available Vapor Pressure: Not Available Vapor Density: 1.15 g/ml

Relative Density: 9.18-10.01lbs/gal Solubility (ies): Soluble

Partition Coefficient:

Viscosity:

Other:

Not Available

Not Available

Not Available

10. STABILTY AND REACTIVITY

Reactivity: Not reactive

Chemical Stability: Stable under normal use and storage conditions

Possible Hazardous Reactions: Will not occur Conditions to Avoid: None known

Incompatible Materials: Incompatible with acids, ammonia and amines.

Hazardous Decomposition Products: Hazardous gases/vapors produced are chlorine gas, Hydrogen Chloride, and

phosphorus oxides.

11. TOXICOLOGICAL INFORMATION

Health Effects Information

Likely routes of exposure: Dermal, Inhalation, Ingestion

Symptoms of exposure: This product may cause irritation with discomfort, tearing or

blurred vision, eye corrosion with corneal or conjunctival ulceration, rash, skin burns or ulcerations, irritation of the upper respiratory tract with coughing or discomfort, corrosion to the mouth and upper gastrointestinal tract with abdominal discomfort,

nausea, severe paid, diarrhea and possible collapse.

Delayed, immediate and chronic effects of exposure: Not Available

Numerical Measures of Toxicity (Acute Toxicity/Irritation Studies)

Ingestion: Oral LD₅₀ (Rat): 365 mg/kg body weight (Potassium Hydroxide)

Oral LD₅₀ (Rat): >8910 mg/kg body weight (Sodium Hypochlorite)

Dermal: Dermal LD₅₀ (Rabbit): >7940 mg/kg body weight (Potassium Hydroxide)

Dermal LD₅₀ (Rabbit): >10000 mg/kg body weight (Sodium Hypochlorite)

Inhalation: Inhalation LC₅₀ (Rat,0.25 hour): 10.5 mg/L (Sodium Hypochlorite)

Eye Contact: Risk of Severe Damage to Eyes

Skin Contact: Sever Skin Irritation.

Skin Sensitization: Not a skin sensitizers, corrosive.

Product Name: **BIOSENTRY**® **CHLOR-A-FOAM**TM (**Colombia – English**)

Page 4 of 8

BioSentry® Chlor-A-FoamTM Product Name:

Issue Date: June 1st, 2015 Replaces: New Issue SDS Number: HAC0013 - COL

> Tetra potassium Pyrophosphate: The dry material may cause foreign body irritation in some

individuals. Prolonged contact with the dry material may cause drying or chapping of skin. Excessive inhalation of dust may be

annoying and can mechanically impede respiration.

Following repeated exposure (13 weeks) to this product in their

food, kidney damage with changes in body weight, food consumption, clinical parameters and organ weights were reported

at high dose levels in rats.

The compound is corrosive to skin and eyes, and is untested for

animal sensitization. Toxic effects described in animals from short

exposures by inhalation, ingestion, or skin contact include:

corrosion of mucosal surfaces.

No animal test reports are available to define carcinogenic,

mutagenic, developmental, or reproductive hazards.

The compound is not a DOT skin corrosive. A 30% aqueous solution is an eye irritant, but the powder is an eye corrosive. The

compound is untested for animal sensitization.

The effects in animals from acute, subchronic or chronic exposures

by inhalation or ingestion have not been determined.

No animal test reports are available to define carcinogenic, mutagenic, developmental, or reproductive hazards.

Lauryl Dimethyl Amine Oxide: Not a corrosive. Moderate to severe irritant under conditions of test.

Not a mutagen. Cell transformation was not induced. No indication

of carcinogenic potential under study conditions.

Sodium Polyacrylate: No significant effects in rats or dogs fed with resin as 5% of diet for

6 ½ months. No evidence of irritation or sensitization during human

patch testing.

The concentrated solution is corrosive to the skin, and a 5%

solution is a severe eye irritant, but the compound in untested for animal sensitization. Solutions containing more than 5% available

chlorine are classified as DOT corrosive.

Ingestion: Toxicity described in animals from single exposures include muscular weakness and hypoactivity. Repeated exposure in animals caused an increase in the relative weight of adrenal glands in one study, but no pathological changes were observed in two other studies. Long-term administration of the compound in drinking water of rats caused depression of the immune system. Skin: No adverse changes were observed in an eight week dermal

study of a 1% solution in guinea pigs.

Tests in animals demonstrate no carcinogenic activity by either the oral or dermal routes. Tests in bacterial and mammalian cell cultures demonstrate mutagenic activity. No animal test reports are

available to define developmental or reproductive hazards.

Potassium Hydroxide:

Potassium Silicate:

Sodium Hypochlorite:

Reproductive/Developmental Effects Not Available

Chronic/Subchronic Toxicity Studies Not Available.

Carcinogenicity

Unlikely to be carcinogenic.

Product Name: **BIOSENTRY**® **CHLOR-A-FOAM**TM (Colombia – English) Page 5 of 8

Product Name: BioSentry® Chlor-A-FoamTM

Issue Date: June 1st, 2015 Replaces: New Issue SDS Number: HAC0013 - COL

Other Toxicity Information

Systemically toxic concentrations of this product will probably not be absorbed through human skin.

No toxic effects are known to be associated with inhalation of dust from this material.

No irritation is likely to develop following contact with human eyes.

Irritation will probably not develop following contact with human skin.

Toxicity of Other Components

Not Applicable

Target Organs

Active Ingredients

Not Applicable

Inactive Ingredients

Not Applicable

12. ECOLOGICAL INFORMATION

Do not discharge effluent containing this product directly to water. Do not contaminate water when disposing of equipment wash water.

Eco-Acute Toxicity

Potassium Hydroxide: Mosquito Fish 96-hour EC₅₀ 80-85mg/L

Tetra potassium

Sodium Hypochlorite:

Pyrophosphate: Mysid Shrimp 96-hour EC₅₀ >100 mg/L

Rainbow Trout 96-hour EC₅₀ >100 mg/L

Daphnia Magna 48-hour EC_{50} >100 mg/L Fathead Minnows 96-hour EC_{50} 5.9 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal: Do not reuse empty container except for holding additional product.

Characteristic Waste: Not Applicable
Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Proper Shipping Name: Corrosive liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide)

Hazard Class: 8 UN Number: 3266 Packing Group: III

Label: Corrosive

Special Instructions: Consumer Commodity, OMR-D for packages 1 gallon or less

Product Name: **BIOSENTRY**® **CHLOR-A-FOAM**TM (**Colombia – English**)

Page 6 of 8

Product Name: BioSentry® Chlor-A-FoamTM

Issue Date: June 1st, 2015 Replaces: New Issue SDS Number: HAC0013 - COL

IMDG Classification

Proper Shipping Name: Corrosive liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide)

Hazard Class: 8
UN Number: 3266
Packing Group: III
Label: Corro

Label: Corrosive
Special Instructions: Not Applicable

IATA Classification

Proper Shipping Name: Corrosive liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide)

Hazard Class: 8
UN Number: 3266
Packing Group: III
Label: Corros

Label: Corrosive
Special Instructions: Not Applicable

Canadian Classification

Proper Shipping Name: Corrosive liquid, Basic, Inorganic, N.O.S. (Potassium Hydroxide)

Hazard Class: 8
UN Number: 3266
Packing Group: III
Label: Corrosive

Special Instructions: Corrosive
Not Applicable

15. REGULATORY INFORMATION

Pesticide Registration

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheers and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

Caution: Harmful if swallowed or absorbed through skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing. All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

Registration Number: Not Required

EPA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Not Applicable
California Proposition 65: Not Applicable

CERLA/SARA 302 Reportable Quantity (RQ): None

RCRA Hazardous Waste Classification (40 CFR 261): Not Applicable

TSCA Status: Exempt from TSCA, subject to FIFRA

Product Name: **BIOSENTRY**® **CHLOR-A-FOAM**TM (**Colombia – English**)

Page 7 of 8

Product Name: BioSentry® Chlor-A-FoamTM

Issue Date: June 1st, 2015 Replaces: New Issue SDS Number: HAC0013 - COL

16. OTHER INFORMATION

NFPA Hazard Ratings **HMIS Hazard Ratings** 0 - Minimal 1 - Slight Health: Health: Flammability: 0 Flammability: 2 - Moderate Instability: 1 Reactivity: 1 3 - Serious Other: Η 4 - Extreme * - Chronic

> For Non-Emergency Questions About This Product Call: 1-800-621-8829 Neogen Corporation Lexington, KY

BioSentry[®] is a Registered Trademark of BioSentry, Inc.; Used Under Exclusive License by Neogen Corporation. Chlor-A-FoamTM is a Trademark of Neogen Corporation

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT, HACCO, INC., THE MANUFACTURER OR THE SELLER MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF, INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING IT WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE.

THE PRODUCT COVERED BY THIS INFORMATION SHEET IS FURNISHED "AS IS" BY HACCO, INC., THE MANUFACTURER OR THE SELLER, AND IS SUBJECT ONLY TO THE WARRANTIES, IF ANY, THAT APPEAR ON THE PRODUCT'S LABEL OR ARE OTHERWISE EXPRESSLY PROVIDED HEREIN.

EXCEPT AS EXPRESSLY PROVIDED ON THE PRODUCT'S LABEL OR OTHERWISE PROVIDED HEREIN, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, ARE MADE BY HACCO, INC., THE MANUFACTURER OR THE SELLER WITH REGARD TO THE PRODUCT OR USE OF THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

EXCEPT AS EXPRESSLY STATED HEREIN, HACCO, INC., THE MANUFACTURER OR THE SELLER MAKES NO WARRANTY OF RESULTS TO BE OBTAINED BY USE OF THE PRODUCT COVERED BY THIS INFORMATION. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND THE TOTAL LIABILITY OF HACCO, INC., THE MANUFACTURER OR THE SELLER, SHALL BE LIMITED TO DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. NO AGENT OR EMPLOYEE OF HACCO, INC., THE MANUFACTURER OR THE SELLER IS AUTHORIZED TO AMEND THE TERMS OF THIS WARRANTY DISCLAIMER OR THE PRODUCT'S LABEL OR TO MAKE A REPRESENTATION OR RECOMMENDATION DIFFERENT FROM OR INCONSISTENT WITH THE LABEL OF THIS PRODUCT.

IN NO EVENT SHALL HACCO, INC., THE MANUFACTURER OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES AND THE BUYER AND USER WAIVE ANY RIGHT THEY MAY HAVE TO SUCH DAMAGES.

Product Name: **BIOSENTRY**® **CHLOR-A-FOAM**TM (Colombia – English)