

677-020

MATERIAL SAFETY DATA SHEET

Can-Vet Animal Health Supplies Ltd.
4-61 Malcolm Rd.
Guelph, ON N1K 1A7 519-822-5333

EN / FR

PRODUCT: BUGWACKER TALL (PCP# 23433)**Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

MANUFACTURER Can-Vet Animal Health Supplies Ltd.
4-61 Malcolm Rd.
Guelph, ON N1K 1A7

CANUTEC EMERGENCY #:1-613-996-6666(24HR)

PRODUCT NAME..... BUGWACKER TALL
CHEMICAL FAMILY..... PYRETHRINS/PIPERONYL BUTOXIDE.
MOLECULAR WEIGHT..... NOT APPLICABLE.
CHEMICAL FORMULA..... NOT APPLICABLE.
TRADE NAMES & SYNONYMS..... BUGWACKER TALL
PRODUCT USES..... INSECTICIDE.
FORMULATION NUMBER..... 012-5-65.
FORMULA/LAB BOOK #..... FX 04-002.

Section 02: COMPOSITION/INFORMATION INGREDIENTS

Hazardous Ingredients	%	Exposure Limit	C.A.S.#	LD/50 Route, Species	LC/50 Route, Species
PYRETHRINS	0.500	5 mg/m3	8003-34-7	1680 mg/kg ORAL - RAT	NOT AVAILABLE
PIPERONYL BUTOXIDE	4.000	NOT AVAILABLE	51-03-6	4.6 g/kg ORAL-RAT	>5.9 mg/l
PETROLEUM DISTILLATES	40-70	1200 mg/m3	64741-65-7	7600 mg/kg ORAL-RAT	5.9 mg/l (4Hr) INHAL-RAT
ISOBUTANE	10-30	1000 ppm	75-28-5	NOT APPLICABLE	142,500 ppm (4h) INHAL - RAT
PROPANE	10-30	1000 ppm	74-98-6	NOT APPLICABLE	NOT AVAILABLE

Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY:

INGESTION..... MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS.
INHALATION..... INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIAN.
EYE CONTACT..... VAPORS MAY IRRITATE.
SKIN ABSORPTION..... NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.
SKIN CONTACT..... MAY CAUSE IRRITATION.
EFFECTS OF ACUTE EXPOSURE..... DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES.
EFFECTS OF CHRONIC EXPOSURE..... SOLVENTS MAY CAUSE DEFATTING DERMATITIS .
EXPOSURE LIMIT OF MATERIAL..... SEE SECTION 2.

Section 04: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR.
IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

Section 05: FIRE FIGHTING MEASURES

AUTO IGNITION TEMPERATURE (°C)..... NOT AVAILABLE.
SPECIAL PROCEDURES..... WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.

FLAMMABILITY..... EXTREMELY FLAMMABLE.
IF YES, UNDER WHICH CONDITIONS?..... EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
UPPER FLAMMABLE LIMIT..... 9.5. (% BY VOLUME)
LOWER FLAMMABLE LIMIT..... 0.6. (% BY VOLUME)
EXPLOSION DATA
SENSITIVITY TO STATIC DISCHARGE..... NOT APPLICABLE.
SENSITIVITY TO IMPACT..... NOT APPLICABLE.
HAZARDOUS COMBUSTION PRODUCTS..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.

AEROSOL FLAME PROJECTION
CLASSIFIED AS:..... >45cm.
FLASHBACK..... NONE.
FLASH POINT(°C),TAG CLOSED-CUP >43.
(CONCENTRATE)

Section 06: ACCIDENTAL RELEASE MEASURES

LEAK/SPILL..... REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE.

Section 07: HANDLING AND STORAGE

STORAGE NEEDS..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.
ENGINEERING CONTROLS..... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS).
HANDLING PROCEDURES AND EQUIPMENT..... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.
SYNERGISTIC MATERIALS..... NONE KNOWN.

Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

GLOVES/ TYPE..... NOT NORMALLY REQUIRED.
RESPIRATORY/TYPE..... NOT NORMALLY REQUIRED.
EYE/TYPE..... SAFETY GLASSES.
FOOTWEAR/TYPE..... NOT NORMALLY REQUIRED.
OTHER/TYPE..... NOT REQUIRED.

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE..... AEROSOL.
APPEARANCE..... CLEAR YELLOW LIQUID.
ODOR..... PYRETHRIN.
ODOR THRESHOLD..... NOT AVAILABLE.
VAPOUR PRESSURE(PSIG)-AEROSOL..... 48-58. @ 20 C
BOILING POINT (°C)(CONC)..... 178.
EVAPORATION RATE..... LESS THAN 1. n-BUTYL ACETATE = 1
VAPOUR DENSITY (AIR=1)..... GREATER THAN 1. (BY WEIGHT)
SOLUBILITY IN WATER g/L (20°C)..... NEGLIGIBLE.
pH..... NOT APPLICABLE.
SPECIFIC GRAVITY (LIQUID)..... 0.79-0.83.
COEFFICIENT OF WATER/OIL DIST..... NOT AVAILABLE.
FREEZING POINT: (°C)..... NOT AVAILABLE.
AEROSOL PERCENT VOLATILE..... 93-94. (BY WEIGHT).
SPECIFIC GRAVITY (AEROSOL)..... 0.67-0.71.

Section 10: STABILITY AND REACTIVITY

HAZARDOUS PRODUCTS OF DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE.
CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.
CHEMICAL STABILITY: YES..... UNDER NORMAL CONDITIONS.
NO, WHICH CONDITIONS?..... NOT APPLICABLE.
COMPATIBILITY WITH OTHER SUBSTANCES:
NO, WHICH ONES?..... STRONG OXIDIZING AGENTS.
REACTIVITY CONDITIONS?..... NOT APPLICABLE.

Section 11: TOXICOLOGICAL INFORMATION

REPRODUCTIVE EFFECTS..... NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE
EFFECTS ARE ANTICIPATED.
IRRITANCY OF MATERIAL..... SLIGHT.
SENSITIZING CAPABILITY OF MATERIAL..... UNKNOWN.
CARCINOGENICITY OF MATERIAL..... THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS
CARCINOGENS BY NTP,
(NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA,
(OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED
BY IARC, (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH
(AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS).
TERATOGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC
EFFECTS ARE
ANTICIPATED.
MUTAGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC
EFFECTS ARE
ANTICIPATED.

Section 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL..... NOT AVAILABLE.

Section 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY.
DISPOSE OF IN
ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

Section 14: TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY (AEROSOLS, UN1950, CLASS 2.1).
D.O.T. CLASSIFICATION..... CONSUMER COMMODITY, ORM-D.

Section 15: REGULATORY INFORMATION

CANADIAN REGULATIONS:

WHMIS CLASSIFICATION..... NOT REGULATED BY WHMIS.
CNFC SECTION 3.3.5..... LEVEL 3.
CEPA (Canadian Environmental Protection Act) ALL SUBSTANCES IN THIS PRODUCT ARE LISTED ON THE CANADIAN DOMESTIC SUBSTANCES LIST (DSL) OR ARE NOT REQUIRED TO BE LISTED.
U.S. REGULATIONS:

HMIS RATING HEALTH..... 2 MODERATE HAZARD.
HMIS RATING FLAMMABILITY..... 4 SEVERE HAZARD.
HMIS RATING REACTIVITY..... 0 MINIMAL HAZARD.
HMIS RATING PERSONAL PROTECTION..... B.
NFPA CODE 30B..... LEVEL 3.
SARA 313 INFORMATION:..... THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: .
CAS #: CHEMICAL NAME: .
*51-03-6 PIPERONYL BUTOXIDE.
CALIFORNIA PROPOSITION 65:..... THE FOLLOWING STATEMENT IS MADE IN ORDER TO COMPLY WITH THE CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986: .
WARNING: THIS PRODUCT DOES NOT INTENTIONALLY CONTAIN ANY CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.
. CAS #: CHEMICAL NAME:
. N/A.
TSCA (Toxic Substances Control Act)..... ALL COMPONENT OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY. ANY IMPURITIES PRESENT IN THIS PRODUCT ARE EXEMPT FROM LISTING.
VOC (w/w%)..... 93-94.

Section 16: OTHER INFORMATION

NOTICE FROM KG PACKAGING INC THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY K-G PACKAGING INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. K-G PACKAGING INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.
PREPARED BY..... Trevor Grant
PREPARATION DATE Jan 1 , 2015

FICHE SIGNALÉTIQUE

Can-Vet Animal Health Supplies Ltd.
4-61 Malcolm Rd.
Guelph, ON N1K 1A7 519-822-5333

PRODUIT: BUCKWACKER TALL (PCP# 23433)

Section 01: IDENTIFICATION DU PRODUIT CHIMIQUE ET DE LA SOCIÉTÉ

FABRICANT..... Can-Vet Animal Health Supplies Ltd.
4-61 Malcolm Rd.
Guelph, ON N1K 1A7
CANUTEC EMERGENCY #:1-613-996-6666(24HR)
NOM DE PRODUIT..... BUCKWACKER TALL
FAMILLE CHIMIQUE..... PYRETHRINS/BUTOXYDE DE PIPERONYLE.
POIDS MOLECULAIRE..... NON APPLICABLE.
FORMULE CHIMIQUE..... NON APPLICABLE.
NOMS DE MARQUE ET SYNONYMES..... BUCKWACKER TALL
USAGE DE PRODUIT..... INSECTICIDE.
NO FORMULE..... 012-5-65.
LIVRE DE FORMULA/LAB #..... FX 04-002.

Section 02: COMPOSITION/INGREDIENTS SUR LES COMPOSANTS

INGREDIENTS DANGEREUX	%	LIMITES D'EXP	C.A.S.#	DL/50, VOIE, ESPECE	CL/50 VOIE, ESPECE
PYRETHRINS	0.500	5 mg/m3	8003-34-7	1680 mg/kg ORAL - RAT	NOT AVAILABLE
BUTOXYDE DE PIPERONYLE	4.000	NOT AVAILABLE	51-03-6	4.6 g/kg ORAL-RAT	>5.9 mg/l
DISTILLAT DE PETROLE	40-70	1200 mg/m3	64741-65-7	7600 mg/kg ORAL-RAT	5.9 mg/l (4Hr) INHAL-RAT
ISOBUTANE	10-30	1000 ppm	75-28-5	NOT APPLICABLE	142,500 ppm (4h) INHAL - RAT
PROPANE	10-30	1000 ppm	74-98-6	NOT APPLICABLE	NOT AVAILABLE

Section 03: IDENTIFICATION DES DANGERS

VOIE DE PENETRATION INGESTION..... PEUT CAUSER DES MAUX DE TÊTE, DES NAUSEES, DES VOMISSEMENTS ET DES FAIBLESSES.
INHALATION AIGUE..... IRRITE LES VOIES RESPIRATOIRES. AGENT(S) DE PROPULSION - SIMPLE ASPHYXIANT.
CONTACT AVEC LES YEUX..... LES VAPEURS PEUVENT IRRITER.
ABSORPTION PAR LA PEAU..... AUCUNE DONNEES DISPONIBLE POUR LE MELANGE DE CE PRODUIT.
CONTACT AVEC LA PEAU..... IRRITATION LEGERE.
EFFETS D'EXPOSITION AIGUE..... VERTIGES, NAUSEES. IRRITATION DES YEUX ET DE LA PEAU.
EFFETS D'EXPOSITION CHRONIQUE..... LES SOLVANTS PEUVENT CAUSER UNE DERMITE DE CONTACT.
LIMITE D'EXPOSITION DU PRODUIT..... VOIR SECTION II.

Section 04: PREMIER SOINS

PREMIERS SECOURS EN CAS CONTACT AVEC LES YEUX: Rincer les yeux à grande eau pendant au moins 15 d'URGENCE/URGENCE MINUTES ET CONSULTER UN MEDECIN. CONTACT AVEC LA PEAU: Laver la peau atteinte à l'eau et au savon doux. INHALATION: SORTIE LA VICTIME AU GRAND AIR.
INGESTION:
NE PAS FAIRE VOMIR. OBTENIR IMMEDIATEMENT DES SOINS MEDICAUX.

Section 05: MESURES DE LUTTE CONTRE L'INCENDIE

TEMPERATURE D'AUTO IMFLAMMATION..... NON DISPONIBLE.
PROCEDURES SPECIALES..... ON PEUT UTILISER L'EAU PROVENANT DES GICLEURS DE
PULVERISATION POUR REFROIDIR
LES CONTENANTS FERMES ET EMPECHER UN AUGMENTATION DE LA PRESSION LORS DE
L'EXPOSITION A DES TEMPERATURES EXTREMES. PORTER UN APPAREIL RESPIRATOIRE
AUTONOME ET DES VETEMENTS DE PROTECTION.
INFLAMMABILITE..... HAUTEMENT INFLAMMABLE.
SI OUI, SOUS QUELLES CONDITIONS?..... CHALEUR EXCESSIVE, ETINCELLES ET FLAMMES.
MOYENS D'EXTINCTION..... DIOXYDE DE CARBONE, POUDRE CHIMIQUE, MOUSSE.
SEUIL MAXIMAL D'INFLAMMABILITE..... 9.5.
(% VOLUME)
SEUIL MINIMAL D'IMFLAMMABILITE..... 0.6.
(% VOLUME)
DONNEES SUR LES RISQUE D'EXPLOSION.
SENSIBILITE AUX DECHARGES STATIQUES..... NON APPLICABLE.
SENSIBILITE AUX CHOCS..... NON APPLICABLE.
PRODUITS DE COMBUSTION DANGEREUX..... VAPEUR ET FUMEE D'HYDROCARBURES.
MONOXYDE DE CARBONE LORSQUE LA COMBUSTION EST INCOMPLETE.
PROJECTION DE LA FLAMME- AEROSOL
EST CLASSEE COMME:..... >45cm.
RETOUR DE FLAMME..... NON.
POINT D'ECLAIR (C), VASE CLOS DE >43.
TAGLIABUE(CONCENTRE)

Section 06: MESURES DE DÉCHARGEMENT ACCIDENTEL

PROCEDURES DE NETTOYAGE ELOIGNER TOUTE SOURCE D'IGNITION. UTILISER UN MATERIAU
ABSORBANT INERTE ET FUITE/DEVERSEMENT DES OUTILS QUI NE PRODUISENT PAS D'ETINCELLES. EVITER
D'INHALER LES VAPEURS. AERER L'ENDROIT. EMPECHER L'ACCES AUX COURS D'EAU.

Section 07: MANUTENTION ET ENTREPOSAGE

CONDITIONS D'ENTREPOSAGE..... GARDER A L'ECART DES SOURCES DE CHALEUR, ETINCELLES, OU
FLAMMES.
CONTROLES D'INGENIERIE..... VENTILATION - LOCALE (MECANIQUE LORS DE L'UTILISATION A
L'INTERIEUR DE FACON CONTINUE.
PRECAUTIONS A PRENDRE POUR LA RANGER DANS UN ENDROIT FRAIS ET BIEN AERE, DONT LA
TEMPERATURE D'EXCEDE PAS MANUTENTION ET L'ENTREPOSAGE 50 DEG C.
MATIERES SYNERGIQUES..... AUCUN CONNU.

Section 08: PROTECTION DE L'EXPOSITION CONTROLS/PERSONAL

GANTS/TYPE..... HABITUELLEMENT PAS EXIGE.
RESPIRATOIRE/TYPE..... HABITUELLEMENT PAS EXIGE.
YEUX/TYPE..... VERRES DE SECURITE.
CHAUSSURES/TYPE..... PAS NORMALEMENT REQUIS.
AUTRE/TYPE..... NON REQUIS(E).

Section 09: PROPRIETES PHYSIQUES ET CHIMIQUES

ETAT PHYSIQUE..... AEROSOL.
APPARENCE..... LIQUIDE JAUNE CLAIR.
ODEUR..... PYRETHRINE.
SEUIL DE L'ODEUR..... NON DISPONIBLE.
PRESSION DE VAPEUR(PSIG)(AER)..... 48-58. @ 20 C
POINT D'EBULLITION..... 178.
TAUX D'EVAPORATION..... MOINS DE 1. ACETATE DE BUTYLE NORMALE
DENSITE DE VAPEUR (AIR=1)..... PLUS DE 1. (PAR POIDS)
SOLUBILITE DANS L'EAU g/L (20 °C)..... NEGLIGEABLE.
pH..... NON APPLICABLE.
DENSITE (LIQUIDE)..... 0.79-0.83.
COEFFICIENT DE REPARTITION EAU/HUILE..... NON DISPONIBLE.
POINT DE CONGELATION:(°C)..... NON DISPONIBLE.
% DE LA VOLATILITE DE AEROSOL..... 93-94. (PAR POIDS)
DENSITE (AEROSOL)..... 0.67-0.71.

Section 10: STABILITE ET REACTIVITE

PRODUITS DANGEREUX DE
DECOMPOSITION..... VAPEURS ET FUMEE D'HYDROCARBURES. MONOXYDE DE CARBONE
LORSQUE LA COMBUSTION EST INCOMPLETE.
STABLE CHIMIQUEMENT: OUI..... SOUS DES CONDITIONS NORMALES.
NON, QUELLES CONDITIONS?..... NON APPLICABLE.
COMPATIBILITE AVEC D'AUTRES SUBSTANCES.
NO, LESQUELLES?..... OXYDANTS PUISSANTS.
REACTIVITE, SOUS QUELLES CONDITIONS?..... NON APPLICABLE.

Section 11: RENSEIGNEMENTS SUR LA TOXICITE

EFFETS DE REPRODUCTION..... AUCUNE INFORMATION N'EST DISPONIBLE ET AUCUN EFFET NUISIBLE
SUR LA REPRODUCTION N'EST PRESUME.
IRRITATION DU PRODUIT..... PEU CONSIDERABLE.
CAPACITE DE SENSIBILISATION DU PRODUIT.. INCONNU(E).
CANCEROGENICITE DU PRODUIT..... LES ELEMENTS CONSTITUTIFS DE CE PRODUIT NE SONT PAS INSCRITS
COMME
CANCEROGENES PAR LE NTP (NATIONAL TOXICOLOGY PROGRAM). ILS NE SONT PAS REGLEMENTES COMME TELS
PAR L'OSHA (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION) ET N'ONT PAS ETE EVALUES PAR LE CIRC
(CENTRE INTERNATIONAL DE RECHERCHE SUR LE CANCER) NI PAR L'ACGIH (AMERICAN CONFERENCE OF
GOVERNMENTAL INDUSTRIAL HYGIENISTS).
TERATOGENESE..... AUCUNE INFORMATION N'EST DISPONIBLE ET AUCUN EFFET
TERATOGENE NUISIBLE N'EST PRESUME.
MUTAGENESE..... AUCUNE INFORMATION N'EST DISPONIBLE ET AUCUN EFFET MUTAGENE
NUISIBLE N'EST PRESUME.

Section 12: RENSEIGNEMENTS ECOLOGIQUE

ENVIRONMENTAL..... NON DISPONIBLE.

Section 13: DECHETS

METHODE D'ELIMINATION..... NE PAS PERFORER OU JETER LES CONTENANTS AU FEU, MEME VIDES.
ELIMINER CONFORMEMENT A LA REGLEMENTATION LOCALE, PROVINCIALE ET FEDERALE.

Section 14: L'INFORMATION DE TRANSPORT

CLASSIFICATION DU T.M.D..... BIEN DE CONSOMMATION (AEROSOLS, UN1950, CLASS 2.1).
D.O.T. CLASSIFICATION..... BIEN DE CONSOMMATION, ORM-D.

Section 15: LEGISLATION

RÈGLEMENTS CANADIENS

CLASSIFICATION SIMDUT..... NON RÉGLÉ PAR WHMIS.
CNFC SECTION 3.3.5..... NIVEAU 3.
CEPA (Loi Canadienne De Protection TOUTES LES SUBSTANCES DANS CE PRODUIT SONT ÉNUMÉRÉES SUR
LA LISTE
D'Enviromental) CANADIENNE DE SUBSTANCES DE DOMISTIC (DSL) OU NE SONT PAS EXIGÉES POUR ÊTRE
ÉNUMÉRÉES.
RÈGLEMENTS U.S.

NIVEAU DE HMIS - SANTE..... 2 HASARD MOYEN.
NIVEAU DE HMIS - INCENDIE..... 4 HASARD SEVERE.
NIVEAU DE HMIS - REACTIVITE..... 0 HASARD MINIMUM.
HMIS ÉVALUANT LA PROTECTION B.
PERSONNELLE
NFPA CODE 30B..... NIVEAU 3.
L'INFORMATION DE SARA 313 :..... CE PRODUIT CONTIENT LES SUBSTANCES SUIVANTES SUJET AUX
CONDITIONS DE REPORTAGE DE LA SECTION 313 DU TITRE III DES AMENDEMENTS DE SUPERFUND ET DE
L'ACTE DE REAUTHORIZATION DE LA PARTIE 372 DE 1986 ET 40 CFR : CAS # : NOMMÉ CHIMIQUE : *51-03-6 PIPERONYL
BUTOXIDE. CALIFORNIA PROPOSITION 65:..... LE RAPPORT SUIVANT EST FAIT AFIN D'ÊTRE CONFORME À
L'EAU POTABLE SÛRE DE LA CALIFORNIE ET À L'ACTE TOXIQUE D'APPLICATION DE 1986 : AVERTISSEMENT : CE
PRODUIT NE CONTIENT INTENTIONNELLEMENT AUCUN PRODUIT CHIMIQUE CONNU DE L'ÉTAT DE LA CALIFORNIE
POUR CAUSER LE CANCER, LES DÉFAUTS DE NAISSANCE OU TOUT AUTRE MAL REPRODUCTEUR. CAS # : NOMMÉ
CHIMIQUE : N/A. TSCA (Acte Toxique De Commande De Substances TOUT LE COMPOSANT DE CE PRODUIT SONT
ÉNUMÉRÉS SUR LE INVENTAIRE DE TSCA. des) TOUTES LES IMPURETÉS ACTUELLES DANS CE PRODUIT SONT
EXEMPTES DE LA LISTE. VOC (w/w%)..... 93-94.

Section 16: AUTRE RENSEIGNEMENTS

NOTICE DE KG PACKAGING INC LES RENSEIGNEMENTS FIGURANT SUR LA PRESENTE FICHE
SIGNALETIQUE SONT FOURNIS GRATUITEMENT PAR K-G PACKAGING INC. BIEN QUE NOUS LES CROYONS
FIABLES, ILS S'ADRESSENT A DES PERSONNES QUALIFIEES QUI S EN SERVENT A LEURS PROPRES RISQUES. K-G
PACKAGING INC. N ASSUME AUCUNE RESPONSABILITE QUANT AUX EVENEMENTS QUI PEUVENT SE PRODUIRE OU
AUX DOMMAGES QUI PEUVENT DECOULER DE LEUR UTILISATION. LES RENSEIGNEMENTS QUI APPARAISSENT SUR LA
PRESENTE FICHE SIGNALETIQUE NE SE RAPPORTENT QU AU PRODUIT DESIGNE SUR CELLE-CI ET NE S'APPLIQUENT
PAS A NUE UTILISATION AVEC D'AUTRES SUBSTANCES OU DANS AUTRES PROCEDES.

PREPARE PAR..... Trevor Grant
PREPARATION DATE Jan 1 , 2015