# Biosolve™ Plus



Version **Revision Date:** SDS Number: Date of last issue: 09/29/2020 10/14/2020 203000013996 Country / Language: CA / EN 1.1

#### **SECTION 1. IDENTIFICATION**

Product name Biosolve™ Plus

Product code 000000000062012436

Other means of identification : No data available

Manufacturer or supplier's details

Company LANXESS Canada Co.

Product Safety and Regulatory Affairs

25 Erb Street

Elmira, Canada N3B 2J3

: YLXS-YADD00000000052 Responsible Department

+1800LANXESS

Emergency telephone number : In an emergency, CANUTEC may be called collect at:

613.996.6666 (24 hrs) \*666 cellular (Canada only)

Recommended use of the chemical and restrictions on use

Recommended use : Cleaning agent

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations (WHMIS 2015).

Skin corrosion : Category 1

Serious eye damage Category 1

Skin sensitisation Sub-category 1B

Specific target organ toxicity

- single exposure (Inhalation)

Category 1 (Respiratory Tract)

Specific target organ toxicity

- repeated exposure (Inhala-

tion)

: Category 2 (Respiratory Tract)

**GHS** label elements

Hazard pictograms







# Biosolve™ Plus



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/29/2020

 1.1
 10/14/2020
 203000013996
 Country / Language: CA / EN

Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Causes damage to organs (Respiratory Tract) if inhaled. May cause damage to organs (Respiratory Tract) through pro-

longed or repeated exposure if inhaled.

Precautionary statements : Prevention:

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the

workplace.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

IF exposed or concerned: Call a POISON CENTER/ doctor. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Solution of sodium hydroxide in water.

and

Sodium salts

Components

	Chemical name	CAS-No.	Concentration (% w/w)
--	---------------	---------	-----------------------





Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

sodium hydroxide	1310-73-2	>= 5 - < 10
tetrasodium ethylenediaminetetraace-	64-02-8	>= 1 - < 5
tate		
Ethoxylated branched C9-11, C10-	78330-20-8	>= 1 - < 5
rich alcohols		
Coconut oil amidopropyl betaine	61789-40-0	>= 1 - < 5

Actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled : Get medical attention immediately.

Call a physician or poison control centre immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing

apparatus.

If not breathing, if breathing is irregulor or respiratory arrest occurs, provide artifical respiration, or oxygen by a trained

professional, using a pocket type respirator.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire,

symptoms may be delayed.

The exposed person may need to be kept under medical sur-

veillance for 48 hours.

In case of skin contact : Get medical attention immediately.

Call a physician immediately.

Immediately flush skin with large amounts of water.

Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes.

Chemical burns must be treated promptly by a physician.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In the event of any complaints or symptoms, avoid further

exposure.

In case of eye contact : Get medical attention immediately.

Call a physician.

Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids.

Remove contact lenses.

Continue to rinse for at least 10 minutes.

# Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

Chemical burns must be treated promptly by a physician.

If swallowed : Get medical attention immediately.

Call a physician immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If conscious, drink plenty of water.

Stop if the exposed person feels sick as vomiting may be

dangerous.

Do not induce vomiting unless directed to do by medical per-

sonnel.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Rinse mouth with water.

### Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Corrosive with symptoms of reddening, tearing, swell-

ing, burning and possible permanent damage.

Skin: Reddening, burning, and possible permanent damage. Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels. Inhalation: Causes respiratory tract burns.

Burns to the respiratory tract can cause swelling that could require a tracheotomy. Pulmonary edema may be delayed for several hours up to several days. Many hydrofluoric acid fatalities have been due to severe pulmonary edema. Toxic effects can also include depletion of calcium in the body,

which can result in death if not treated.

Effects : May cause an allergic skin reaction.

Causes serious eye damage.

Causes damage to organs if inhaled.

May cause damage to organs through prolonged or repeated

exposure if inhaled. Causes severe burns.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

# Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

cumstances and the surrounding environment.

In case of fire, use water spray (fog), foam, dry chemical or

CO<sub>2</sub>.

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

In a fire or if heated, a pressure increase will occur and the

container may burst.

Hazardous combustion prod: :

ucts

Metal oxides

Carbon dioxide (CO2)
Carbon monoxide
Nitrogen oxides (NOx)
Halogenated compounds

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment:

for firefighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

Do not touch or walk through spilled material. Do not breathe vapours or spray mist.

Provide adequate ventilation.

Put on appropriate personal protection equipment.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Move containers from spill area.

Wash spillages into an effluent treatment plant or proceed as

follows.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

5/17

# Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

Keep people away from and upwind of spill/leak.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling : Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking

and smoking.

Remove contaminated clothing and protective equipment be-

fore entering eating areas. Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in

use.

Empty containers retain product residue; observe all precau-

tions for product.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Store locked up.

Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

Do not store near acids.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
-		(Form of	ters / Permissible	
		exposure)	concentration	
sodium hydroxide	1310-73-2	С	2 mg/m3	CA QC OEL
		С	2 mg/m3	ACGIH

**Engineering measures** : Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

# Biosolve™ Plus



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/29/2020

 1.1
 10/14/2020
 203000013996
 Country / Language: CA / EN

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

A NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used to minimize

exposure.

Hand protection

Material : Permeation resistant gloves.

Eye protection : Chemical resistant goggles must be worn.

If inhalation hazards exist, a full-face respirator may be re-

quired instead.

Skin and body protection : Permeation resistant clothing and foot protection.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Liquid, viscous

Colour : blue

Odour : strong, aliphatic

Odour Threshold : No data available

pH : 13 - 14

Melting point/range : 0 °C

Boiling point/boiling range : 100 °C

(1,013 hPa)

Flash point : > 93 °C

Method: Pensky-Martens., closed cup

7 / 17

# Biosolve™ Plus



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/29/2020

 1.1
 10/14/2020
 203000013996
 Country / Language: CA / EN

Evaporation rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 21.33 hPa (25 °C)

Relative density : 1.13

Density : 1.12 - 1.14 g/cm3 (20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Metal corrosion rate : Not corrosive to metals

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : No specific data.

8 / 17

# Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

Incompatible materials : Incompatible with acids and bases.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

The most important known symptoms and effects are described in Section 2 and/or Section 4.

### Information on likely routes of exposure

Inhalation Eye contact Skin contact Ingestion

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 40 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

### **Components:**

### tetrasodium ethylenediaminetetraacetate:

Acute oral toxicity : LD50 (Rat): 1,658 mg/kg

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation.

#### Ethoxylated branched C9-11, C10-rich alcohols:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Coconut oil amidopropyl betaine:

Acute oral toxicity : LD50 (Rat): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

9 / 17

# Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

Skin corrosion/irritation

Causes severe burns.

Product:

Result : Corrosive after 4 hours or less of exposure

**Components:** 

sodium hydroxide:

Species : Rabbit

Result : Causes severe burns.

tetrasodium ethylenediaminetetraacetate:

Species : Rabbit

Result : No skin irritation

Coconut oil amidopropyl betaine:

Remarks : Irritant

Serious eye damage/eye irritation

Causes serious eye damage.

**Product:** 

Result : Corrosive

**Components:** 

sodium hydroxide:

Species : Rabbit

Result : Risk of serious damage to eyes.

tetrasodium ethylenediaminetetraacetate:

Species : Rabbit

Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Ethoxylated branched C9-11, C10-rich alcohols:

Result : Risk of serious damage to eyes.

Coconut oil amidopropyl betaine:

Remarks : Irritant

# Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

### Respiratory sensitisation

Not classified based on available information.

### Components:

### tetrasodium ethylenediaminetetraacetate:

Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

### Coconut oil amidopropyl betaine:

Exposure routes : Skin contact

Result : The product is a skin sensitiser, sub-category 1B.

Remarks : Sensitising

### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

### sodium hydroxide:

Genotoxicity in vitro : Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mammalian-Animal Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

#### tetrasodium ethylenediaminetetraacetate:

Genotoxicity in vitro : Test Type: Ames test

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

## Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 10/14/2020 203000013996 Country / Language: CA / EN 1.1

#### STOT - single exposure

Causes damage to organs (Respiratory Tract) if inhaled.

**Product:** 

Exposure routes : Inhalation

Target Organs : Respiratory Tract

Assessment The substance or mixture is classified as specific target organ

toxicant, single exposure, category 1.

### STOT - repeated exposure

May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

### Components:

### tetrasodium ethylenediaminetetraacetate:

: Inhalation Exposure routes

: Respiratory Tract Target Organs

Assessment : May cause damage to organs through prolonged or repeated

exposure.

### **Aspiration toxicity**

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

### **Components:**

sodium hydroxide:

Toxicity to fish : LC50 (Trout): 45.4 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity This product has no known ecotoxicological effects.

tetrasodium ethylenediaminetetraacetate:

: LC50 (Lepomis macrochirus (Bluegill sunfish)): 121 mg/l Toxicity to fish

> Exposure time: 96 h Remarks: Fresh water

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 610 mg/l

Exposure time: 24 h

Method: ISO 6341

Print Date: 10/19/2023

## Biosolve™ Plus



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/29/2020

 1.1
 10/14/2020
 203000013996
 Country / Language: CA / EN

Remarks: Fresh water

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h Remarks: Fresh water

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): > 25.7 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 25 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Fresh water

### Persistence and degradability

### **Components:**

sodium hydroxide:

Biodegradability : Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

#### tetrasodium ethylenediaminetetraacetate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 10 % Exposure time: 28 d

Method: OECD Test Guideline 302B

## Ethoxylated branched C9-11, C10-rich alcohols:

Biodegradability : Result: Readily biodegradable.

### **Bioaccumulative potential**

## **Components:**

#### tetrasodium ethylenediaminetetraacetate:

Bioaccumulation : Bioconcentration factor (BCF): 1.8

#### Mobility in soil

No data available

#### Other adverse effects

No data available

Print Date: 10/19/2023

## Biosolve™ Plus



Version **Revision Date:** SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulations

IATA-DGR

UN/ID No. UN 1824

Sodium hydroxide solution Proper shipping name

Class 8 Packing group Ш 8

Labels

Packing instruction (cargo 855: 30.00 L

aircraft)

Packing instruction (passen-

ger aircraft)

851: 1.00 L

**IMDG-Code** 

**UN** number UN 1824

SODIUM HYDROXIDE SOLUTION Proper shipping name

Class 8 Packing group Ш Labels 8

EmS Code F-A, S-B Marine pollutant no

Print Date: 10/19/2023

# Biosolve™ Plus



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 09/29/2020

 1.1
 10/14/2020
 203000013996
 Country / Language: CA / EN

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

**TDG** 

UN number : UN 1824

Proper shipping name : SODIUM HYDROXIDE SOLUTION

Class : 8
Packing group : II
Labels : 8

ERG Code : 154 Marine pollutant : no

Hazard and Handling Notes. : Corrosive., Keep away from foodstuffs, acids and alkalis

## Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

NPRI Components : formaldehyde

Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-,

aminosulfonyl sulfo derivs., sodium salts

ethane-1,2-diol (Aerosol)

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

### **Canadian lists**

No substances are subject to a Significant New Activity Notification.


## Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

#### **Further information**

### NFPA:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / C : Ceiling limit CA QC OEL / C : Ceiling

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx -Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No

## Biosolve™ Plus



Version Revision Date: SDS Number: Date of last issue: 09/29/2020 1.1 10/14/2020 203000013996 Country / Language: CA / EN

Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 10/14/2020

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.