PRODUCT NAME: Biosolve AFC

AS SOLD BY VETOQUINOL CANADA

A Service of



Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

SECTION 1. IDENTIFICATION

Product name : Biosolve™ AFC

Material number : 62012492

Recommended use : Cleaning agent

Manufacturer or supplier's details

Supplier : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive PittsburghPA 15275-1112

USA

Telephone : +1800LANXESS

+14128091000 (international)

Emergency telephone : Chemtrec 1-800-424-9300

International 1-703-527-3887

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations (WHMIS 2015).

Skin corrosion : Category 1

Serious eye damage : Category 1

Skin sensitization : Sub-category 1B

Specific target organ system: :

ic toxicity - single exposure

(Inhalation)

Category 1 (Respiratory Tract)

GHS label elements

Hazard pictograms :







Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Causes damage to organs (Respiratory Tract) if inhaled.

Precautionary Statements : Prevention:

Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF exposed or concerned: Call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Cleaning agent, based on, Aqueous solution, of, Acids

Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Sulphamic acid	5329-14-6	>= 10 - < 20
Phosphoric acid	7664-38-2	>= 5 - < 10
Ethoxylated branched C9-11, C10-rich al-	78330-20-8	>= 1 - < 3
cohols		
Glycolic Acid	79-14-1	>= 1 - < 3
Coconut oil amidopropyl betaine	61789-40-0	>= 1 - < 5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : Call a physician or poison control center immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

apparatus.

If not breathing, if breathing is irregulor or respiratory arrest occurs, provide artifical respiration, or oxygen by a trained

professional, using a pocket type respirator.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire,

symptoms may be delayed.

The exposed person may need to be kept under medical sur-

veillance for 48 hours.

In case of skin contact : Call a physician immediately.

Immediately flush skin with large amounts of water.

Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes.

Chemical burns must be treated promptly by a physician.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In the event of any complaints or symptoms, avoid further

exposure.

In case of eye contact : Call a physician.

Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids. Remove contact lenses.

Continue to rinse for at least 10 minutes.

Chemical burns must be treated promptly by a physician.

If swallowed : Call a physician immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If conscious, drink plenty of water.

Stop if the exposed person feels sick as vomiting may be

dangerous.

Do not induce vomiting unless directed to do by medical per-

sonnel.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Rinse mouth with water.

Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Corrosive with symptoms of reddening, tearing, swell-

ing, burning and possible permanent damage.

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

Skin: Reddening, burning, and possible permanent damage. Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels. Inhalation: Causes respiratory tract burns.

Burns to the respiratory tract can cause swelling that could require a tracheotomy. Pulmonary edema may be delayed for several hours up to several days. Many hydrofluoric acid fatalities have been due to severe pulmonary edema. Toxic effects can also include depletion of calcium in the body,

which can result in death if not treated.

Effects : May cause an allergic skin reaction.

Causes serious eye damage.

Causes damage to organs if inhaled.

Causes severe burns.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

In case of fire, use water spray (fog), foam or dry chemical.

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

In a fire or if heated, a pressure increase will occur and the

container may burst.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus Carbon dioxide (CO2) Carbon monoxide

Halogenated compounds

Metal oxides

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment :

for fire-fighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Evacuate personnel to safe areas.

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

Keep unnecessary and unprotected personnel from entering.

Do not touch or walk through spilled material.

Do not breathe vapors or spray mist.

Provide adequate ventilation.

Put on appropriate personal protection equipment.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Move containers from spill area.

Wash spillages into an effluent treatment plant or proceed as

follows

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

Keep people away from and upwind of spill/leak.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking

and smoking.

Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Do not get on skin or clothing.

Do not breathe vapors or spray mist.

Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in

use.

Empty containers retain product residue; observe all precau-

tions for product.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Store locked up.

Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage.

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

Do not store in unlabeled containers.

Do not store near acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Phosphoric acid	7664-38-2	TWA	1 mg/m3	ACGIH
		STEL	3 mg/m3	ACGIH
		TWA	1 mg/m3	OSHA Z-1

Engineering measures : Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

A NIOSH approved air purifying respirator with organic vapor cartridges and particulate prefilter can be used to minimize

exposure.

Hand protection

Material : Permeation resistant gloves.

Eye protection : Chemical resistant goggles must be worn.

If inhalation hazards exist, a full-face respirator may be re-

quired instead.

Skin and body protection : Permeation resistant clothing and foot protection.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : yellow

Odor : slight

Odor Threshold : No data available

pH : 0.5 - 1.5

Melting point/range : 0 °C

Boiling point/boiling range : 96 °C

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: 1.0 09/13/2018 103000008495 Country / Language: CA / EN

(1,013 hPa)

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit : No data available

Vapor pressure : 33.33 hPa (25 °C)

Relative vapor density : No data available

Relative density : 1.05

Density : 0.99 - 1.11 g/cm³ (20 °C)

Bulk density : 1.05 kg/m³

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Molecular weight : No data available

Metal corrosion rate : Not corrosive to metals.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

Conditions to avoid : No specific data.

Incompatible materials : alkalis

Attacks many metals producing extremely flammable hydro-

gen gas which can form explosive mixtures with air.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Information on likely routes of exposure

Skin contact Eye contact Inhalation Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Sulphamic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: Extrapolation according to Regulation (EC) No.

440/2008

Phosphoric acid:

Acute oral toxicity : LD50 (Rat): 2,600 mg/kg

Method: OECD Test Guideline 423

Ethoxylated branched C9-11, C10-rich alcohols:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

Glycolic Acid:

Acute oral toxicity : LD50 (Rat): 1,950 mg/kg

Coconut oil amidopropyl betaine:

Acute oral toxicity : LD50 (Rat): 1,500 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Result: Corrosive

Components:

Sulphamic acid:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Irritating to skin.

Phosphoric acid:

Species: Rabbit

Result: Causes burns.

Glycolic Acid:

Result: Corrosive after 3 minutes to 1 hour of exposure

Coconut oil amidopropyl betaine:

Remarks: Irritant

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result: Corrosive

Components:

Sulphamic acid:

Species: Rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

Phosphoric acid:

Assessment: Risk of serious damage to eyes.

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: 1.0 09/13/2018 103000008495 Country / Language: CA / EN

Ethoxylated branched C9-11, C10-rich alcohols:

Result: Risk of serious damage to eyes.

Coconut oil amidopropyl betaine:

Remarks: Irritant

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Sulphamic acid:

Result: Did not cause sensitization on laboratory animals.

Glycolic Acid:

Routes of exposure: Skin contact

Species: Guinea pig

Result: Did not cause sensitization on laboratory animals.

Coconut oil amidopropyl betaine:

Routes of exposure: Skin contact

Result: The product is a skin sensitiser, sub-category 1B.

Remarks: Sensitizing

Germ cell mutagenicity

Not classified based on available information.

Components:

Sulphamic acid:

Genotoxicity in vitro : Test system: Mammalian-Human

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

GLP: yes

Test system: Mammalian-Animal

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

Phosphoric acid:

Genotoxicity in vitro : Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: yes

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Causes damage to organs (Respiratory Tract) if inhaled.

Product:

Routes of exposure: Inhalation Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, single ex-

posure, category 1.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Phosphoric acid:

Species: Rat

NOAEL: 250 mg/kg Application Route: Oral

Method: OECD Test Guideline 422

Remarks: Chronic toxicity

Aspiration toxicity

Not classified based on available information.

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: 1.0 09/13/2018 103000008495 Country / Language: CA / EN

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Sulphamic acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: no

Remarks: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 71.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Remarks: Fresh water

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Remarks: Fresh water

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): >= 60 mg/l

Exposure time: 34 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 19 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 200 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

GLP: yes

Remarks: Fresh water

Phosphoric acid:

Toxicity to daphnia and other :

aquatic invertebrates

NOEC (Daphnia magna (Water flea)): 56 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Biosolve™ AFC



Version **Revision Date:** SDS Number: Date of previous issue: -09/13/2018 103000008495 Country / Language: CA / EN 1.0

Method: OECD Test Guideline 202

Toxicity to algae ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Glycolic Acid:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 5,000 mg/l

Exposure time: 96 h

Persistence and degradability

Components:

Sulphamic acid:

Biodegradability Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

Phosphoric acid:

Biodegradability Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

Ethoxylated branched C9-11, C10-rich alcohols:

Biodegradability Result: Readily biodegradable.

Glycolic Acid:

Biodegradability Result: Readily biodegradable.

Bioaccumulative potential

Components:

Sulphamic acid:

Partition coefficient: n-

octanol/water

log Pow: -4.34

Glycolic Acid:

Partition coefficient: noctanol/water

log Pow: -1.11

Method: measured

Mobility in soil

No data available

Other adverse effects

No data available

Biosolve™ AFC



Version **Revision Date:** SDS Number: Date of previous issue: -09/13/2018 103000008495 Country / Language: CA / EN 1.0

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal.

state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

TDG

UN number UN 3264

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

(SULFAMIC ACID, PHOSPHORIC ACID)

Class 8 Packing group Ш

Labels 8



Environmentally hazardous no

Product classified per Transportation of Dangerous Goods Regulations sections 2.40-2.42 (Class 8).

International Regulations

IATA-DGR

UN/ID No. UN 3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

(SULFAMIC ACID, PHOSPHORIC ACID)

Class 8 Packing group Ш Labels 8

Packing instruction (cargo 855: 30.00 L

aircraft)

Packing instruction (passen-851: 1.00 L

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: 1.0 09/13/2018 103000008495 Country / Language: CA / EN

ger aircraft)

Environmentally hazardous no

IMDG-Code

UN number : UN 3264

Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(SULFAMIC ACID, PHOSPHORIC ACID)

Class : 8
Packing group : II
Labels : 8

8

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

TSCA : On TSCA Inventory


DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

Further information

NFPA:



Special hazard.

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

Biosolve™ AFC



Version Revision Date: SDS Number: Date of previous issue: - 1.0 09/13/2018 103000008495 Country / Language: CA / EN

SECTION 16. OTHER INFORMATION

Revision Date : 09/13/2018

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of our knowledge. The information provided in this Safety Data Sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. We assume no legal responsibility for use of or reliance upon the information in this SDS.