

024-612

SAFETY DATA SHEET

VIRKON™ TABLETS

LANXESS
Energizing Chemistry

Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

SECTION 1. IDENTIFICATION

Product name : VIRKON™ TABLETS

Product code : 000000000062132332

Other means of identification : No data available

Manufacturer or supplier's details

Company : LANXESS Canada Co.
Product Safety and Regulatory Affairs
25 Erb Street
Elmira, Canada N3B 2J3

Responsible Department : +1800LANXESS

Emergency telephone : In an emergency, CANUTEC may be called collect at:
613.996.6666 (24 hrs)
*666 cellular (Canada only)

Recommended use of the chemical and restrictions on use

Recommended use : Disinfectants
DIN: 2253917

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Skin irritation : Category 2

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Causes skin irritation.
Causes serious eye damage.

510-450

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0 Revision Date: 05/07/2024 SDS Number: 203000010132 Date of last issue: 10/02/2020
Country / Language: CA / EN

43
Precautionary Statements :

Prevention:

Wash skin thoroughly after handling.
Wear protective gloves/ eye protection/ face protection.

Response:

IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
If skin irritation occurs: Get medical advice/ attention.
Take off contaminated clothing and wash it before reuse.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
pentapotassium bis(peroxymonosulphate) bis(sulphate)	70693-62-8	>= 30 - < 60
Butanedioic acid, 2-hydroxy-sulphamidic acid	6915-15-7	>= 10 - < 30
Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	5329-14-6	>= 1 - < 5
potassium hydrogensulphate (Impurity)	68411-30-3	>= 1 - < 5
dipotassium disulphate (Impurity)	7646-93-7	>= 1 - < 5
dipotassium peroxodisulphate (Impurity)	7790-62-7	>= 1 - < 5
	7727-21-1	>= 0.1 - < 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.
Remove contaminated clothing and shoes.

SAFETY DATA SHEET

VIRKON™ TABLETS



Version
2.0

Revision Date:
05/07/2024

SDS Number:
203000010132

Date of last issue: 10/02/2020
Country / Language: CA / EN

- Continue to rinse for at least 20 minutes.
Get medical attention if symptoms occur.
Wash contaminated clothing before reuse.
- In case of eye contact : Get medical attention immediately.
In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated and that the eye is being irrigated.
Remove contact lenses, if present and easy to do. Continue rinsing.
Chemical burns must be treated promptly by a physician.
- If swallowed : Rinse mouth with water.
Do not induce vomiting unless directed to do by medical personnel.
Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

- Symptoms : Eye: Corrosive with symptoms of reddening, tearing, swelling, burning and possible permanent damage.
Skin: Causes irritation with symptoms of reddening, itching, and swelling.
- Effects : Causes skin irritation.
Causes serious eye damage.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
In case of fire, use water spray (fog), foam or dry chemical.
- Unsuitable extinguishing media : Do not use water jet.
Carbon dioxide (CO₂)
- Specific hazards during fire fighting : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.
Water runoff from fire fighting may be corrosive.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Sulfur oxides
Metal oxides
Nitrogen oxides (NO_x)
Halogenated compounds

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Further information : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : No action shall be taken involving any personal risk or without suitable training.
Put on appropriate personal protection equipment.
Do not touch or walk through spilled material.
Evacuate unnecessary personnel.
Keep unnecessary and unprotected personnel from entering.
Provide adequate ventilation.
Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Move containers from spill area.
Dispose of wastes in an approved waste disposal facility.
Avoid dust formation.
Do not dry sweep.
Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container.
Do not allow spilled material or wash water to enter sewers, surface waters, or groundwater systems.
Contaminated absorbent material may pose the same hazard as the spilled product.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Remove contaminated clothing and protective equipment before entering eating areas.
Workers should wash hands and face before eating, drinking and smoking.
Put on appropriate personal protection equipment.

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Avoid inhalation, ingestion and contact with skin and eyes. Use only with adequate ventilation.

Conditions for safe storage : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep containers sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate container to avoid environmental contamination. Empty containers retain residue and can be dangerous. Do not reuse container.

Materials to avoid : Keep away from alkalis.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dipotassium peroxodisulphate	7727-21-1	TWA	0.1 mg/m3 (Persulphate)	ACGIH

Engineering measures : If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. NIOSH approved, air-purifying organic vapor respirator.

Hand protection
Material : Butyl rubber - IIR
Wearing time : < 60 min

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Remarks	: Permeation resistant gloves.
Eye protection	: Tightly fitting safety goggles If inhalation hazards exist, a full-face respirator may be required instead.
Skin and body protection	: Wear suitable protective clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear work clothing including long pants and long-sleeve shirts.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: tablet
Physical state	: solid
Color	: pink
Odor	: odorless
Odor Threshold	: No data available
pH	: 2.6 - 3.2 Concentration: 10 %
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Self-ignition	: No data available
Burning number	: No data available

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	65 g/l
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Method: Regulation (EC) No. 440/2008, Annex, A.17

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Exposure to moisture.
Incompatible materials	:	Strong bases Combustible material Acids Oxidizing agents brass

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

Copper
Halogenated compounds
Cyanides
Heavy metal salts

Hazardous decomposition products : Oxygen
Chlorine
Sulfur oxides
Hypochlorites

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact
Skin contact
Ingestion

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, male and female): 4,123 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: the particle size measurements of the product indicate that it is not respirable and therefore not bioavailable by the inhalation route.

Acute dermal toxicity : LD50 (Rat, male and female): 2,200 mg/kg
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Acute oral toxicity : LD50 (Rat, male and female): 500 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC0 (Rat, male): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Extrapolation according to Regulation (EC) No. 440/2008

Butanedioic acid, 2-hydroxy-:

Acute oral toxicity : LD50 (Rat, male and female): 3,500 mg/kg
Method: OECD Test Guideline 401
GLP: No

Acute inhalation toxicity : LC0 (Rat, male and female): > 1.306 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit, female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: No

sulphamidic acid:

Acute oral toxicity : LD50 (Rat, female): 2,140 mg/kg
Method: OECD Test Guideline 401
GLP: Yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Assessment: The substance or mixture has no acute dermal toxicity

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Acute oral toxicity : LD50 (Rat, male and female): 1,080 mg/kg
Method: OECD Test Guideline 401
GLP: No

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: Yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Dosage caused no mortality

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

potassium hydrogensulphate:

Acute oral toxicity : LD50 (Rat): 2,340 mg/kg

dipotassium disulphate:

Acute oral toxicity : LD50 (Rat, male): 2,140 mg/kg
Method: OECD Test Guideline 401
Remarks: Test results on an analogous product

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Assessment: The component/mixture is toxic after short term inhalation.

dipotassium peroxodisulphate:

Acute oral toxicity : LD50 (Rat): 700 mg/kg

Acute inhalation toxicity : LC0 (Rat): > 2.95 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Highest producible concentration.

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit
Method : OECD Test Guideline 404
Result : Causes burns.

Butanedioic acid, 2-hydroxy-:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

sulphamidic acid:

Species : Rabbit

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

Method : OECD Test Guideline 404
Result : Irritating to skin.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.
GLP : No

potassium hydrogensulphate:

Assessment : Causes burns.

dipotassium disulphate:

Assessment : Causes severe burns.

dipotassium peroxodisulphate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Rabbit
Result : Risk of serious damage to eyes.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Butanedioic acid, 2-hydroxy-:

Species : Rabbit
Result : Irritating to eyes.
Method : OECD Test Guideline 405

sulphamidic acid:

Species : Rabbit
Result : Irritating to eyes.
Method : OECD Test Guideline 405

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405
GLP	: Yes

dipotassium disulphate:

Assessment	: Risk of serious damage to eyes.
------------	-----------------------------------

dipotassium peroxodisulphate:

Result	: Irritating to eyes.
--------	-----------------------

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitization on laboratory animals.

Routes of exposure	: Inhalation
Species	: Mammal - species unspecified
Method	: Expert judgment
Result	: Does not cause respiratory sensitization.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

Butanedioic acid, 2-hydroxy-:

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitization on laboratory animals.
GLP	: Yes

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

sulphamidic acid:

Result : Did not cause sensitization on laboratory animals.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitization on laboratory animals.
GLP : Yes

dipotassium peroxodisulphate:

Routes of exposure : Inhalation
Species : Mammal - species unspecified
Result : May cause sensitization by inhalation.

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Genotoxicity in vitro : Test system: Mammalian-Animal
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: positive
GLP: Yes

Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: Yes

Test system: Mammalian-Human
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: positive
GLP: Yes

Genotoxicity in vivo : Species: Mammalian-Animal
Application Route: Oral

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

Method: OECD Test Guideline 474

Result: negative

Butanedioic acid, 2-hydroxy-:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

sulphamidic acid:

Genotoxicity in vitro : Test system: Mammalian-Human
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: Yes

Test system: Mammalian-Animal
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test system: Bacteria
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: Yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: Yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with metabolic activation
Method: OECD Test Guideline 473
Result: positive
GLP: Yes

Test Type: In vitro mammalian cell gene mutation test

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: Yes

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Mouse (male)
Cell type: Bone marrow
Application Route: Oral
Result: negative
GLP: No

Test Type: dominant lethal test
Species: Mouse (male)
Application Route: Oral
Result: negative
GLP: No

dipotassium peroxodisulphate:

Genotoxicity in vitro : Remarks: Not mutagenic in a standard battery of genetic toxicological tests.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Effects on fetal development : Remarks: No teratogenic or fetotoxic effects were found at all dose levels tested.

Butanedioic acid, 2-hydroxy-:

Effects on fetal development : Remarks: No known significant effects or critical hazards.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 0 - 14 - 70 milligram per kilogram
General Toxicity Parent: NOAEL: 350 mg/kg body weight
General Toxicity F1: NOAEL: 350 mg/kg body weight
General Toxicity F2: NOAEL: 350 mg/kg body weight
Fertility: NOAEL: 350 mg/kg body weight

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

Result: Animal testing did not show any effects on fertility.
GLP: No
Remarks: Test results on an analogous product

Effects on fetal development : Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Teratogenicity: NOAEL: 300 mg/kg body weight
Result: No teratogenic effects.
GLP: No
Remarks: Test results on an analogous product

STOT-single exposure

Not classified due to lack of data.

Components:

potassium hydrogensulphate:

Assessment : May cause respiratory irritation.

dipotassium peroxodisulphate:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Species : Rat, male and female
LOAEL : > 1,000 mg/kg
Application Route : Oral
Exposure time : 28 d
Number of exposures : 7 days/week
Method : OECD Test Guideline 407
Remarks : Subacute toxicity

Species : Rat, male and female
LOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d
Number of exposures : 7 days/week
Method : OECD Test Guideline 408
Remarks : Subchronic toxicity

Butanedioic acid, 2-hydroxy-:

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Remarks : No known significant effects or critical hazards.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 36 w
Number of exposures	: daily
GLP	: No
Remarks	: Subchronic toxicity

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Salmo salar (Atlantic salmon)): 24.6 mg/l
Exposure time: 96 h
Method: Regulation (EC) No. 440/2008, Annex, C.1
Remarks: Fresh water

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 6.5 mg/l
aquatic invertebrates
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Fresh water

Toxicity to algae/aquatic : NOEC (Desmodesmus subspicatus (green algae)): 6.25 mg/l
plants
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Fresh water

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 53 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

GLP: Yes
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

Butanedioic acid, 2-hydroxy-:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: Yes
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 240 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (algae): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

NOEC (algae): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water

sulphamidic acid:

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 70.3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: No
Remarks: Fresh water
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 71.6 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 48 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water
- NOEC (Desmodesmus subspicatus (green algae)): 18 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: Yes
Remarks: Fresh water
- Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): >= 60 mg/l
Exposure time: 34 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 19 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50: > 200 mg/l
End point: Respiration inhibition
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: Yes
Remarks: Fresh water

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.88 mg/l
Exposure time: 96 h
Analytical monitoring: Yes
Method: OECD Test Guideline 203
GLP: No
Remarks: Fresh water

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Analytical monitoring: Yes
Method: OECD Test Guideline 202
GLP: Yes
Remarks: Fresh water

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 235 mg/l
Exposure time: 72 h
Analytical monitoring: No
Method: OECD Test Guideline 201
GLP: No
Remarks: Fresh water

EC10 (Pseudokirchneriella subcapitata (green algae)): 13.1 mg/l
Exposure time: 72 h
Analytical monitoring: No
Method: OECD Test Guideline 201
GLP: No
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l
Exposure time: 72 d
Analytical monitoring: Yes
Method: OECD Test Guideline 210
GLP: No
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.18 mg/l
Exposure time: 21 d
Analytical monitoring: Yes
Method: OECD Test Guideline 211
GLP: No
Remarks: Fresh water

dipotassium disulphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 680 mg/l
Exposure time: 96 h
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 720 mg/l
Exposure time: 48 h
Remarks: Fresh water

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 1,492 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Remarks: Fresh water

EC10 (Pseudokirchneriella subcapitata (microalgae)): 656 mg/l
Exposure time: 96 h
Remarks: Fresh water

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 595 mg/l
Exposure time: 7 Days
Remarks: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 790 mg/l
Exposure time: 7 Days
Remarks: Fresh water

dipotassium peroxodisulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 120 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 83.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

Butanedioic acid, 2-hydroxy-:

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 67.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: Yes

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

sulphamidic acid:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 83 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: Yes

dipotassium disulphate:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

dipotassium peroxodisulphate:

Biodegradability : Result: The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential

Components:

pentapotassium bis(peroxymonosulphate) bis(sulphate):

Partition coefficient: n-octanol/water : log Pow: < 0.3
Method: OECD Test Guideline 117

Butanedioic acid, 2-hydroxy-:

Partition coefficient: n-octanol/water : log Pow: -1.26

sulphamidic acid:

Partition coefficient: n-octanol/water : log Pow: -4.34

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts:

Partition coefficient: n-octanol/water : log Pow: 1.4 (23 °C)
Method: OECD Test Guideline 123

Mobility in soil

No data available

SAFETY DATA SHEET

VIRKON™ TABLETS



Version 2.0	Revision Date: 05/07/2024	SDS Number: 203000010132	Date of last issue: 10/02/2020 Country / Language: CA / EN
----------------	------------------------------	-----------------------------	---

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The generation of waste should be avoided or minimized wherever possible.
This material and its container must be disposed of in a safe way.
Empty containers retain product residue; observe all precautions for product.
Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
Waste disposal should be in accordance with existing federal, state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo
Risk of serious damage to eyes
Irritating to skin.
Keep dry.
Keep separated from foodstuffs

SAFETY DATA SHEET

VIRKON™ TABLETS




Version 2.0 Revision Date: 05/07/2024 SDS Number: 203000010132 Date of last issue: 10/02/2020
Country / Language: CA / EN

SECTION 15. REGULATORY INFORMATION

DSL : All components of this product are on the Canadian DSL

Further information

NFPA:



HMIS® IV:

HEALTH	/	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

LANXESS' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by LANXESS as a customer service.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Ja-

SAFETY DATA SHEET

VIRKON™ TABLETS



Version	Revision Date:	SDS Number:	Date of last issue: 10/02/2020
2.0	05/07/2024	203000010132	Country / Language: CA / EN

pan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 05/07/2024
Date format : mm/dd/yyyy

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.

